



EXTENDED RANGE

mares | **XR**
extended range


DINARSKA PROTIVVREDNOST VALUTE




2022

BREATHING
SYSTEMS

PRODUCT SELECTOR



	25XR-DR TEK SET	28XR-HR TEK SET	28XR-HR	1 st STAGE			2 nd STAGE		
	28XR	25XR	2XR	DR	HR	VR			
Code	416415	416409	416410	416411	416414	416407	416416	416412	416408
Page	150	151	152	154	155	155	153	153	154
Kind of dive & Type of use	Sidemount use	•		•			•	•	
	EN 13949 Nitrox			•		•	•	•	•
	Deep dive (tested to 200m)	•	•	•	•		•	•	
	Extremely cold water	•	•	•	•		•		
	Travel optimized							•	•
1st Stage Details	Dynamic flow control	•	•	•	•				
	Dry system (AST)	•	•	•	•	•			
	Twin balanced piston	•	•	•	•				
	360° Swivel turret		•	•					
	Finish	Chrome-Shiny	Chrome-Shiny	Chrome-Shiny	Chrome-Shiny	Chrome-Shiny	Sandblasted		
2nd Stage Details	VAD / Vortex Assisted Design	•	•	•			•	•	Sagittal
	Adjustable breathing comfort		•	•				•	
	PAD / Pneumatically assisted		•	•				•	
	Left & right sided use								•
	Material / Technology	All Metal Technology	Ultralight Technopolymer	Ultralight Technopolymer			All Metal Technology	Ultralight Technopolymer	Ultralight Technopolymer



25XR - DR FULL TEK SET**NEW**Code: **416415***

RRP
€ 990.00



THIS SET INCLUDES:

- 2 X DR SECOND STAGES
- 2 X 25XR FIRST STAGES
- 2 X HOSES (60CM - 210CM)
- 1 X NECK REGULATOR BUNGEE
- 1 X DEAD BOLT SNAP

2ND STAGE

- HIGH-PERFORMANCE SECOND STAGE
- VAD SYSTEM - STABLE FLOW WITHOUT EXCESSIVE POSITIVE-PRESSURE BREATHING
- MESH GRID SYSTEM - COVER DESIGN DISPERSES WATER FLOW AND REDUCES FREE FLOW
- ALL METAL TECHNOLOGY - COMPACT AND RUGGED ALL-METAL BODY MADE FROM HIGH-IMPACT CHROME AND NICKEL-PLATED BRASS
- NO USER ADJUSTMENT NEEDED
- RUBBER HOSE:
 - STRONGER RESISTANCE TO CUTS, ABRASIONS, BURSTING AND UV - LESS FLOATING

1ST STAGE

- TBP DRY KIT - ENVIRONMENTALLY SEALED FOR BETTER PERFORMANCE ON COLD WATER DIVES
- AST - FIRST STAGE DRY SYSTEM TO AVOID WATER ENTERING
- DFC - DYNAMIC FLOW CONTROL
- G5/8 CONNECTION, 300BAR (DIN)




CERTIFIED PERFORMANCE at 200m
PROVEN TECHNOLOGY at 400m

RESULTS AND PERFORMANCE

Pressure - Volume diagram at mean depth of: 203.3 msw (666.9 fsw)

Inhale Pressure	10.05 Mbar
Inhale Positive Pressure	1.96 Mbar
Exhale Pressure	10.95 Mbar
Work Of Breathing	1.28 J/l
Inhale Work	0.56 J/l
Positive Inhale Work	0.00 J/l
Exhale Work	0.72 J/l

**TECHNICAL FEATURES**

	Type	DIN 300 bar
1st Stage	Weight	777g
	High pressure ports	1 (7/16" UNF)
	Low pressure ports	2 (3/8" UNF)
	Weight	269g
2nd Stage	Material / Technology	All Metal Technology
	LP Hose Type/Length	Rubber Hose / 60cm - 210cm

*Meets and exceeds the requirements of NORSOK U-101 at a depth of 200m

28XR - HR FULL SM TEK SET

Code: 416409*

RRP
€ 1,290.00



THIS SET INCLUDES:

- 2 X HR SECOND STAGES
- 2 X 28XR FIRST STAGES
- 2 X MIFLEX XT-TECH HOSES (60CM - 210CM)
- 2 X SHORT MIFLEX XT-TECH SIDEMOUNT INFLATOR HOSES (20 CM)
- 1M OF 4MM BUNGEE

2ND STAGE

- FOR STAGE, SIDEMOUNT, MAIN BACKMOUNT, BACK-UP BACKMOUNT OR "HARD BREATHING" BACKMOUNT USE
- ADJUSTABLE BREATHING COMFORT
- SIMPLE, PERFORMING, ULTRALIGHT TECHNOLOGY
- PAD - PNEUMATICALLY ASSISTED DESIGN
- OVERSIZED PURGE BUTTON
- MIFLEX XT-TECH HOSE

1ST STAGE

- SHINY CHROME METAL BODY
- NATURAL DFC ON ALL LP PORTS
- T.B.P. DRY KIT - ENVIRONMENTALLY SEALED FOR BETTER PERFORMANCE ON COLD WATER DIVES
- AST - AUTO SEALING TECHNOLOGY
- 4 LP PORTS ON A SWIVEL TURRET
- A 5TH ADDITIONAL IN-LINE LP PORT
- 2 SYMMETRICAL HP PORTS WITH A 10° PORT ANGLE FOR PERFECT HP HOSE POSITIONING
- G5/8 CONNECTION, 300BAR (DIN)




CERTIFIED PERFORMANCE at 200m
PROVEN TECHNOLOGY at 400m

RESULTS AND PERFORMANCE

Pressure - Volume diagram at mean depth of: 202.2 msw (663.2 fsw)

Inhale Pressure	10.93 Mbar
Inhale Positive Pressure	2.54 Mbar
Exhale Pressure	8.98 Mbar
Work Of Breathing	1.47 J/l
Inhale Work	0.78 J/l
Positive Inhale Work	0.00 J/l
Exhale Work	0.70 J/l



TECHNICAL FEATURES

	Type	DIN 300 bar
1st Stage	Weight	827g
	High pressure ports	2 [7/16" UNF]
	Low pressure ports	5 [3/8" UNF]
	Weight	232g
2nd Stage	Material / Technology	Ultralight Technopolymer
	LP Hose Type/Length	Miflex XT-Tech Hose / 60cm - 210cm

*Meets and exceeds the requirements of NORSOK U-101 at a depth of 200m

28XR - HR

Code: **416410* - NR: black - G5/8**

RRP
€ 495.00

Code: **416410* - NX: green - M26**

RRP
€ 495.00



2ND STAGE

- FOR STAGE, SIDEMOUNT, MAIN BACKMOUNT, BACK-UP BACKMOUNT OR "HARD BREATHING" BACKMOUNT USE
- ADJUSTABLE BREATHING COMFORT
- SIMPLE, PERFORMING, ULTRALIGHT TECHNOLOGY POLYMER BODY
- PAD - PNEUMATICALLY ASSISTED DESIGN
- OVERSIZED PURGE BUTTON
- MIFLEX XT-TECH HOSE

1ST STAGE

- SHINY CHROME METAL BODY
- NATURAL DFC ON ALL LP PORTS
- TBP DRY KIT - ENVIRONMENTALLY SEALED FOR BETTER PERFORMANCE ON COLD WATER DIVES
- AST - AUTO SEALING TECHNOLOGY
- 4 LP PORTS ON A SWIVEL TURRET
- A 5TH ADDITIONAL IN-LINE LP PORT
- 2 SYMMETRICAL HP PORTS WITH A 10° PORT ANGLE FOR PERFECT HP HOSE POSITIONING




CERTIFIED PERFORMANCE at 200m
PROVEN TECHNOLOGY at 400m

RESULTS AND PERFORMANCE

Pressure - Volume diagram at mean depth of: 202.2 msw (663.2 fsw)

Inhale Pressure	10.93 Mbar
Inhale Positive Pressure	2.54 Mbar
Exhale Pressure	8.98 Mbar
Work Of Breathing	1.47 J/l
Inhale Work	0.78 J/l
Positive Inhale Work	0.00 J/l
Exhale Work	0.70 J/l



TECHNICAL FEATURES

	Type	DIN 300 bar	NITROX 200 bar
1st Stage	Weight	827g	805g
	High pressure ports	2 [7/16" UNF]	
	Low pressure ports	5 [3/8" UNF]	
2nd Stage	Weight	232g	
	Material / Technology	Ultralight Technopolymer	
	LP Hose Type/Length	Miflex XT-Tech Hose / 75cm	

*Meets and exceeds the requirements of NORSOK U-101 at a depth of 200m

DR 2ND STAGE**NEW**Code: **416416* - NR: black - air**

RRP
€ 250.00

Code: **416416* - NX: green - 02**

RRP
€ 250.00



- HIGH-QUALITY, HIGH-PERFORMANCE SECOND STAGE, AVAILABLE ALSO FOR STAGE TANK CONFIGURATION
- VAD SYSTEM - STABLE FLOW WITHOUT EXCESSIVE POSITIVE-PRESSURE BREATHING
- MESH GRID SYSTEM - COVER DESIGN DISPERSES WATER FLOW AND REDUCES FREE FLOW
- ALL METAL TECHNOLOGY - COMPACT AND RUGGED ALL-METAL BODY MADE FROM HIGH-IMPACT CHROME AND NICKEL-PLATED BRASS
- NO USER ADJUSTMENTS NEEDED
- RUBBER LP HOSE
 - STRONGER RESISTANCE TO CUTS, ABRASIONS, BURSTING AND UV - LESS FLOATING

**TECHNICAL FEATURES**

2nd Stage	Weight	269g / 9.5oz
	Material / Technology	All Metal Technology
	LP Hose Type/Length	Rubber Hose / 110cm / 43in

HR 2ND STAGECode: **416412* - NR: black - air**

RRP
€ 180.00

Code: **416412* - NX: green - 02**

RRP
€ 180.00



- FOR STAGE, SIDEMOUNT, MAIN BACKMOUNT, BACK-UP BACKMOUNT OR "HARD BREATHING" BACKMOUNT USE
- ADJUSTABLE BREATHING COMFORT
- SIMPLE, PERFORMING, ULTRALIGHT TECHNOLOGY BODY
- PAD - PNEUMATICALLY ASSISTED DESIGN
- OVERSIZED PURGE BUTTON
- MIFLEX XT-TECH HOSE

**TECHNICAL FEATURES**

2nd Stage	Weight	232g
	Material / Technology	Ultralight Technopolymer
	LP Hose Type/Length	Miflex XT-Tech Hose / 75cm

* Spare parts, to be used only in first/second stage combinations carrying a CE certification. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.

VR 2ND STAGE

Code: **416408* - NR: black - air**

RRP
€ 125.00

Code: **416408* - NX: green - 02**

RRP
€ 125.00



- THE FIRST VERTICAL SECOND STAGE EVER
- EXCELLENT BREATHING POSITION
- INTEGRATED SAGITTAL VAD (S-VAD)
- OVERSIZED SILICONE PURGE BUTTON
- FREEDOM OF MOVEMENT IN ALL POSITIONS
- IDEAL FOR STAGE DECOMPRESSION AND TRAVEL GAS
- CAN BE MOUNTED ON THE RIGHT AS WELL AS THE LEFT SIDE
- "UNDER THE SHOULDER" HOSE POSITION
- EASY TO PUSH PURGE BUTTON
- MIFLEX XT-TECH HOSE



TECHNICAL FEATURES

2nd Stage	Weight	199g
	Material / Technology	Ultralight Technopolymer
	LP Hose Type/Length	Miflex XT-Tech Hose / 110cm

28XR 1ST STAGE

Code: **416411* - NR: air - G5/8**

RRP
€ 365.00

Code: **416411* - NX: 02 - M26**

RRP
€ 365.00



THE 28XR IS A TECHNICAL FIRST STAGE IDEAL FOR:

- SIDEMOUNT REGULATORS
- BACKMOUNT REGULATORS
- STAGE REGULATORS

- SHINY CHROME METAL BODY
- NATURAL DFC ON ALL LP PORTS
- TBP DRY KIT - ENVIRONMENTALLY SEALED FOR BETTER PERFORMANCE ON COLD WATER DIVES
- AST - AUTO SEALING TECHNOLOGY
 - KEEPS THE FIRST STAGE DRY. RELIABILITY WITHOUT COMPROMISE
 - THE SYSTEM IS AUTOMATICALLY ACTIVATED BY AIR
 - TESTED WITH OXYGEN IN COLD TEMPERATURES AND DEMANDING ENVIRONMENTS
 - PATENTED SYSTEM
- 4 LP PORTS ON A SWIVEL TURRET
- A 5TH ADDITIONAL IN-LINE LP PORT
- 2 SYMMETRICAL HP PORTS WITH A 10° PORT ANGLE FOR PERFECT HP HOSE POSITIONING



TECHNICAL FEATURES

1st Stage	Type	DIN 300 bar	NITROX 200 bar
	Weight	827g	805g
	High pressure ports	2 [7/16" UNF]	
	Low pressure ports	5 [3/8" UNF]	

* Spare parts, to be used only in first/second stage combinations carrying a CE certification. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.

25XR 1ST STAGE**NEW**Code: **416414* - Left**

RRP
€ 300.00

Code: **416414* - Right**

RRP
€ 300.00



- COMPACT, SOLID, ONE-PIECE BODY
- 2 LP PORTS (3/8" UNF) ALL ANGLED DOWNWARDS
- 1 HP PORT (7/16" UNF) WITH IPD - INTERCHANGEABLE PORT DESIGN
- PERFECT, SNAG-FREE LP HOSE POSITIONING
- DFC - DYNAMIC FLOW CONTROL
- T.B.P. DRY KIT - ENVIRONMENTALLY SEALED FOR BETTER PERFORMANCE ON COLD WATER DIVES. PREVENTS ICE BUILD-UP AND KEEPS SILT AND CONTAMINATION OUT
- FOR TWINSET USE BUT EQUALLY SUITABLE FOR SINGLE OR STAGE CYLINDER CONFIGURATIONS
- DUAL CONFIGURATION: FITS ALL CERTIFYING AGENCIES FROM RSTC TO DIR DIVERS AND ALL XR USES INCLUDING CAVE
- MINIMIZED RISK OF ACCIDENTAL SNAGGING, NO HOSE KINKING AND EASIER ACCESS TO THE MANIFOLD VALVES
- AST - AUTO SEALING TECHNOLOGY
 - KEEPS THE FIRST STAGE DRY. RELIABILITY WITHOUT COMPROMISE
 - THE SYSTEM IS AUTOMATICALLY ACTIVATED BY AIR
 - TESTED WITH OXYGEN IN COLD TEMPERATURES AND DEMANDING ENVIRONMENTS
 - PATENTED SYSTEM

**TECHNICAL FEATURES**

1st Stage	Type	DIN 300 bar	NITROX 200 bar
	Weight	779g / 27.5oz	757g / 26.7oz
	High pressure ports	1 [7/16" UNF]	
	Low pressure ports	2 [3/8" UNF]	

2XR 1ST STAGECode: **416407* - NR: air - G5/8**

RRP
€ 135.00

Code: **416407* - NX: 02 - M26**

RRP
€ 135.00



- VERY SIMPLE AND RELIABLE
- STURDY AND COMPACT
- EASY TO CLEAN AND MAINTAIN
- AST - AUTO SEALING TECHNOLOGY
 - KEEPS THE FIRST STAGE DRY. RELIABILITY WITHOUT COMPROMISE
 - THE SYSTEM IS AUTOMATICALLY ACTIVATED BY AIR
 - TESTED WITH OXYGEN IN COLD TEMPERATURES AND DEMANDING ENVIRONMENTS
 - PATENTED SYSTEM

**TECHNICAL FEATURES**

1st Stage	Type	DIN 300 bar	NITROX 200 bar
	Weight	431g / 15.0oz	409g / 14.4oz
	High pressure ports	1 [7/16" UNF]	
	Low pressure ports	4 [3/8" UNF]	

* Spare parts, to be used only in first/second stage combinations carrying a CE certification. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.

HOSES



46201394	3/8"	RUBBER	60 cm / 24 in
46201477			110 cm / 43 in
46201393			210 cm / 83 in
47201191	3/8"	MIFLEX XT-TECH	20 cm / 8 in
46201680			60 cm / 24 in
46201681			110 cm / 43 in
46201682			210 cm / 83 in

G5/8 KIT 200BAR W/AST **NEW**

Code: **416818** for 28XR - 25XR - 2XR

RRP
€ 79.00

- O2 CLEANED
- AST - AUTO SEALING TECHNOLOGY
 - KEEPS THE FIRST STAGE DRY. RELIABILITY WITHOUT COMPROMISE
 - THE SYSTEM IS AUTOMATICALLY ACTIVATED BY AIR
 - TESTED WITH OXYGEN IN COLD TEMPERATURES AND DEMANDING ENVIRONMENTS
 - PATENTED SYSTEM
- CONICAL SINTERED FILTER

Accessory, to be used only in first/second stage combinations carrying CE certification. The assembly, check and any necessary adjustments must be done by a Mares Lab Authorized Service Center.



OVER PRESSURE RELIEF VALVE

Code: **416404**

RRP
€ 17.00

- STANDARD LP PORT THREAD, 3/8 UNF
- SET TO 13BAR, NOMINALLY, WITH +/-0.5BAR TOLERANCE
- CHROME PLATED BRASS
- STANDARD REGULATOR SPRING



2ND STAGE LP SWIVEL CONNECTOR

Code: **416413**

RRP
€ 68.00

- LOW PRESSURE HOSE ADAPTER - 360° SWIVEL
- GOES BETWEEN A REGULATOR HOSE AND 2ND STAGE
- IDEAL FOR A LEFT SIDEMOUNT REGULATOR
- MORE COMFORT ON WAIST-MOUNTED DECO AND STAGE TANKS
- REDUCES JAW FATIGUE
- ALLOWS A WIDER RANGE OF HEAD MOVEMENT



NECK REGULATOR BUNGEE

Code: **415763**

RRP
€ 19.00

- ATTACHES EASILY TO ANY REGULATOR 2ND STAGE MOUTHPIECE
- ALLOWS REGULATOR TO HANG CLOSE UNDER THE CHIN
- DURABLE, SHAPE RETAINING SILICONE



BK



YL

RUBBER STAGE TANK STRAP

Code: **417527 - 6"**

RRP
€ 9.90

Code: **417527 - 7"**

RRP
€ 9.90

- 1 PAIR OF RUBBER LOOP TANK STRAPS
- 2.5 CM WIDE WITH WEBBING PULLER
- 6" FOR 6" DIAMETER TANK (17 CM RUBBER LOOP)
- 7" FOR 7", 8" & 8.5" DIAMETER TANKS (23 CM RUBBER LOOP)





FARTHER. DEEPER. BEYOND.

A diver is seen from behind, swimming towards a large, dark, rectangular object that appears to be a shipwreck. The diver's headlamp illuminates the scene, casting a bright beam of light on the object. The background is a deep blue, murky underwater environment with some rocky terrain.

XR

EXTEND YOUR RANGE
EXPERIENCE NEW EMOTIONS
ADVANCE A BIT FARTHER

Don't you think it's time for a little something extra?

We are naturally inclined to be curious and adventurous. You've made it this far after all. Exploring the depths of the ocean realm. Seeking the excitement of what's to come. Just below the water's surface lies a new adventure each and every time. Perhaps you've considered going just a little farther, a bit deeper, or beyond the boundaries you've been to before?

Mares is here to discover this along your side. Offering new products that extend your range and limits, to go places you've only dreamed of. The opportunities are infinite, new emotions are endless, and it's just at your fingertips. It's time we went, don't you think?

High quality equipment is instrumental in achieving your goals.

Extended Range is a pathway to exploring the extraordinary. Mares has developed a new line of equipment flexible enough to bridge the gap between taking your first steps into XR, to the most challenging of explorations. No compromises necessary as you advance towards your final goal.

mares.com

INSTRUMENT SPG52

Code: **414600 - 56cm hose - BAR**

Code: **414600 - 56cm hose - PSI**

RRP
€ 109.00

Code: **414601 - 15cm Miflex - BAR**

Code: **414601 - 15cm Miflex - PSI**

RRP
€ 129.00

Code: **414602 - 15cm Miflex Oxygen - BAR**

Code: **414602 - 15cm Miflex Oxygen - PSI**

RRP
€ 129.00

- SPG WITH GRADUATION RANGE 0-360 BAR, 0-5000 PSI
- SINGLE READING
- TEMPERED GLASS
- LUMINESCENT "GLOW IN THE DARK" SCREEN
- AIR OR 100% OXY (OXY CLEAN)
- CERTIFIED ACCORDING TO EN 250
- DOUBLE CHROME, MIRROR-PLATED CASE TREATMENT
- BRASS HOUSING WITH TEMPERED GLASS FOR EXTREME DURABILITY
- COPPER BERYLLIUM BOURDON TUBE MECHANISM THAT NEVER GOES OUT OF CALIBRATION EVEN WITH HARD KNOCKS
- PREFERRED FOR ITS SIMPLICITY BY MANY TECHNICAL DIVERS WHO FOLLOW DIR TRAINING PHILOSOPHY



TECHNICAL FEATURES

Weight	210g
Diameter	52mm

STAGE RIGGING SET

Code: **417518**

RRP
€ 82.00

- THE MOST MODULAR SYSTEM FOR CARRYING STAGE TANKS
- FITS ALL DIAMETERS OF STANDARD TANKS
- FITS STAGES OF ALL LENGTHS
- INCLUDES: 1 LARGE STAINLESS STEEL DEAD BOLT SNAP, ADJUSTABLE TANK BAND WITH STAINLESS STEEL BUCKLE AND HI-RESISTANCE CORD



SINGLE TANK BAND SET

Code: **417541**

RRP
€ 72.00

- DEDICATED TO ALL OUR SINGLEMOUNT SETS
- FITS ALL DIAMETERS OF STANDARD TANKS
- INCLUDES: 2 X 52CM WIDE HEAVY DUTY STRAPS WITH 2 STAINLESS STEEL BUCKLES





BUOYANCY SYSTEMS

◇ Please note that some products are only available while stocks last

XR-REC TRIM SINGLE BACKMOUNT SET

NEW

Code: **417566**

RRP
€ 569.00



A COMPLETE MOUNTED SET INCLUDING:

- 17 LITER CORDURA MONO BLADDER FOR SINGLE TANK USE
- THE LOWER PORTION OF THE BLADDER HAS BEEN EXTENDED TO IMPROVE BUOYANCY AND TRIM
- ERGONOMIC OVERPRESSURE VALVE PLACEMENT WHICH IS EASY TO USE IN ALL DIVING POSITIONS
- QUICK TRIM ADJUSTMENT - A SMART, FAST SOLUTION TO FIND YOUR IDEAL TRIM
- LEFT AND RIGHT SHOULDER BUCKLES
- INDEPENDENT SHOULDER AND WAIST STRAPS. QUICK AND EASY ADJUSTMENT
- SHOULDER PADDING FOR BETTER COMFORT
- ADJUSTABLE CROTCH STRAP WITH 2 BP CONNECTIONS FOR BETTER COMFORT AND STABILITY
- INFLATOR WITH METAL BUTTONS
- 3 MM SILVER ALU BACK PLATE WITH A LIGHTWEIGHT DESIGN
- 3 MM SILVER ALU SINGLE TANK ADAPTER
- 6 MM SILVER ALU D-RINGS
- 2 TANK STRAPS
- 4 COLOUR OPTIONS AVAILABLE: BLACK, BLUE, WHITE AND AQUA
- EXTREMELY LIGHT, ONLY 2,8KG
- ONE SIZE FITS ALL
- PERFECT FOR TRAVELLING



**DISCOVER
MORE**



ACCESSORIES

Standard Weight System - XR Line	417567	Page 166
Metal Buckle AL Silver - XR Line	417562	Page 168
Inflator RE Valve	417564	Page 166
Bent Toothed Trigliders	417553	Page 168

XR-REC TRIM SINGLE BACKMOUNT SET

NEW

Code: 417566

RRP
€ 569.00




BL



WH



AQ



UltraLight Aluminum Backplate - "Skeleton" Design



Quick Trim Adjustment System (2 positions)



Standard Weight System (Optional)

POLYGON SINGLE BACKMOUNT SET

NEW

Code: 417563

RRP
€ 599.00



A COMPLETE MOUNTED SET INCLUDING:

- 16 LITER POLYGON SINGLE TANK DONUT
- 3 MM BLACK ALU BACKPLATE
- 6 MM SILVER ALU D-RINGS
- SILVER STAINLESS STEEL WAIST STRAP BUCKLE
- STANDARD WEBBING HARNESS
- INFLATOR WITH METAL BUTTONS
- 2 TANK STRAPS WITH SILVER ALU BUCKLES
- BLACK FLAT-HEAD BOLT SCREWS
- A SINGLE BACKMOUNT SET THAT INCLUDES EVERYTHING YOU NEED TO ENTER THE WORLD OF XR DIVING
- ONE SIZE FITS ALL (FULLY ADJUSTABLE HARNESS)
- PERFECT FOR TRAVELLING
- TOTAL WEIGHT: ONLY 3,1KG



ACCESSORIES

Inflator RE Valve	417564	Page 166
Side Weight Pocket	417533	Page 167
Thumbwheel	417523	Page 176
Bent Toothed Trigliders ALU-BK	417552	Page 168

XR-REC ICE SINGLE BACKMOUNT SET**NEW**Code: **417565**

RRP
€ 859.00



A COMPLETE MOUNTED SET INCLUDING:

- 16 LITER STANDARD SINGLE TANK SILVER DONUT
- 6 MM SS316 BACK PLATE
- 6 MM SS316 D-RINGS
- SS316 BUCKLE
- STANDARD WEBBING HARNESS
- LEFT SHOULDER MILSPEC SS316 BUCKLE WITH A 2-POINT, QUICK-RELEASE SYSTEM
- INFLATOR WITH METAL BUTTONS
- 2 TANK STRAPS WITH SS316 BUCKLES
- UPPER HANDLE
- NEW X-REC BACK-SHOULDERS PADDING
- FLAT-HEAD BOLT SCREWS
- 2 REMOVABLE SIDE WEIGHT POCKETS WITH D-RINGS, CLOSED WITH VELCRO® BRAND FASTENERS (ONE POCKET IS EXTENDABLE)
- A SINGLE BACKMOUNT SET THAT INCLUDES EVERYTHING YOU NEED TO ENTER THE WORLD OF XR DIVING
- ONE SIZE FITS ALL (FULLY ADJUSTABLE HARNESS)
- IDEAL FOR COLD WATER USE
- TOTAL WEIGHT: 7,3KG

**ACCESSORIES**

Inflator RE Valve	417564	Page 166
D-Ring SS316 Flat	417525	Page 168
D-Ring SS316 Bent	417526	Page 168
Bent Toothed Trigliders	417553	Page 168

XR-REC SILVER SINGLE BACKMOUNT SET

Code: 417559

RRP
€ 799.00



A COMPLETE MOUNTED SET INCLUDING:

- 16 LITER STANDARD SINGLE TANK SILVER DONUT
- 3 MM SILVER ALU BACK PLATE
- 6 MM SILVER ALU D-RINGS
- SS316 SILVER BUCKLE
- STANDARD WEBBING HARNESS
- LEFT SHOULDER MILSPEC SILVER ALU BUCKLE WITH A 2-POINT, QUICK-RELEASE SYSTEM
- 2 TANK STRAPS WITH SILVER SS316 BUCKLES
- UPPER HANDLE
- NEW X-REC BACK-SHOULDERS PADDING
- BLACK FLAT-HEAD BOLT SCREWS
- 2 REMOVABLE SIDE WEIGHT POCKETS WITH D-RINGS, CLOSED WITH VELCRO® BRAND FASTENERS (ONE POCKET IS EXTENDABLE)
- A SINGLE BACKMOUNT SET THAT INCLUDES EVERYTHING YOU NEED TO ENTER THE WORLD OF XR DIVING
- ONE SIZE FITS ALL (FULLY ADJUSTABLE HARNESS)
- PERFECT FOR TRAVELLING
- TOTAL WEIGHT: 3,4KG



ACCESSORIES

Thumbwheel	417523	Page 176
D-Ring SS316 Flat	417525	Page 168
D-Ring SS316 Bent	417526	Page 168
Bent Toothed Trigliders	417553	Page 168

HEAVY DUTY HARNESS

Code: **417501 - Complete**

RRP
€ 84.00

WEBBING

- 3.5M WEBBING WITH CENTER HOLE AND GROMMET
- 3 X 40MM ELASTIC LOOP RETAINERS
- 1.5M CROTCH STRAP

HARNESS

- 2 X BENT D-RING 50MM STAINLESS STEEL
- 2 X STRAIGHT D-RING 50MM STAINLESS STEEL
- 4 X 3-BAR SLIDES NORMAL STAINLESS STEEL
- 2 X 3-BAR SLIDES TOOTHED STAINLESS STEEL
- 1 X WAIST BUCKLE STAINLESS STEEL

CROTCH STRAP

- 2 X STRAIGHT D-RINGS 50MM STAINLESS STEEL
- 1 X 3-BAR GLIDES 50MM STAINLESS STEEL
- DIR - HOGARTHIAN CONFIGURATION



HEAVY DUTY MOUNTED SYSTEM

Code: **417516 - Mounted System**

RRP
€ 299.00

- 417501 HARNESS HEAVY DUTY COMPLETE
- 417507 BACKPLATE STAINLESS STEEL 3 mm
- TOTAL WEIGHT: 2,6KG



HEAVY LIGHT HARNESS

Code: **417502 - Complete**

RRP
€ 78.00

WEBBING

- 3.5 M WEBBING WITH CENTER HOLE AND GROMMET
- 3 X 40MM ELASTIC LOOP RETAINERS
- 1.5M CROTCH STRAP

HARNESS

- 2 X BENT D-RING 50MM BLACK ALUMINUM
- 2 X STRAIGHT D-RING 50MM BLACK ALUMINUM
- 4 X 3-BAR SLIDES NORMAL BLACK ALUMINUM
- 2 X 3-BAR SLIDES TOOTHED BLACK ALUMINUM
- 1 X SS316 STANDARD WAIST BUCKLE

CROTCH STRAP

- 2 X STRAIGHT D-RINGS 50MM BLACK ALUMINUM
- 1 X 3-BAR GLIDES 50MM BLACK ALUMINUM
- DIR - HOGARTHIAN CONFIGURATION



HEAVY LIGHT MOUNTED SYSTEM

Code: **417517 - Mounted System**

RRP
€ 299.00

- 417502 HARNESS HEAVY LIGHT COMPLETE
- 417508 BACKPLATE ALUMINUM 3 mm
- TOTAL WEIGHT: ONLY 1,4KG



STANDARD WEIGHT SYSTEM **NEW**

Code: **417567 Pair**

RRP
€ 99.00

- AN ADD-ON TO UPGRADE YOUR BCD
- EACH POCKET HOLDS UP TO 4KG
- 1200 "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- CAN BE PLACED ON WAIST STRAPS
- ZIPPERED WEIGHT POCKET
- EASY TO USE WITH GLOVES



CARGO POCKET

Code: **417505**

RRP
€ 35.00

- 1200D "BULLETPROOF" BALLISTIC NYLON
- LARGE MAIN VOLUME POCKET WITH ZIPPERED CLOSURE
- INTERNAL BUNGEE CORD
- INTERNAL STAINLESS STEEL D-RING
- SMALL FRONT COMPARTMENT POCKET WITH ZIPPERED CLOSURE
- 2 LARGE NYLON LOOPS TO SLIDE OVER HARNESS BELT
- 2 SMALL NYLON LOOPS TO ATTACH POCKET TO STANDARD 2" WAISTBAND
- 2 BOTTOM DRAIN GROMMETS
- CAN BE ATTACHED TO YOUR HARNESS



MASK POCKET

Code: **417506**

RRP
€ 19.00

- 1200D "BULLETPROOF" BALLISTIC NYLON
- 600D POLYESTER WEB GRID
- LARGE AND EXPANDABLE
- INNER REINFORCEMENT IN BLACK POLYURETHANE
- 1 OVERSIZED CLIP
- LONG NYLON STRAP ALLOWING FULL POCKET EXPANSION
- 1 LARGE NYLON LOOP TO SLIDE OVER HARNESS BELT
- CAN BE ATTACHED TO YOUR HARNESS



INFLATOR RE VALVE **NEW**

Code: **417564**

RRP
€ 99.00

- THE BEST SOLUTION FOR RECREATIONAL AND TECH DIVES
- LONG INFLATOR WITH METAL BUTTONS AND A RAPID EXHAUST VALVE
- THE COMPLETE SET, INCLUDES:
 - CPL INFLATOR
 - LP HOSE
 - GASKET
- AVAILABLE FOR:
 - XR-REC ICE
 - POLYGON
 - XR-REC TRIM



SIDEMOUNT BACK WEIGHT

Code: **417532**

RRP
€ 84.00

- HOLDS UP TO 12KG
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- HEAVY DUTY COLD WATER VELCRO® BRAND CLOSURE SYSTEM
- ATTACHMENT GROMMETS ON TOP AND BOTTOM FOR MODULAR FIXING ON SIDEMOUNT PLATES
- 3 BACK STRAPS FOR ADJUSTABLE ATTACHMENT ON HARNESS



SIDE WEIGHT POCKET

Code: **417533**

RRP
€ 299.00

- HOLDS UP TO 4KG
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- MODULAR - THEY CAN BE INSTALLED ON ANY MARES XR HARNESS
- CAN BE PLACED ON WAIST STRAPS
- HEAVY DUTY COLD WATER VELCRO® BRAND CLOSURE SYSTEM
- INTEGRATED FLAT D-RING



SIDEMOUNT BACK POUCH

Code: **417534**

RRP
€ 78.00

- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR POSTERIOR POUCH
- ZIPPERED FRONT
- 316 STAINLESS STEEL D-RINGS TO ATTACH FASTENING
- VERY USEFUL ACCESSORY FOR ALL SIDEMOUNT DIVERS ENABLING YOU TO STOW AWAY EVERYTHING THAT YOU WOULD NORMALLY CARRY IN YOUR POCKETS
- FAST AND EASY WATER DRAINAGE
- OUTER MESH POCKET FOR STORAGE OF SLATES, DIVE TABLES OR WETNOTES
- DOUBLE ENDERS NOT PROVIDED



RUBBER RINGS

Code: **417549**

RRP
€ 299.00

- RUBBER SLIDING D-RING COMPATIBLE WITH ALL 50/52MM WEBBING
- CAN BE MOVED FORWARDS (BY PINCHING TOGETHER) WHEN CYLINDERS START BECOMING MORE BUOYANT TO ALLOW FOR BETTER TRIM CONTROL
- FITS SNUGLY
- WEIGHT: 0.01KG
- OUTER DIAMETER: ~50MM
- THICKNESS: 8MM
- 4 PCS



TOOTHED SS316 TRIGLIDERS

Code: **417524**

RRP
€ 21.00

- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- PRECISION MACHINED FROM SS AISI 316
- FITS WITH ALL HARNESS STRAPS
- 10 PCS



D-RINGS SS316 FLAT

Code: **417525**

RRP
€ 2.90

- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- PRECISION MACHINED FROM SS AISI 316
- FITS WITH ALL HARNESS STRAPS
- 10 PCS



SF2 SS316 CLIP

Code: **417522**

RRP
€ 15.00

- ALLOWS FREE ADJUSTMENT OF RIGHT HARNESS STRAP
- PRECISION MACHINED FROM SS316 OR ALU
- STRONG, DURABLE, LOGICAL ALTERNATIVE TO PLASTIC CLIPS
- FITS IN ALL OUR RIGID PLATES (ALU AND SS)



BENT TOOTHED TRIGLIDERS

Code: **417552 - Alu Black**

Code: **417553 - SS316**

RRP
€ 24.00

- REPLACES THE CLASSICAL CHEST TRIGLIDERS ALLOWING FOR THE ADDITION OF ANY BACKUP LIGHTS OR ADDITIONAL ACCESSORIES
- PRECISION MACHINED FROM SS316 OR ALU
- STRONG, DURABLE, FITS WITH ALL HARNESS STRAPS
- 2 PCS



D-RINGS SS316 BENT

Code: **417526**

RRP
€ 2.90

- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- PRECISION MACHINED FROM SS AISI 316
- FITS WITH ALL HARNESS STRAPS
- 10 PCS



METAL BUCKLE

Code: **417562 - ALU Silver** **NEW**

Code: **417556 - Alu Black**

RRP
€ 49.00

Code: **417555 - SS316**

RRP
€ 39.00

- MILSPEC FOR 50MM WEBBING, STRAPS AND HARNESES
- TWO-POINT QUICK-RELEASE SAFETY CONCEPT ALLOWING A BREAK IN THE HARNESS



DONUT BLADDER SINGLE TANK

Code: **417511♦ - 10 kg**

RRP
€ 300.00

Code: **417511♦ - 16 kg**

RRP
€ 320.00

- DRAINS: 6 LARGE GROMMETS, 2 ON TOP AND 4 ON BOTTOM
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- HEAVY DUTY PLASTIC ZIPPER AND SLIDER WITH ELONGATED TEETH
- 4 HEAVY DUTY GROMMETS POSITIONED TO ALLOW OPTIMUM TRIM
- STRETCHY, LOW PROFILE, OVAL CORRUGATED HOSE
- K-STYLE TWO-SPEED (STANDARD AND TURBO) INFLATOR WITH BRASS BUTTONS
- LEFT POSITION DOES NOT INTERFERE WITH 1ST STAGE DUMP VALVE
- LOW PROFILE DUMP VALVE
- MICRO PULLER
- TANK STABILIZER BODY SLIDE BARS
- STYLISH, DURABLE (RESISTANT TO TEARS, SCUFFS AND ABRASIONS), LIGHTWEIGHT AND LONG-LASTING
- VERY SMART AND UNIQUE DESIGN ALLOWING THE CYLINDER TO NEST INSIDE
- EXTREMELY STREAMLINED - VERY STABLE CONTINUOUS LOOP SHAPE
- SMOOTH GAS SHIFT FROM LEFT TO RIGHT
- TOP QUALITY ZIPPER: DOES NOT INTERFERE WITH THE WOVEN TEXTILE TAPE, EASY HANDLING, STRONG AND DURABLE

DONUT BLADDER TWIN TANK

Code: **417512♦ - 20 kg**

RRP
€ 350.00

Code: **417512♦ - 24 kg**

RRP
€ 370.00

- DRAINS: 6 LARGE GROMMETS, 2 ON TOP AND 4 ON BOTTOM
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- HEAVY DUTY PLASTIC ZIPPER AND SLIDER WITH ELONGATED TEETH
- 4 HEAVY DUTY GROMMETS POSITIONED TO ALLOW OPTIMUM TRIM
- STRETCHY, LOW PROFILE, OVAL CORRUGATED HOSE
- K-STYLE TWO-SPEED (STANDARD AND TURBO) INFLATOR WITH BRASS BUTTONS
- MID POSITION DOES NOT INTERFERE WITH 1ST STAGE DUMP VALVE
- RIGHT AND LEFT MODULAR LOW PROFILE DUMP VALVE AND BLINDER
- KNOBLESS PULLER
- EXTREMELY STREAMLINED - VERY STABLE CONTINUOUS LOOP SHAPE
- SMOOTH GAS SHIFT OF AIR FROM LEFT TO RIGHT
- TOP QUALITY ZIPPER: EASY HANDLING, STRONG AND DURABLE



BACKPLATE STAINLESS STEEL

Code: **417507 - 3mm** ♦

RRP
€ 199.00

Code: **417507 - 6mm** ♦

RRP
€ 245.00

- STAINLESS STEEL GRADE 316
- 13 LASER CUT AND LASER ETCHED SLOTS:
 - 8 SLOTS SPECIALLY DESIGNED FOR OPTIMUM POSITIONING OF THE HARNESS WEBBING
 - 2 UPPER AND 2 LOWER SLOTS FOR NYLON CYLINDER BANDS SO A SINGLE CYLINDER CAN BE STRAPPED DIRECTLY
 - HAVING ONLY 2 SLOTS PROVIDES ENOUGH LATERAL CYLINDER STABILITY WITHOUT WEAKENING THE STRENGTH OF THE SPINE
- 2" WIDE CROTCH STRAP SLOT
- 15 HOLES:
 - 3 HOLES AT THE TOP OF THE PLATE OFFER A RANGE OF HEIGHT ADJUSTMENTS FOR BUOYANCY CELLS AND CYLINDERS. IN ADDITION, A CORRESPONDING LOWER CENTER SLOT ALLOWS FOR LOWER BAND BOLTS THAT ARE MISALIGNED
 - 4 UPPER AND LOWER PERIMETER HOLES ALONG EITHER SIDE AND 4 HOLES ALONG THE BOTTOM ALLOW FOR THE MOUNTING OF ACCESSORIES AND SIDE-MOUNT BUTT PLATE
- BENDED LOWER EDGES
- HIGHLY TECHNICAL PRE-SHAPE
- ULTRA-RUGGED BACKBONE
- TOTAL MODULARITY: ALL HARNESES AND ALL DONUTS/WINGS



TECHNICAL FEATURES

Thickness	3mm	6mm
Weight	1.9kg	3.8kg
Compatibility	Deluxe Padding / Butt Plate	

BACKPLATE ALUMINIUM

Code: **417508♦ - 3mm**

RRP
€ 190.00

- 6061 MARINE GRADE ANODIZED ALUMINUM ALLOY, 3MM
- 13 LASER CUT AND LASER ETCHED SLOTS:
 - 8 SLOTS SPECIALLY DESIGNED FOR OPTIMUM POSITIONING OF THE HARNESS WEBBING
 - 2 UPPER AND 2 LOWER SLOTS FOR NYLON CYLINDER BANDS SO A SINGLE CYLINDER CAN BE STRAPPED DIRECTLY
 - HAVING ONLY 2 SLOTS PROVIDES ENOUGH LATERAL CYLINDER STABILITY WITHOUT WEAKENING THE STRENGTH OF THE SPINE
- 2" WIDE CROTCH STRAP SLOT
- 15 HOLES:
 - 3 HOLES AT THE TOP OF THE PLATE OFFER A RANGE OF HEIGHT ADJUSTMENTS FOR BUOYANCY CELLS AND CYLINDERS. IN ADDITION, A CORRESPONDING LOWER CENTER SLOT ALLOWS FOR LOWER BAND BOLTS THAT ARE MISALIGNED
 - 4 UPPER AND LOWER PERIMETER HOLES ALONG EITHER SIDE AND 4 HOLES ALONG THE BOTTOM ALLOW FOR MOUNTING ACCESSORIES AND SIDE-MOUNT BUTT PLATE
- BENDED LOWER EDGES
- MARES XR LOGOS AND LAZER CUT SHAPED AXIS
- HIGHLY TECHNICAL PRE-SHAPE - UNPARALLELED VERSATILITY
- ULTRA-RUGGED UNFOLDABLE BACKBONE
- PUSHED TO LIMITS THROUGH INTENSE TESTING
- TOTAL MODULARITY: ALL HARNESES AND DONUTS/WINGS



TECHNICAL FEATURES

Thickness	3mm
Weight	750g
Compatibility	Deluxe Padding / Butt Plate

PURE LIGHT SIDEMOUNT SET

Code: **417547**

RRP
€ 715.00

A COMPLETE MOUNTED SET INCLUDING:

- 417536 - SIDEMOUNT PURE LIGHT BLADDER - 10 LITERS
- 417543 - SIDEMOUNT TOP ALU PLATE
- 417544 - SIDEMOUNT BOTTOM ALU PLATE
- 417545 - SIDEMOUNT TAIL ALU PLATE
- 417546 - SIDEMOUNT HIP ALU RINGS (R&L)
- 417502 - HARNESS HEAVY LIGHT COMPLETE
- 417532 - SIDEMOUNT BACK WEIGHT
- 417534 - SIDEMOUNT BACK POUCH
- 417535 - SIDEMOUNT STAGE BUNGEEES



ALUMINUM 40μ



HEAVY PURE SIDEMOUNT SET

Code: **417548**

RRP
€ 780.00

A COMPLETE MOUNTED SET INCLUDING:

- 417542 - SIDEMOUNT HEAVY PURE BLADDER - 16 LITERS
- 417528 - SIDEMOUNT TOP SS316 PLATE
- 417529 - SIDEMOUNT BOTTOM SS316 PLATE
- 417530 - SIDEMOUNT TAIL SS316 PLATE
- 417531 - SIDEMOUNT HIP SS316 RINGS (R&L)
- 417501 - HARNESS HEAVY DUTY COMPLETE
- 417532 - SIDEMOUNT BACK WEIGHT
- 417534 - SIDEMOUNT BACK POUCH
- 417535 - SIDEMOUNT STAGE BUNGEEES



STAINLESS STEEL



SIDEMOUNT PLATES

- 6MM GRADE 316 STAINLESS STEEL
- LASER CUT AND LASER ETCHED EDGES
- HIGHLY TECHNICAL PRE-SHAPE - UNPARALLELED VERSATILITY
- ULTRA-RUGGED - PUSHED TO THE LIMITS THROUGH INTENSE TESTING
- TOTAL MODULARITY: ALL TYPES OF SIDEMOUNTING

SIDEMOUNT TOP PLATE

Code: 417528♦

RRP
€ 76.00

- 460G



SIDEMOUNT BOTTOM PLATE

Code: 417529♦

RRP
€ 69.00

- 400G



SIDEMOUNT TAIL PLATE

Code: 417530♦

RRP
€ 39.00

- 180G



SIDEMOUNT HIP RINGS

Code: 417531♦ (Right & Left) ♦

RRP
€ 60.00

- 105G EACH



SIDEMOUNT ALU PLATES

- ANODIZED ALUMINUM 40M
- LASER CUT AND LASER ETCHED EDGES
- HIGHLY TECHNICAL PRE-SHAPE - UNPARALLELED VERSATILITY
- ULTRA-RUGGED - PUSHED TO THE LIMITS THROUGH INTENSE TESTING
- TOTAL MODULARITY: ALL TYPES OF SIDEMOUNTING

SIDEMOUNT TOP PLATE ALU

Code: 417543♦

RRP
€ 55.00

- 76G



SIDEMOUNT BOTTOM PLATE ALU

Code: 417544♦

RRP
€ 49.00

- 72G



SIDEMOUNT TAIL ALU PLATE

Code: 417545♦

RRP
€ 40.00

- 66G



SIDEMOUNT HIP ALU RINGS

Code: 417546♦ (Right & Left) ♦

RRP
€ 65.00

- 42G EACH



SIDEMOUNT PURE LIGHT BLADDER

Code: **417536**

RRP
€ 310.00

- 10 LITERS – FULLY COMPATIBLE WITH ALL HARNESSES FROM THE RANGE
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- INNER AIR CELL: BLACK POLYURETHANE
- HEAVY DUTY PLASTIC ZIPPER AND SLIDER WITH ELONGATED TEETH - DOES NOT INTERFERE WITH WOVEN TEXTILE TAPE, EASY TO HANDLE, STRONG AND DURABLE
- FULLY MODULAR TRIM: CAVE, OPEN WATER, WRECK – COLD AND WARM WATERS
- WAVE SHAPE FOR PERFECT ENVELOPMENT OF THE BACK WEIGHT POUCH
- NO BUNGEEES COMPRESSING THE BODY ALLOWING COMFORT AND OPTIMAL TRIM
- NO CAMEL OR CAKE EFFECT WITH PRE-SHAPED INTERNAL BLADDER ALLOWING PERFECT FLAT TRIM
- REVERSIBLE LOW PROFILE DUMP VALVE / INFLATOR
- KNOBLESS PULLER
- STRETCHY, LOW PROFILE, OVAL CORRUGATED HOSE
- K-STYLE TWO-SPEED (STANDARD AND TURBO) INFLATOR WITH BRASS BUTTONS
- STYLISH, DURABLE, LIGHTWEIGHT AND LONG-LASTING, FINEST QUALITY MATERIALS



SIDEMOUNT HEAVY PURE BLADDER

Code: **417542**

RRP
€ 319.00

- BEST FOR SS316 PLATES, LOCAL DIVING, COLD WATERS, HEAVY DECOMPRESSION, DEEP DIVING
- 16 LITERS – FULLY COMPATIBLE WITH ALL HARNESSES FROM THE RANGE
- 1200D "BULLETPROOF" BALLISTIC NYLON AND 600D POLYESTER EXTERIOR
- INNER AIR CELL: BLACK POLYURETHANE
- HEAVY DUTY PLASTIC ZIPPER AND SLIDER WITH ELONGATED TEETH - DOES NOT INTERFERE WITH WOVEN TEXTILE TAPE, EASY TO HANDLE, STRONG AND DURABLE
- FULLY MODULAR TRIM: CAVE, OPEN WATER, WRECK – COLD AND WARM WATERS
- WAVE SHAPE FOR PERFECT ENVELOPMENT OF THE BACK WEIGHT POUCH
- NO BUNGEEES COMPRESSING THE BODY ALLOWING COMFORT AND OPTIMAL TRIM
- NO CAMEL OR CAKE EFFECT WITH PRE-SHAPED INTERNAL BLADDER ALLOWING PERFECT FLAT
- REVERSIBLE LOW PROFILE DUMP VALVE / INFLATOR
- KNOBLESS PULLER
- STRETCHY, LOW PROFILE, OVAL CORRUGATED HOSE
- K-STYLE TWO-SPEED (STANDARD AND TURBO) INFLATOR WITH BRASS BUTTONS
- STYLISH, DURABLE (RESISTANT TO SCUFFS, TEARS AND ABRASIONS), LIGHTWEIGHT AND LONG-LASTING FINEST QUALITY MATERIALS



BACKPLATE SOFT

Code: **417509**

RRP
€ 90.00

- 1200D "BULLETPROOF" BALLISTIC NYLON
- POLYPHRENE HYDRO-DRAINAGE COMFORT PADDING, 4 SLOTS
- 2 UPPER AND 2 LOWER SLOTS ACCOMMODATE NYLON CYLINDER BANDS TO STRAP SINGLE CYLINDER DIRECTLY TO THE PLATE
- 5 DOUBLE SLIDE BARS SPECIALLY POSITIONED FOR OPTIMIZED FITTING OF THE HARNESS WEBBING AND THE CROTCH STRAP
- 2 CENTERED HOLES AT THE TOP AND 2 AT THE BOTTOM OFFER A RANGE OF HEIGHT ADJUSTMENTS FOR THE BUOYANCY CELLS
- 2 MID PERIMETER HOLES ALONG EITHER SIDE AND 4 HOLES ALONG THE BOTTOM ALLOW FOR MOUNTING ACCESSORIES AND SIDE-MOUNT BUTT PLATE
- 4 D-RINGS COMPLEMENTING THE SIDE HOLES
- HIGHLY TECHNICAL SHAPE
- TOTAL MODULARITY: ALL HARNESES AND ALL DONUTS/WINGS



XR-REC BACK-SHOULDERS PADDING

Code: **417560**

RRP
€ 65.00

- ULTIMATE IN COMFORT AND CONVENIENCE WITHOUT SACRIFICING ANY FEATURES
- LUMBAR REINFORCEMENT
- FAST DRAINING CONCEPT
- ERGONOMIC, COMPACT SHOULDER PADS
- NON-TWISTING SHOULDER DESIGN
- COMPACT, INTEGRATED BACK POCKET TO CARRY A LIFTING DEVICE
- ROUND DEADBOLT SCREWS (417521) NOT INCLUDED
 - FOR A 6MM BACKPLATE USE 9MM SCREWS
 - FOR A 3MM BACKPLATE USE 6MM SCREWS



DELUXE PADDING

Code: **417504**

RRP
€ 120.00

- ADJUSTABLE SHOULDER PADS
- MOVABLE VELCRO TABS FOR A CUSTOM FIT AROUND SHOULDER, D-RING AND HARNESS ACCESSORIES
- INTEGRATED STORAGE COMPARTMENT TO CARRY LIFT DEVICES
- ULTIMATE IN COMFORT AND CONVENIENCE WITHOUT SACRIFICING ANY FEATURES
- SHOULDER MOUNTED D-RINGS CAN EASILY BE MOVED TO THE DESIRED LOCATION WITHOUT AFFECTING THE SHOULDER PAD



SIDEMOUNT STAGE BUNGEEESCode: **417535**

RRP
€ 65.00

- INDEPENDENT BUNGEEES
- 52CM LONG PAIR OF BUNGEEES TO BE ATTACHED TO THE BACK/SHOULDER PLATE
- BOLT SNAPS ATTACHED TO THE FREE ENDS OF THE BUNGEEES
- TO BE STRETCHED AROUND THE NECK OF THE CYLINDER WITH BOLT SNAP CLIPPED ON A CHEST MOUNTED HARNESS D-RING
- CAN BE USED WITH ANY VALVES - MATCHED (LEFT & RIGHT HAND) VALVES ARE NOT REQUIRED

**S.T.R.A.W.S.**Code: **417557**

RRP
€ 60.00

- SINGLE TANK REMOVABLE ADDITIONAL WEIGHT SYSTEM
- A SIMPLE, LIGHTWEIGHT, DURABLE WEIGHT POCKET, ADDED DIRECTLY ON THE TANK BANDS
- ONE SIDE, OR BETTER, TWO, ALLOW FOR ADDITIONAL WEIGHT
- SIGNIFICANTLY IMPROVES TRIM, ALLOWS TRIM FINE TUNING
- IMPROVES BACK COMFORT
- STABILIZES THE TANK

**DRY SUIT INFLATION MOUNTING BAND**Code: **417503**

RRP
€ 27.00

- INFLATION TANK MOUNTING STRAP WITH BUCKLE
- FOR MOUNTING A SMALL 0,85L OR 1L STEEL AIR OR ARGON BOTTLE DIRECTLY ON A BACK PLATE
- SUITABLE ESPECIALLY FOR COLD, DEEP, WRECK OR CAVE DIVING
- A SECONDARY BOTTLE FILLED WITH ARGON IS THE MOST COMMON METHOD USED TO INCREASE INSULATION PROPERTIES OF THERMAL GARMENTS
- PROVIDES A QUICK, SECURE AND LIGHTWEIGHT MOUNTING OPTION FOR DRYSUIT INFLATION SOURCES
- NOT AVAILABLE IN NORTH AMERICA

**STAXR SINGLE TANK ADAPTER**Code: **417561**

RRP
€ 75.00

- FOR DIVERS WHO NEED EASY TRANSITIONING BETWEEN A SINGLE TANK AND DOUBLE TANK SETUP
- QUICK AND EASY ATTACHMENT OF A SINGLE TANK TO A BACK PLATE
- FITS PERFECTLY ON THE CYLINDER BODY
- SMALL AND COMPACT WITH A UNIQUE XR DESIGN
- MADE IN MARINE GRADE 316 STAINLESS STEEL

NOTE: STA DOES NOT INCLUDE STRAPS AND HARDWARE



DEADBOLT SCREW FLATCode: **417520 - 11mm Chrome**

RRP
€ 49.00

- STRONG, DURABLE SCREW FOR ALL ATTACHMENTS
- PRECISION MADE FROM AISI 316 GRADE STAINLESS STEEL
- 11MM FLAT HEAD DEAD BOLT SCREW WITH O-RINGS
- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- 4PCS (1PC = MALE + FEMALE + O-RINGS)
- FOR USE WITH ALUMINUM PLATES AND O-RINGS TO PREVENT ANODIZING

**DEADBOLT SCREW FLAT**Code: **417538 - 11mm Black**

RRP
€ 49.00

- STRONG, DURABLE SCREW FOR ALL ATTACHMENTS
- PRECISION MADE FROM AISI 316 GRADE STAINLESS STEEL
- 11MM FLAT HEAD DEAD BOLT SCREW WITH O-RINGS
- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- 4PCS (1PC = MALE + FEMALE + O-RINGS)
- ALSO FOR USE WITH ALUMINUM PLATES WITH O-RINGS TO PREVENT ANODIZING

**DEADBOLT SCREW ROUND**Code: **417521♦ - 6mm and 9mm ♦**

RRP
€ 39.00

- STRONG, DURABLE SCREW FOR ALL ATTACHMENTS
- PRECISION MADE FROM AISI 316 GRADE STAINLESS STEEL
- ROUNDED HEAD - 6 MM AND 9 MM
- ACCESSORIES FOR ADDITIONAL CONFIGURATION
- 4PCS (1PC = MALE + FEMALE + O-RINGS)
- FOR USE WITH ALUMINUM PLATES AND O-RINGS TO PREVENT ANODIZING

**THUMBWHEEL SS316**Code: **417523 - 28 x 20 mm and 28 x 16 mm**

RRP
€ 25.00

- PRECISION MADE FROM AISI 316 STAINLESS STEEL
- STRONG AND DURABLE
- EASY ALTERNATIVE TO THE TRADITIONAL WINGNUT/BUTTERFLY
- KNURLED SURFACE FOR EASIER GRIP
- 2 PCS



20 mm

16 mm



INSULATION SYSTEMS

XR3 NEOPRENE

Code: **412149 Neoprene/Latex Dry Suit**

Code: **412034 Neo Socks Dry Suit**

RRP
€ 1,150.00

- NEW HIGH-DENSITY, HYPER-FLEXIBLE 4MM NEOPRENE - TOUGH BUT FLEXIBLE
- LARGE, PRE-MOUNTED, COMFORTABLE, ADJUSTABLE ELASTIC SUSPENDERS
- 4 mm NEOPRENE NECK
- NEW REDEFINED, ENHANCED DESIGN, TESTED FOR SIZING, OFFERING MAXIMUM FLEXIBILITY
- 1 NEOPRENE, WIDE-ZIPPERED POCKET ON THE RIGHT LEG
- NEW HIGHLY-DURABLE KEV/XR REINFORCEMENTS FOR PROTECTION ON THE KNEES, SHOULDERS AND POSTERIOR
- BACK MOUNTED DRY ZIP - MARES XR EXCLUSIVE INLET AND OUTLET VALVES
- DRY SEAL AROUND NECK (VELCRO) AND COMPLETE COVERAGE FROM THE HOOD TO AVOID WATER EXPOSURE
- NEW 4 mm DRY SMOOTH HOOD
- NEW STRONGER MAT BAG

412149:

- INTEGRATED 4 mm NEOPRENE BOOTS WITH A RIGID SOLE
- REINFORCED BOOT INSTEP AND ADJUSTABLE VELCRO ANKLE STRAP FOR PERFECT CLOSURE
- LATEX WRIST SEALS (ALLOWING FOR USE OF DRY GLOVES)

412034:

- 4 mm SOFT NEOPRENE SOCKS
- NEOPRENE WRIST SEALS



DETAILS



412149 - Boots with rigid sole



412034 - Neoprene socks


412149 / TECHNICAL FEATURES

Sizes	S	M	L	XL	XXL	3XL
-------	---	---	---	----	-----	-----

412034 / TECHNICAL FEATURES

Sizes	S	M	L	XL	XXL	
-------	---	---	---	----	-----	--

SIZE CHART* / XR3



	XS	S	M	L	XL	2XL	3XL
A	149/159	156/166	163/173	170/180	177/187	184/194	190/200
B	45/55	55/65	65/75	75/85	85/95	95/105	105/115
C	79/87	85/93	91/99	99/107	105/113	113/121	119/127
D	61/69	69/77	77/85	85/93	93/101	101/109	109/117
E	68/76	80/88	92/100	96/104	104/112	112/120	120/128

	XS	S	M	L	XL	2XL	3XL
F	119	126	133	140	147	154	160
G	90	96	102	110	116	124	130
H	72	80	88	96	104	112	120
I	79	91	103	107	115	123	131

	XS	S	M	L	XL	2XL	3XL
K	25	25	25	25	25	25	25
L	23,9	25	25,9	27	28	28,2	30,3
M	34	35	36	37	38	39	40

* cm/kg

DRY-BASE UNDERGLOVES

Code: 412761 - 2mm

RRP
€ 27.00

- DESIGNED FOR USE UNDER DRY GLOVES WHILST MAINTAINING MAXIMUM DEXTERITY
- RETAIN SOME PROTECTION IN CASE OF DRY GLOVE FAILURE OR FLOODING
- CAN BE USED WITH TRADITIONAL THINSULATE GLOVES UNDER DRY GLOVES FOR EXTREME CONDITIONS
- DOUBLE LINED, ULTRA-STRETCH NEOPRENE
- SHORT WRIST



TECHNICAL FEATURES

Thickness	2mm		
Sizes	XS/S	M/L	XL/XXL

TEK GLOVES

Code: 412760

RRP
€ 35.00

- 3 UNCOVERED FINGERS (THUMB, INDEX, MIDDLE)
- DOUBLE-LINED NEOPRENE, WITH AMARA 2MM INSERTS
- BEST DESIGN FOR MAINTAINING TOUCH WHEN 'BLIND' DIVING



TECHNICAL FEATURES

Thickness	2mm						
Sizes	XXS	XS	S	M	L	XL	XXL

XR3 DRY SMOOTH HOOD

Code: **415799 - 4mm**

RRP
€ 55.00

Code: **415800 - 7mm**

RRP
€ 65.00

- HIGH-QUALITY, ULTRA-STRETCH NEOPRENE
- PERFECT ANATOMICAL FIT
- COMES AS STANDARD IN 4MM WITH THE XR3

TECHNICAL FEATURES

Thickness	4mm / 7mm			
Sizes	XS/S	M/L	XL	XXL/4XL



DRY SUIT ROCK BOOTS

Code: **412629**

RRP
€ 109.00

- PERFECT PROTECTION FOR DRY SUITS WITH NEOPRENE SOCKS
- SUPPORT THE FEET AND REDUCE AIR MIGRATION - NO AIR POCKETS
- VERY STRONG AND RESISTANT RUBBER WITH RUGGED, ANTI-SLIP SOLE
- MAXIMUM WATER DRAINAGE



TECHNICAL FEATURES

Thickness	2mm					
Sizes	S	M	L	XL	XXL	3XL

P-VALVE

Code: **415802**

RRP
€ 152.00

- TRIMMED P-VALVE
- SOLID DELRIN BODY
- COVER DESIGNED FOR EASY GRIP AND OPERATION WITH DRY GLOVES
- MINIMAL PUSH PRESSURE AND BACKPRESSURE
- EASY MAINTENANCE - NO FAIL KISS DESIGN
- SAFETY LOCK
- GREATLY REDUCES RISK OF DECOMPRESSION SICKNESS BY ENCOURAGING PRE-DIVE HYDRATION
- ENHANCED DIVE COMFORT
- INCLUDES TUBE AND OPTIMIZED SEALING FLANGE
- INCLUDES QUICK DISCONNECT FOR SHE-P



GREY SILICONE SEALS ACCESSORIES

NECK

Code: **415781**Code: **415783 Small**

RRP
€ 45.00



WRIST BOTTLENECK (1PAIR)

Code: **415782**Code: **415784 Small**

RRP
€ 42.00



TEK SHORTS

Code: **412032**

RRP
€ 195.00


- TO BE WORN ON TOP OF A WET SUIT OR ALONE IN WARM WATER
- MADE OF SUPER LIGHT BILAMINATE AND KEVLAR
- NON-FLOATING, FAST DRAINING AND FAST DRYING
- ULTRA-LIGHT BUT EXTREMELY RESISTANT



DETAILS



TECHNICAL FEATURES



		S	M	L	XL	2XL	3XL
A	-	156/166	163/173	170/180	177/187	184/194	190/200
B	-	55/65	65/75	75/85	85/95	95/105	105/115

	TOLERANCE	S	M	L	XL	2XL	3XL
C	+/- 1.5 cm	58	62	65	69	72	75
D	+/- 2.0 cm	118	130	144	152	160	168
E	+/- 0.5 cm	28	29.5	31	32.5	34	35
F	+/- 0.5 cm	32	34	36	38	40	42
G	+/- 0.5 cm	46	50	55	57	60	62

COMFORT MID BASE LAYER

Code: **412148**

RRP
€ 219.00

- CAN BE USED AS A BASE LAYER OR A MID-LAYER - PERFECT FOR NEOPRENE DRY SUITS
- EXA-STRETCH ELASTANE FOR ENHANCED STRETCH AND MOVEMENT
- ANTI-ODOR, WASHABLE, BREATHABLE, MOISTURE-WICKING POLYESTER
- BREATHABLE, FLEECE-LINED, WINDPROOF, WATER-RESISTANT PANELS
- TRAPS A LAYER OF AIR - A MUCH BETTER INSULATOR THAN WATER - NEXT TO THE SKIN
- FLAT SEAMS FOR COMFORT
- ULTRA-LIGHTWEIGHT
- UNISEX
- COMES WITH A LIGHTWEIGHT DRY SACK, IDEAL FOR STORING THE UNDERSUIT AND OTHER ITEMS



TECHNICAL FEATURES

Sizes	XS	S	M	L	XL	XXL
-------	----	---	---	---	----	-----

EXTREME UNDERGARMENT

Code: **412147**

RRP
€ 359.00

- ENHANCED INSULATION ON CRITICAL AREAS OF THE BODY
- BREATHABLE, FLEECE-LINED, WINDPROOF, WATER-RESISTANT PANELS ON THE CHEST AND ARMS
- EXA-STRETCH ELASTANE FOR ENHANCED STRETCH AND MOVEMENT
- ANTI-ODOR, WASHABLE, BREATHABLE, MOISTURE-WICKING POLYESTER
- HANDWARMER POCKETS FOR COMFORT AND A CONVENIENT, ZIPPED POCKET FOR VALUABLES
- COMES WITH A LIGHTWEIGHT DRY SACK, IDEAL FOR STORING THE UNDERSUIT AND OTHER ITEMS



TECHNICAL FEATURES

Sizes	S	M	L	XL	XXL
-------	---	---	---	----	-----

BASE LAYER

Code: **412173 Top**Code: **412174 Pants**

RRP
€ 55.00

- DESIGNED FOR EXTENDED USE IN EXTENDED RANGE DIVING
- WARM, VERY STRETCHY, LIGHTWEIGHT, COMPACT
- KEEPS THE SKIN DRY BY WICKING AWAY PERSPIRATION
- ANTIMICROBIAL AND ANTI-ODOR
- STILL PERFORMS, EVEN IN THE CASE OF SUIT FLOODING



TECHNICAL FEATURES

Sizes	XS	S	M	L	XL	XXL	3XL
-------	----	---	---	---	----	-----	-----

ACTIVE HEATING VEST

Code: 412146

RRP
€ 245.00

- DOUBLE ZIP FOR COMFORT WHEN SEATED
- SUPPLIED WITH RECHARGEABLE BATTERY AND CHARGER
- ADJUSTABLE HEAT SETTING TEMPERATURE CONTROL
- 2 - 5 HOURS HEATING TIME
- HAND WASHABLE
- CREATED TO BE EVEN LIGHTER AND THINNER FOR DEMANDING DIVERS
- PROVIDES HEAT TO THE BACK KIDNEY AREA AND TO EACH SIDE OF THE CHEST IN ORDER TO GIVE A FEELING OF COMPLETE WARMTH TO THE UPPER BODY

! NOT SUITABLE FOR PEOPLE WITH PACEMAKERS



TECHNICAL FEATURES

Sizes	XS	S	M	L	XL	XXL
Chest Size	34-36"	36-38"	38-40"	40-42"	42-44"	44-46"

BATTERY TECHNICAL FEATURES

Lithium Capacity	2200 mAh
Heating Time	2-5 hours
Weight approx	125g
Dimension	70mm x 50mm x 22mm
Voltage	7.4V
Indicator	Charge level and battery level indicator
Output	EU charger

AHV STANDARD BATTERY

Code: 415780

Battery	Voltage	7.4V
	Capacity	2200 mAh
	Cell	Brand new grade-A Li-ion
Charger	In	AC100V-240V
	Out	DC8.4V 1.2A

ACTIVE HEATING PANTS

Code: 412172

RRP
€ 235.00

- FRONT 'TROUSER STYLE' ZIP AND ELASTIC WAISTBAND
- SUPPLIED WITH A RECHARGEABLE BATTERY AND CHARGER
- ADJUSTABLE TEMPERATURE CONTROL
- 2 - 5 HOURS HEATING TIME
- HAND WASHABLE
- LIGHT AND THIN FOR DEMANDING DIVERS
- PROVIDES HEAT TO THE BACK ILIAC AREA AND KNEES IN ORDER TO GIVE A FEELING OF COMPLETE WARMTH IN THE LOWER BODY

! NOT SUITABLE FOR PEOPLE WITH PACEMAKERS



TECHNICAL FEATURES

Sizes	S	M	L	XL	XXL
-------	---	---	---	----	-----

BATTERY TECHNICAL FEATURES

Lithium Capacity	2200 mAh
Heating Time	2-5 hours
Weight approx	125g
Dimension	70mm x 50mm x 22mm
Voltage	7.4V
Indicator	Charge level and battery level indicator
Output	EU charger



2022

ACCESSORIES

DCT CANISTER LIGHT

Code: **415774**

RRP
€ 679.00

- 9 DEGREE NARROW LED DIVING FLASHLIGHT
- 3* CREE XM-L2 (U4), MAX 3200 LUMENS OUTPUT
- 3*26650 RECHARGEABLE LITHIUM BATTERY, MAX RUNTIME REACHES TO 27H
- REGULATED POWER MAINTAINS CONSTANT CURRENT OUTPUT
- OVERHEAT PROTECTION FUNCTION - REVERSE POLARITY BATTERY PROTECTION
- MAGNETIC SWITCH
- „THREE O-RING“ DESIGN TO ENSURE WATERPROOF FUNCTION UNDERWATER DOWN TO 200 METERS
- PREMIUM TYPE III MILITARY HARD-ANODIZED AL T6061-T6 AIRCRAFT-GRADE ALUMINUM
- 5MM TOUGHENED GLASS
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND INNER FOAM PADDING
- STANDARD ACCESSORIES: SPARE O-RINGS, LANYARD AND PLASTIC BOX
- SWITCH BUTTON WITH BLOCKING LOCK



TECHNICAL FEATURES

ANSI	High	Medium	Low	Very Low	Strobe
Lumen Output	3200lm	2000lm	1000lm	230lm	3200lm
Runtime (3*26650)	2.1hours	3.2hours	6.5hours	27hours	/
Luminous Intensity	36000cd				
Color Temperature	6500 ~ 7500 Kelvin°				
Beam Distance	396m				
Drop Resistance	1.5m				
Waterproof Grade	IPX-8, underwater 200m				
Dimension	Head: 66 [Dia]*73 [L]mm; Canister: 37 [Dia]*245 [L]mm				
Net Weight	754g (excluding battery)				
Underwater Weight	200g (excluding battery)				

DCTV CANISTER LIGHT

Code: **415775**

RRP
€ 739.00

- 120 DEGREE NARROW LED DIVING FLASHLIGHT
- 6* CREE XM-L2 (U4), MAX 3400 LUMENS OUTPUT
- 3*26650 RECHARGEABLE LITHIUM BATTERY, MAX RUNTIME REACHES 23H
- REGULATED POWER MAINTAINS CONSTANT CURRENT OUTPUT
- OVER-HEAT PROTECTION FUNCTION - REVERSE POLARITY BATTERY PROTECTION
- MAGNETIC SWITCH
- THREE O-RINGS DESIGNED TO ENSURE WATERPROOF FUNCTION UNDERWATER DOWN TO 200 METERS
- PREMIUM TYPE III MILITARY HARD-ANODIZED AL T6061-T6 AIRCRAFT-GRADE ALUMINUM
- 5MM TOUGHENED GLASS
- SWITCH BUTTON WITH BLOCKING LOCK
- STANDARD ACCESSORIES: SPARE O-RINGS, LANYARD AND PLASTIC BOX
- LARGE BOX FOR MOUNTED LIGHT(S) WITH INNER FOAM PADDING



TECHNICAL FEATURES

ANSI	High	Medium	Low	Very Low	Strobe
Lumen Output	3400lm	2100lm	1000lm	230lm	3400lm
Runtime (3*26650)	1.9hours	3.1hours	6.2hours	23hours	/
Luminous Intensity	130000cd				
Color Temperature	6500 ~ 7500 Kelvin°				
Beam Distance	72m				
Drop Resistance	1.5m				
Waterproof Grade	IPX-8, underwater 200m				
Dimension	Head: 66 [Dia]*73 [L]mm; Canister: 37 [Dia]*245 [L]mm				
Net Weight	740g (excluding battery)				
Underwater Weight	210g (excluding battery)				

DCTS CANISTER LIGHT

Code: 415776

RRP
€ 629.00

- 9 DEGREE NARROW LED DIVING FLASHLIGHT
- 3°CREE XM-L2 (U4), MAX 2000 LUMENS OUTPUT
- 2*26650 RECHARGEABLE LITHIUM BATTERY, MAX RUNTIME REACHES 21H
- REGULATED POWER MAINTAINS CONSTANT CURRENT OUTPUT
- OVER-HEAT PROTECTION FUNCTION - REVERSE POLARITY BATTERY PROTECTION
- MAGNETIC SWITCH
- THREE O-RINGS DESIGNED TO ENSURE WATERPROOF FUNCTION UNDERWATER TO 200 METERS
- PREMIUM TYPE III MILITARY HARD-ANODIZED AL T6061-T6 AIRCRAFT-GRADE ALUMINUM
- 5MM TOUGHENED GLASS
- SWITCH BUTTON WITH BLOCKING LOCK
- LARGE BOX FOR MOUNTED LIGHT(S) AND INNER FOAM PADDING
- STANDARD ACCESSORIES: SPARE O-RINGS, LANYARD AND PLASTIC BOX



TECHNICAL FEATURES

ANSI	High	Medium	Low	Very Low	Strobe
Lumen Output	2000lm	1200lm	550lm	135lm	2000lm
Runtime (3*26650)	2.0hours	3.2hours	6.5hours	21hours	/
Luminous Intensity	22000cd				
Color Temperature	6500 ~ 7500 Kelvin°				
Beam Distance	300m				
Drop Resistance	1.5m				
Waterproof Grade	IPX-8, underwater 200m				
Dimension	Head: 66 (Dia)*73 (L)mm; Canister: 37 (Dia)*175 (L)mm				
Net Weight	700g (excluding battery)				
Underwater Weight	210g (excluding battery)				

BACK UP LIGHT

Code: 415789

RRP
€ 119.00

- THE LIGHT YOU DEPEND ON IF YOUR PRIMARY FAILS
- TOUGH, VERY COMPACT AND SUPER BRIGHT
- DELRIN BODY AND ALUMINUM HEAD, CAN BE USED TO 100M DEEP
- 8° ANGLE, CONVENIENT FOR LOW VISIBILITY



TECHNICAL FEATURES

Battery	1 ICR 18650 (2600mAh)
Led	1 XML2 U2
Beam Angle	8 degrees
Maximum Lumen	850
Beam Distance	220m
1m LUX	12500
Waterproof Grade	IPX-8, underwater 100m
Burn time (min)	2.25 hours
Charge Time	4-5 hours
Dimension	34 x 142mm
Weight	85g


SMBS

Code: **415755 SMB Regular Orange**

Code: **415756 SMB Emergency Yellow**

RRP
€ 85.00

- WIDTH: 15CM - TOTAL LENGTH: 1.80M (INFLATABLE SECTION: 1.40M) - LIFT: 12KG
- WELDED AND DOUBLE STITCHED
- TRANSPARENT WINDOW AT THE TOP FOR INSERTING WETNOTES, MESSAGES OR GLOW STICKS
- MARKED WITH COAST GUARD APPROVED, SOLAS REFLECTIVE TAPE
- AVAILABLE IN ORANGE (STANDARD) OR YELLOW (EMERGENCY)
- ONE-WAY VALVE FOR LP CONNECTOR OR ONE-BREATH INFLATION
- STAINLESS STEEL D-RING AND BUNGEE ATTACHED
- INFLATE ON THE SURFACE TO ATTRACT ATTENTION OR AT DEPTH TO SEND UP AS A SURFACE MARKER
- FITS IN A THIGH POCKET OR BACKPLATE STORAGE AREA WHEN DEFLATED



SMBS

Code: **415773 SMB Training Orange**

RRP
€ 52.00

- ONE-BREATH INFLATION TRAINING SMB IN ORANGE
- OVER-PRESSURE VALVE (OPV)
- LENGTH: 1M (3.3FT) - WIDTH: 10CM (3.9IN) - LIFT: 2.7KG (6LB)
- 210D NYLON WITH TPU LAMINATION
- METAL PARTS IN 304 STAINLESS STEEL



LIFT BAG

Code: **415757**

RRP
€ 125.00

- WELDED AND DOUBLE STITCHED
- 30KG / 80 LB LIFT CAPACITY
- AVAILABLE IN SAFETY-ORANGE COLOR, EASILY SPOTTED BY SURFACE OR AIR TRAFFIC
- ONE-WAY VALVE FOR LP CONNECTOR OR ONE-BREATH INFLATION
- STAINLESS STEEL D-RING ON TOP AND BOTTOM, AND BUNGEE ATTACHED ON THE BOTTOM
- OVER-PRESSURE VALVE (OPV) ALLOWS FOR PRECISE ADJUSTMENT DURING LIFT OPERATIONS WITH A LONG PULLER
- ESSENTIAL FOR A RANGE OF DIVING ACTIVITIES: FROM SALVAGE AND SIGNALING TO REDUNDANT LIFT AND EMERGENCY FLOTATION
- ELIMINATES THE CHANCE THAT GAS WILL ESCAPE FROM YOUR LIFT BAG DURING ASCENT OR WHILE ON THE SURFACE



CAVE/FINGER SS316 COATED SPOOL

Code: **415792 - 15m**

RRP
€ 79.00

Code: **415792 - 30m**

RRP
€ 89.00

Code: **415792 - 45m**

RRP
€ 99.00

Code: **415792 - 60m**

RRP
€ 109.00

- MARINE GRADE 316 STAINLESS STEEL WITH MOLDED, COATED EDGES
- COMPACT SIZE AND SOFT TOUCH, COMFORTABLE GRIP
- EDELRID™ CORD
- TECHNICAL BUT VERSATILE ENOUGH TO BE USED IN A RANGE OF DIVING APPLICATIONS FROM SMB TO CAVE JUMPS
- UNIQUE FLARED DESIGN ALLOWS FOR EASE OF WINDING WHILST WEARING GLOVES
- LARGE CENTER HOLE FOR USE IN COLD WATER WHILST WEARING GLOVES
- RUGGED CONSTRUCTION. WELDED MARINE GRADE 316 STAINLESS STEEL
- SPOOL IS NOT OVER-WOUND, ENABLING ADDITIONAL LINE TO BE ADDED IF REQUIRED
- INCLUDES 316 STAINLESS STEEL DOUBLE ENDER
- EASY-RELEASE PULL TABS
- HIGH QUALITY, HIGH VISIBILITY LINE FOR LOW LIGHTING CONDITIONS
- COMPLEMENTED BY A RANGE OF LINE MARKERS AND COOKIES



MARKERS

- MADE FROM INJECTION MOLDED, DURABLE ABS
- SUPPLIED IN PACKS OF 5
- CORNERS REMOVED FOR EASE OF USE, LINE GUIDING CURVES AND GROOVES, HOLES FOR RING / IDENTIFIER CLIPPING, DEDICATED SURFACE FOR MARKING
- USED FOR ORIENTATION AS A VISUAL AND TACTILE REFERENCE ON A GUIDELINE
- 3 DIFFERENT TYPES: LINE ARROWS TO INDICATE DIRECTION, COOKIES TO DENOTE A JUNCTION, NON-DIRECTIONAL MARKERS REFERENCE A SPECIFIC SPOT

MARKERS

Code: **415761**

RRP
€ 9.00



COOKIES

Code: **415760**

RRP
€ 9.00



ARROWS

Code: **415759**

RRP
€ 9.00



REELS

Code: **415767 - 60m - Safety or Back Up**

RRP
€ 210.00

Code: **415767 - 120m - Primary**

RRP
€ 230.00

- 6061 MARINE GRADE ANODIZED ALUMINUM ALLOY HANDLE
- HARD-COAT FINISHED
- PRECISION-FIT HANDLE - DELRIN FLARES PRECISELY ADJUSTED
- KNURLED 316 MARINE STAINLESS STEEL LOCK-DOWN SCREW
- 316 MARINE STAINLESS STEEL DOUBLE ENDED BOLT SNAP
- WHITE BRAIDED NYLON LINE
- COLD WATER / DRY GLOVES PULLER
- EXCELLENT QUALITY AND OPTIMIZED DESIGN - ENTANGLEMENT FREE



XRM-STREAM

Code: **411063**

RRP
€ 69.00

- BLACK, FRAMELESS, FOLDABLE, CLASSIC TECHNICAL DIVING MASK
- LARGE, WIDE, FLAT MONO-LENS
- MATT BLACK LOOK
- COMFORTABLE, FITS ALL SMALLER FACE SHAPES
- HIGHLY COMFORTABLE, LARGE, DOUBLE-SEALED BLACK SKIRT
- ARTICULATED, HEAVY-DUTY BUCKLES
- MARESIXR NEOPRENE STRAP
- VERY STRONG AND DURABLE
- WATERTIGHT AT ALL DEPTHS
- FOR ALL EXTENDED TECHNICAL DIVING USES
- ALSO IDEAL AS A BACK-UP MASK



XRM-CLASSIC

Code: **411064**

RRP
€ 69.00

- BLACK, FRAMELESS, FOLDABLE, CLASSIC TECHNICAL DIVING MASK
- EXTRA-LARGE, EXTRA-WIDE, FLAT MONO-LENS
- SHINY BLACK LOOK
- COMFORTABLE, FITS ALL LARGER FACE SHAPES
- HIGHLY COMFORTABLE, LARGE, DOUBLE-SEALED BLACK SKIRT
- ARTICULATED, HEAVY-DUTY BUCKLES
- MARESIXR NEOPRENE STRAP
- VERY STRONG AND DURABLE
- WATERTIGHT AT ALL DEPTHS
- FOR ALL EXTENDED TECHNICAL DIVING USES
- ALSO IDEAL AS A BACK-UP MASK



CAVE MASK BLINDER

Code: **412904**

RRP
€ 22.00

- AN IDEAL TOOL FOR CAVE AND TECHNICAL INSTRUCTORS
- BLACKOUT MASK COVER DESIGNED FOR SIMULATING ZERO VISIBILITY TRAINING AND/OR STRESS CONTROL (CAVE AND/OR STAGES)
- CAN BE USED WITH MULTIPLE STUDENTS AND EASILY TRANSFERRED UNDERWATER IN FULL SAFETY



MASK STRAP

Code: **412903**

RRP
€ 15.00

- EASY TO USE
- ADJUSTS TO FIT ALL FACE SIZES AND HOOD THICKNESSES
- DURABLE, GOOD RESISTANCE TO SALT AND SUN



POWER PLANA

Code: 410050

RRP
€ 179.00

- HIGH-QUALITY NATURAL RUBBER WITH REINFORCED RIBS
- HIGH PERFORMING FIN - IDEAL FOR ALL KINDS OF KICKS, PARTICULARLY FROG KICKS
- HIGH DENSITY MATERIAL MAKES THE FINS NEGATIVELY BUOYANT, A DESIRED FEATURE WHEN USING A DRY SUIT AND A TEC RIG WITH STEEL PLATE
- FULL-SHAPE FOOT POCKET
- MATCH STRAP/FIN SIZES:
 - FIN S > STRAP R
 - FIN R > STRAP XL
 - FIN XL > STRAP XXL
 - FIN XXL > STRAP XXL



BK

SI

TECHNICAL FEATURES

Sizes	S	R	XL	XXL
-------	---	---	----	-----

SPRING STRAP FOR TEK FIN

Code: 415768

RRP
€ 69.00

- SPRING WITH WRAP AROUND NYLON PULLER & SAFETY CHORD
- THE BEST SOLUTION FOR TECHNICAL AND COLD WATER DIVING
- SOLD AS A PAIR



TECHNICAL FEATURES

Sizes	R	XL	XXL
-------	---	----	-----



RIGID CAP

Code: **415787**

RRP
€ 85.00

- TOTALLY NEUTRAL IN WATER
- SUPER LIGHT, FAST DRAINAGE FOAM
- ONE SIZE THAT FITS MOST
- ADJUSTABLE SOFT NYLON CHIN STRAP
- QUICK DISCONNECT BUCKLE
- SUITABLE FOR MOUNTING BACKUP LIGHTS, LED PRIMARY LIGHTS OR A GOPRO® CAMERA

! CAUTION: THE RIGID CAP OFFERS NO IMPACT PROTECTION



HAND COMPASS

Code: **414604 - Navigation (North)**

RRP
€ 90.00

Code: **414604 - Navigation (South)**

RRP
€ 90.00

- COMPASS WITH BUNGEE HOLDER AND EXTRA LONG ELASTOMERIC BUNGEE CORDS
- SIDE AND TOP READING
- LUMINESCENT "GLOW IN THE DARK" INTERNAL DIAL
- DUAL ROTATING INDEX MARKS FOR EASIER RECIPROCAL NAVIGATION
- OVERSIZED FOR EXTREME USE (LOW VISIBILITY, CAVE, NIGHT...)



LIGHTS BRACKETS

Code: **415798 Pair**

RRP
€ 16.00

- BRACKETS FOR THE XR RIGID CAP
- HOLDS ANY TYPE OF LIGHT, OF ANY DIAMETER
- HOLDS MARES CANISTER LIGHT HEADS



WETNOTES

Code: **415762**

RRP
€ 49.00

- WATER RESISTANT NOTEBOOK
- IDEAL FOR UNDERWATER COMMUNICATION, FOR DECO STOPS AND FOR MAKING NOTES
- COVER MADE FROM DURABLE 2250D PU COATED BALLISTIC NYLON
- POCKETS ON THE INSIDE AND OUTSIDE
- CONTAINS 23 PAGES OF REUSABLE /REPLACEABLE WATERPROOF PLASTIC FOIL SHEATHS (W/6 TABLES)
- GRAPHITE PENCIL
- ELASTIC BOOKMARK FOR QUICK REFERENCE
- ELASTIC SECURE CLOSURE LOOP
- ELASTIC SHOCKCORD ATTACHMENT FOR BOLT SNAP



HAND LINE-CUTTER

Code: **415778 8 Titanium**

RRP
€ 65.00

- S/L
- B TITANIUM ALLOY - HRC 51 ± 2 - 3.5 :
- EXCELLENT ABRASION AND CORROSION RESISTANCE
- VELCRO® BRAND FASTENER
- DEDICATED BAG



HAND LINE-CUTTER

Code: **415777 Ceramic**

RRP
€ 45.00

- S/S
- ULTRA SHARP
- EXCELLENT ABRASION AND CORROSION RESISTANCE
- VELCRO® BRAND FASTENER
- DEDICATED BAG



EXPEDITION BAG

Code: **415795**

RRP
€ 109.00

- HOGARTHIAN AND WATERTIGHT WITH DRAINAGE
- LARGE ENOUGH FOR COMPLETE XR GEAR AND LIGHT FOR TRAVEL
- ADJUSTABLE, PADDED REMOVABLE SHOULDER STRAPS
- ULTRALIGHT BUCKLES AND STRONG HANDLES



DRY BACKPACK

Code: **415758**

RRP
€ 69.00

- FULLY WATERPROOF SACK
- REINFORCED PVC WITH HEAT-SEALED STITCHING
- QUICK CLOSURE
- SHOULDER COMFORT PADS WITH CHEST BUCKLE



TECHNICAL FEATURES

Dimensions (LxWxH)	Volume
30x40x70cm	80L

TECHNICAL FEATURES

Dimensions (LxWxH)	Volume
35x20x60cm	30L

DEAD BOLT SNAP SS316Code: **415765 - 75mm**

RRP
€ 9.00

Code: **415765 - 120mm**

RRP
€ 11.00

- HIGH QUALITY 316 MARINE GRADE STAINLESS STEEL
- CORROSION AND RUST RESISTANT
- SWIVELING BASES MAKING THEM EASY TO USE
- SMALL SNAPS ARE IDEAL FOR ATTACHING ITEMS SUCH AS BACKUP LIGHTS, A LONG REGULATOR HOSE, A CANISTER LIGHT, SPG ETC.
- LARGE SNAPS ARE GREAT FOR COLD WATER USE WHERE THICK GLOVES MAKE DEXTERITY DIFFICULT

**DEAD BOLT SNAP BLACK CERAMIC**Code: **415793 - 75mm**

RRP
€ 15.00

Code: **415793 - 120mm**

RRP
€ 17.00

- HIGH QUALITY MARINE GRADE 316 STAINLESS STEEL WITH BLACK CERAMIC COATING
- CORROSION AND RUST RESISTANT
- SWIVELING BASES MAKING THEM EASY TO USE
- SMALL SNAPS ARE IDEAL FOR ATTACHING ITEMS SUCH AS BACKUP LIGHTS, A LONG REGULATOR HOSE, A CANISTER LIGHT, SPG ETC.
- LARGE SNAPS ARE GREAT FOR COLD WATER USE WHERE THICK GLOVES MAKE DEXTERITY DIFFICULT

**DOUBLE ENDER SS316**Code: **415766 - 90mm**

RRP
€ 10.00

Code: **415766 - 100mm**

RRP
€ 11.00

Code: **415766 - 120mm**

RRP
€ 12.00

- HIGH QUALITY MARINE GRADE 316 STAINLESS STEEL
- CORROSION AND RUST RESISTANT
- EASY TO USE EVEN WITH DRY GLOVES
- TO CLIP AWAY GEAR INSIDE DRY SUIT POCKETS
- TO TEMPORARILY STOW A CANISTER LIGHT HEAD
- TO ATTACH A PRIMARY REEL, A SPOOL, WET NOTES, A SPARE MASK, ETC.

**DOUBLE ENDER BLACK CERAMIC**Code: **415794 - 90mm**

RRP
€ 13.00

Code: **415794 - 100mm**

RRP
€ 15.00

Code: **415794 - 120mm**

RRP
€ 17.00

- HIGH QUALITY MARINE GRADE 316 STAINLESS STEEL WITH BLACK CERAMIC COATING
- CORROSION AND RUST RESISTANT
- EASY TO USE, EVEN WITH DRY GLOVES
- TO CLIP AWAY GEAR INSIDE DRY SUIT POCKETS
- TO TEMPORARILY STOW A CANISTER LIGHT HEAD
- TO ATTACH A PRIMARY REEL, A SPOOL, WET NOTES, A SPARE MASK ETC




SEMINARS 2022



THE MARES LAB SERVICE TECHNICIAN TRAINING PROGRAM

Mares Service Technician Training Courses are available throughout the world and are designed and developed based on proven effective instructional system design principals. They are the dive industry's first and only competency based service technician training courses offered worldwide that are produced and conducted by a major dive equipment manufacturer. This means you'll receive the same high quality and educationally valid training regardless of where in the world you participate in a Mares Service Technician Training Course.



BASIC SERVICE TECHNICIAN DIGITAL LEARNING COURSE

This highly interactive online digital learning course is delivered to the learner using the latest Educational Management System (EMS) technology. The EMS platform technology along with extensive use of video and graphic content enhances learning and retention of information and produces a highly enjoyable educational experience. The course is open to anyone, and can be accessed by contacting the local Mares Subsidiary or Distributor. Take this course as the first step to becoming a fully qualified Mares Service Technician, or if you simply want to learn the basics of regulator design and service and/or repair. This course is a prerequisite requirement for most Mares Lab Skill Based Training Courses. Completion of this course does not qualify you to service or repair Mares equipment.



The course goals are to:

1. Establish your basic knowledge level relating to regulator service and repair procedures.
2. Provide you with basic information about regulator design and function.
3. Provide you with Mares specific information relating to service and repair procedures, manufacturing processes and product information.
4. Help prepare you for success in one or more Mares Lab Skill Based Training Courses.

Prerequisite Requirements:

Course is open to anyone.

MARES LAB SKILL BASED TRAINING COURSES

- MARES SERVICE TECHNICIAN
- MARES DIVING CENTER SERVICE TECHNICIAN
- MARES SPECIALTY SERVICE TECHNICIAN



After successfully completing the Basic Service Technician Digital Learning Course, you are now ready to progress to the skill based training phase of becoming a qualified Mares Service Technician. These courses are conducted by qualified Mares Lab Instructors and consist of comprehensive hands-on training exercises. During these courses you will have the opportunity to perform multiple service procedures on a wide variety of Mares products, including multiple complete regulator service overhauls on various Mares regulators. You'll also gain valuable experience in using the Mares Service Manual and Spare Parts Catalog during routine and special service procedures. Skill based training courses are designed to:

1. Provide comprehensive, real world, hands-on training about how to service and repair Mares products.
2. Enhance the knowledge gained from the Basic Service Technician Digital Learning Course.
3. Develop skills and abilities to the level required to successfully perform service and repair procedures on Mares products.
4. Prepare you for a successful full or part-time career as a Mares Service Technician.

SEMINARS 2022



• MARES SERVICE TECHNICIAN

This is by far the most popular of the skill based training courses. The all new and redesigned Mares Service Technician Training Course is a comprehensive 2 day training program that trains and qualifies individuals to service and repair Mares products. Topics include disassembly, reassembly and adjustment of in-line Mares regulators, service and repair procedures, troubleshooting, dive computers, Mares warranty, service guidelines and more. More than 12 hours of course time is dedicated to hands-on, skill based training on how to properly disassemble, reassemble and adjust Mares regulators and BC inflator mechanisms. **Successful completion of this course qualifies you to service and/or repair ALL Mares products.**

Prerequisite Requirements:

Completion of the Basic Service Technician Digital Learning Course.
Be currently affiliated with an Authorized Mares Dealer.
Be approved by the affiliated Mares Dealer to attend the course.

• MARES DIVING CENTER SERVICE TECHNICIAN

This course is designed for technicians who plan to work in a Mares Diving Center, such as a resort or diver training facility, that has limited or no retail sale of Mares equipment. Course duration is 1 day and provides skill based training related to the Mares Diving Center product line. Take this course if you plan to work in a Mares Diving Center and are interested in being able to service and repair your affiliated Mares Diving Center owned Mares products. **Successful completion of the Diving Center Service Technician Course qualifies you to service and repair ONLY your affiliated Diving Center OWNED equipment used in rental and/or training programs.**

Prerequisite Requirements:

Completion of the Basic Service Technician Digital Learning Course.
Be affiliated with an Authorized Mares Diving Center.
Be approved by the affiliated Mares Diving Center to attend the course.

• MARES SPECIALTY SERVICE TECHNICIAN

These courses are designed to train technicians to service and repair specific Mares products. Specialty Service Technician Training Course duration is approximately 1 day, depending on the course requirements and the number of products included in the course. **Successful completion of this course qualifies you to service and/or repair ONLY the specific Mares products for which you were trained.** These products will be listed on your qualification certificate. Contact your local Mares Subsidiary or Distributor for additional information on Specialty Service Technician Training Courses available in your area.

Prerequisite Requirements:

This varies according to the specific Specialty Service Technician Training Course requirements.
Authorization by a current Mares Dive Center or Mares Dealer.

• MARES SERVICE TECHNICIAN UPDATE

In order to maintain your Mares Service Technician qualification, you must attend the Annual Service Technician Online Renewal within one (1) year* of completing a Service Technician Training Course. Annual Service Technician Online Renewals are available online and are conducted regularly every year from October 15th to December 15th.

* Within one (1) year is defined as before December 31st of the year in which the one year limit is reached.

Prerequisite Requirements:

Currently qualified as a Mares Lab Service Technician.
Qualification date is within the one (1) year update requirement.

THE MARES LAB TRAINING CYCLE®

The Mares Lab Training Cycle is a process that has proven effective in producing what we call "best in class results". This means that as a qualified Mares Service Technician, you can be confident that you've successfully completed the dive industry's most comprehensive dive equipment service and repair training program available through a dive equipment manufacturer. You can also be proud of the fact that you earned your qualification by demonstrating a "best in class" level of dive equipment service technician skills and abilities. Here's how the Mares Lab Training Cycle works:

Your Knowledge Development

Your basic dive equipment service and repair knowledge is established during your digital learning course and further enhanced during your skill based training course.

Your Skill Development

Your service and repair skills are enhanced during your skill based training course through a series of hands-on training exercises. Over 90% of the contact hours in these courses are dedicated to skill development.




Your Abilities Confirmed

Your knowledge and skill levels achieved through the Mares Lab training process are objectively evaluated and must meet the minimum core competency requirements in order to be qualified as a Mares Service Technician.


Your Abilities Improved

Your abilities improve over time by gaining additional knowledge and increasing skill levels. This is achieved through experience as a Mares Service Technician, by regular contact and communication with Mares Technical Assistance staff, by receiving periodic product updates and Service Bulletins and by participating in Service Technician Update Seminars.



Product specifications and characteristics listed in this catalogue may be subject to changes by Mares without notice.

The trademark **mares**® is a registered trademark.

 **PHOTO CREDITS:** Alberto Balbi - Adv Consulting - Bob Bobisavljevic - Marco Datuni - Massimiliano Eleota - Alex Dawson - Janez Kranjc - Ivana Orlovic Kranjc - Gerald Nowak - Virginia Salzedo - Boaz Samorai - Tom St George - Dejan Subotic - Borislav Turkalj - Fulvio Valgoglio - Predrag Yuckovic - Axel Weiss

ISO 9001:2015 certified

mares



Mares S.p.A.
Salita Bonsen 4
P.O. Box 142
16035 Rapallo (Genova) · ITALY
Tel. +39 0185 2011 / fax +39 0185 201470
www.mares.com