

DINARSKA PROTIVVREDNOST VALUTE



COMPANY PRESENTATION

MARES - OVER SEVEN DECADES OF DIVING EXCELLENCE

Since 1949 Mares has been a world leader in the manufacturing and global distribution of dive products. A strong athlete and WWI Austrian Royal Navy diver, Ludovico Mares founded Mares through his desire to share his extreme passion for the sea with the rest of the world. From a few spearguns, masks, and fins, Mares grew of humble beginnings into the world's leading dive equipment manufacturer. This passion still drives the spirit of Mares on the relentless quest for innovation, reliability, the best technology, and state-of-the-art performance.

Every year, Mares stays true to its Mission Statement to help every diver:

"ENJOY DIVING WITH ADVANCED PERFORMANCE THROUGH SUPERIOR TECHNOLOGY."

Based in Rapallo, Italy, Mares employees gain daily inspiration from the majestic Mediterranean Sea. The strategic location in this picturesque town on the Italian Riviera allows the Mares product development team quick access to great diving, where they fine-tune every new product to meet the needs of each and every diver. Constant investment in innovation and continuous advanced research makes Mares the leader in safe and reliable underwater equipment manufacturing.

WATERSPORT BRANDS











SUPPORTING AQUATIC ADVENTURES WORLDWIDE

Over the past 73 years, Mares has created five distinct divisions to offer all possible types of equipment to meet the needs of every person with a passion for the sea. The Mares Diving line brings innovative products to scuba divers year after year. The XR-Extended Range line introduces divers to the more technical world of diving, offering equipment specifically designed for different gas blends and more challenging dives. Pure Passion is Mares' freediving and spearfishing line and provides state-of-the-art freediving equipment to those dedicated to underwater exploration on a single breath. Mares Aquazone offers aquatic enthusiasts gear specifically suited for swimming and snorkeling. The Mares Diving Center line offers unique products designed for the specific needs of dive centers.

In addition to our extensive offering of underwater equipment, Mares partners with six other watersport brands under the HEAD Sports family to best support your customers' active lifestyles. These brands include rEvo rebreathers, HEAD swimming, Zoggs swimming, Scuba Schools International, Liveaboard.com, and Scubago.com. With these strong partnerships, the Mares product range can truly meet the needs of anyone who loves diving and the aquatic world.





POLICY FOR THE DISTRIBUTION OF MARES PRODUCTS OVER THE INTERNET

In recent years, distribution over the internet has increasingly become an additional means of distribution besides traditional stationary trade. In particular, internet distribution offers new possibilities to dealers of MARES to sell to the final customer.

Even though MARES considers stationary sport retailing as an indispensible means of distribution with a view to providing information and advice to the final customer, MARES also welcomes the increasing use of the internet as a parallel channel of distribution, as additional selling opportunities are in the interest both of the manufacturer and of the dealer and increase overall market coverage.

However, MARES as manufacturer is responsible to ensure, together with its dealers, that the specificities of the internet distribution are taken into account as the final customer has no opportunity to inspect the products and to assess their suitability for use in sport. Thus, in light of the potential risks which are connected to the use in sport of the sold products, MARES and its dealers have to ensure that the distribution over the internet does not give rise to any detriment or risk to the final customer and that customer dissatisfaction based on wrong expectations of the product characteristics due to incomplete or wrong information is avoided.

For this reason, MARES has established the following guidelines, which cover the distribution of MARES products over the internet to final customers by all dealers.

For purposes of these guidelines, MARES products are all products distributed by MARES. The dealer commits not to sell MARES products over the internet outside the EU.

The way of presentation of the sold products over the internet shall ensure that all essential characteristics, features and parts of the product are truthfully displayed, and allow the final customer to assess the suitability of the product with a view to his sporting skill, as well as any dangers and risks connected to the envisaged use in sport. With a view to this, the dealer shall implement appropriate technical and design solutions for the presentation of the products, and include for each product a link at a clearly visible location to the respective product description on www.mares.com, to allow the final customer to access further information and technical data on the respective MARES products.

For consumer safety, warranty and product liability reasons and to avoid any possible confusion, dealer shall only advertise and sell new and unused MARES products in their original packaging and with the appropriate user manual enclosed.

With a view to the technical nature of the products, the dealer shall ensure that telephone support is available to final customers in case of distribution over the internet. Support shall be provided by qualified personnel during normal trading hours to a sufficient extent under a local number and the language of the respective country of distribution. The telephone support shall offset, in particular, the missing opportunity for the final customer to assess the product characteristics, and shall ensure that the use of the MARES product will not give rise to any detriment or risk to the final customer due to insufficient advice. The dealer commits to provide the qualified personnel with regular trainings regarding product and technical innovations and safe handling.

In order to avoid any risk of misleading the final customer, in particular by confusion of MARES products with the products of other manufacturers, MARES products shall be presented in an exclusive area on the website which is specifically designed for that purpose, as is the case for exclusive areas in stationary points of sale. No other products or brands of other manufacturers shall be presented in this area. If the website has a search function, the dealer

shall ensure that MARES products are not confused with products of other manufacturers and that, to the extent possible, no other products are displayed as a result of targeted searches for MARES products. This is also necessary to reduce safety risks to the final customer which may result from a combination, by the final customer due to lack of advice, of MARES products with products of other manufacturers that may compromise safety.

The dealer shall ensure that the website for the sale of the products and the information provided on the website are in compliance with all relevant legal requirements, in particular with the legislation on electronic commerce and on data protection, and contain all information and instructions as required by the law, in particular by the provisions in relation to distance selling.

The website shall clearly identify the commercial activity of the dealer. The dealer shall grant to the final customer all advantages and rights connected to its commercial activity as required by the law (in particular warranty and right of revocation).

The website shall contain information on the responsible provider in accordance with the electronic commerce provisions. Moreover, the dealer shall indicate his valid VAT identification number at a clearly visible location on the website.

To ensure the implementation of the preceding requirements, MARES products shall only be distributed over the internet on the dealer's own website, which shall correspond to these Guidelines. The distribution over so-called internet marketplaces and other distribution platforms of third parties is only permitted if the mentioned presentation criteria are met. The distribution over internet auction platforms which do not comply with this requirement is not permissible. This also applies if the content of the mentioned websites is integrated in the dealer's website by way of "framing". The distribution and offering of MARES products on internet auction platforms in form of a sale by auction is generally not allowed.

In order to avoid any risk of misleading the final customer with regard to the availability of products and to be able to take into account shortfalls in production, as well as for confidentiality reasons with regard to the launch of new products, the dealer shall not announce, present or promote MARES products until prior confirmation by MARES that these products have actually been produced, are available and can be supplied.

The dealer shall notify the distribution over the internet to the MARES distributor without delay and shall, upon request inform and render account to the MARES distributor of all circumstances relevant to the compliance with these Guidelines, including by provision of copies of the relevant documents.

In the country of internet or stationary distribution, the dealer shall either operate a service centre that has been certified by MARES and a corresponding spare parts depot, or conclude a respective agreement with a certified service centre and corresponding spare parts depot. This agreement shall ensure a proper servicing of the MARES products, to avoid any detriment or risks in connection with the use of the respective MARES products by final customers due to improper servicing. The dealer and the service centre are free to agree on the terms of this agreement. The dealer shall indicate the address of the service centre on the website.

The internet dealer shall inform the MARES distributor in advance before starting any business activities in a country, and shall notify the MARES distributor of the certified service centre, as shall refrain from presenting and distributing MARES products without a certified service centre. In this regard, the dealer acknowledges that MARES records the serial number of its products, in order to ensure that all necessary steps can swiftly be taken in case of technical problems. The dealer shall keep detailed records of all serial numbers and addresses of final customers for use in case of product recalls.



BECAUSE WECARE

PROTECTING THE OCEAN WITH ECO-FRIENDLY PACKAGING

Over the past three years, Mares has been on a mission to reduce the use of unnecessary plastic in our packaging in an effort to better care for the planet we call home, because if we don't take care of our oceans, who will?

As divers, respecting the ocean is a fundamental rule, but we feel the call to set a higher standard at Mares. We have adopted concrete measures to reduce unnecessary plastic in our company, from removing most of the outer film coatings on our packaging, to using 100% biodegradable mask boxes. We also encourage our employees, collaborators, and suppliers to do the same. To safeguard what we love most, we must do our part to preserve all bodies of water now and for future generations.


The initial steps have been taken, with non-plastic alternatives gradually being introduced throughout all our lines, hoping in the near future to replace plastic completely. Join us in our quest to protect the blue planet.



MARES S.p.A Contributed toward saving*: 5,495 Kg Co2 equivalents

5,495 Kg Co2 equivalents
2,891 kg crude oil equivalents
1kg phosphate equivalents
268,446 MJ primary energy
9kg dioxide equivalents

^{*}Eco Certificate 2019 - DerGrünePunkt





Mares is replacing PVC packaging stickers with paper ones.



Our reusable mesh bags are made from a bioplastic front panel and a woven R-PET back panel using PET from recycled and transformed plastic bottles. Great for product packaging and reusable for collecting trash while diving.



Mares has removed most of the outer plastic film coatings on our packaging.



SUSTAINABILITY WITHIN THE OFFICE

Mares HQ now uses vending machines with paper cups and wooden spoons. All employees have re-usable water bottles and recycling areas have been placed throughout the office environment.



Mares' sugar cane pulp mask boxes will biodegrade in the soil in just 90 days!



Mares mask boxes are now molded from sugar cane pulp. Reusable. Recyclable. 100% biodegradable. Sugar cane pulp is the new cardboard. These new sugar cane fiber-based mask boxes are naturally white, which means no bleaching, and are easier to produce, which lowers water consumption and pollution.



GREEN 'BIO-PLASTIC' POLYBAGS

The new way to package all Mares fins and snorkels.



DURABLE YET

SUSTAINABLE Replacements perform just like standard plastic.



Since Mares hit 70 years in 2019, we have been dedicated to reducing plastic use by 70%.



CORN-BASED

BAGS The new, biodegradable, plastic-free option for wetsuit packaging.





Mares aims to eliminate all plastic clamshell mask packaging



SUSTAINABLE SHIPPING

We are also significantly cutting down the use of plastic when shipping packages, with no more plastic air cushions or bubble wrap used as filling material.



by using ethanol extracted from sugar cane instead of crude oil for 'bioplastic' polybags, which significantly reduces carbon emissions.



Since 2007, Mares - as a company of the HEAD Group - has been partnered with global environmental charity Cool Earth. This partnership has resulted in a worldwide environmental program - the first of its kind for a sporting goods company. The simple idea behind Cool Earth is that rainforests are worth much more left standing than they are cut down for timber or burnt to clear land for cattle ranching. Clearing just an acre of rainforest can emit a staggering 260 tonnes of CO2. Cool Earth works directly with local communities and NGO's around the world to help them protect their forests and halt the impact of deforestation on climate change

WE SUPPORT COOL EARTH, SO SHOULD YOU.

Go to coolearth.org and learn more about what you can do to help safeguard the planet's essential ecosystems.

ICONS / GUIDE



• TECHNICAL DIVE CONFIGURATION

The particular design, characteristics and elevated performance of this product mean it can also be used in technical dive configurations.



DEEP DIVE

Mares' dedication to research and development is at the heart of our company. Our ANSTI test machine can test down to a depth of 200m, twice the depth of most machines used by our competitors, allowing us to test our regulators in conditions which would be unthinkable for others.



COLD WATER

Designing and engineering products for cold water diving requires maximum attention to performance, safety and technical details. Mares creates equipment specific for cold water and ice diving. Rigorous tests ensure top-notch performance keeping you comfortable, warm and secure. Combining comfort, safety and performance is our mission and the strength of our unique R&D Team.



• LEFT & RIGHT SIDED USE

The innovative design allows you to use the second stage on either the left or right side without having to disassemble the 2nd stage. This design also provides a 2nd stage without a top or bottom. It performs the same in either orientation, making it intuitive and effortless for passing to a buddy. These features, including the technical characteristics, make it very suitable for technical and recreational diving, and for any special operating requirements.



TRAVEL OPTIMIZED

In today's world of travel, we are strictly confined by weight restrictions and dimensions. Your equipment needs to include certain features to be considered 'travel friendly'. Lightweight, streamlined, easy to pack and hassle-free are just some of the qualities of our 'Travel Optimized' gear.



GRADIENT FACTOR

Gradient factors were developed by tech divers to render the ZH-L16C algorithm the most advanced decompression tool capable of tackling the most demanding dives. Gradient factors are also a very intuitive and transparent way to customize the algorithm to one's personal needs, making it the most universal and powerful algorithm in existence today.



• AGF - ALTERNATE GRADIENT FACTORS

Alternate Gradient Factors are an additional, less restrictive decompression plan, calculated throughout the dive, that a diver can switch to in case of an emergency. This second decompression calculation can be displayed together with the main gradient factors calculation for an assessment of the situation.



• CEIL-CON

Ceiling-controlled decompression (CEIL-CON) maximizes inert gas washout by leading you through a continuous, controlled ascent in between the standard 3 m / 10 ft decompression steps. This results in shortened decompression times and smoother supersaturation profiles in your tissues. CEIL-CON is a Mares exclusive.



• TRIMIX

The trimix gas management in Genius includes air, nitrox, trimix and heliox. With the possibility of setting up to 5 gases, which the predictive algorithm accounts for in the decompression calculation displayed during the dive, you can optimize your decompression. Oxygen concentration can be set as low as 7% (hypoxic trimix or heliox).



MULTIGAS

The Multigas feature allows you to perform gas switches during the dive to accelerate your decompression (air and nitrox only). The predictive decompression feature, if activated, ensures that all set gases are accounted for in the decompression calculation, allowing you to take full advantage of the extra tanks that you carry along with you.



• BLUETOOTH

Bluetooth accompanies us in our daily life and it is only natural that this technology trickled down to dive computers. With bluetooth, downloading your logbook to a smart device is as simple as pushing a button, no need for cables, cradles or dongles.



• DIGITAL COMPASS

A compass should always be part of a diver's equipment, even if you don't use it on a regular basis. So having it integrated within your dive computer is the most logical solution. With a digital compass you can set a bearing to navigate to a wreck, swim in blue water towards the beach after a deep canyon dive, and much more. Or simply know that is there, in case you need it.

ICONS / GUIDE



• RECHARGEABLE BATTERY

Mares presented the first dive computer with rechargeable battery in 2010. The technology has made giant strides since then, and Mares has participated in this evolution step by step. The rechargeable battery technology in Genius is reliable, safe and provides worry free energy. In spite of having a very large, permanently lit color display, the battery in Genius lasts for up to 40 1-hour dives on a single charge.



COLOR DISPLAY

Color displays are so much more than a gimmick when it comes to diving. A dive computer is not only a depth gauge and decompression meter, but also your guardian should a dangerous situation arise. Genius can alert you in clear text, in one of 17 languages, combining the text with color to highlight the situation and how to correct it, so that you should be in no doubt as to what action to take to remedy the situation. Having a smartphone type user interface, including graphic dive logs, is an added bonus.



COLOR CUSTOMIZATION

Various color kits available: customize your gear with your prefferred color in just a few simple steps.



ULTRASTRETCH

High-end Ultrastretch neoprene delivers the best comfort while diving and during donning and doffing.



NITROX

All 'Nitrox' version Mares regulators have undergone additional CE testing following norm EN13949:2003. This norm sets out the requirements, tests and labelling for breathing equipment destined for use in open circuit breathing apparatus with compressed Nitrox and Oxygen.



FREEDIVING

Accessories and equipment especially designed for freedivers to increase safety, improve hydrodynamics and offer greater comfort.



• SPEARFISHING

A full range of accessories and equipment especially designed for spearfishing.



TECH/COMPETITION

Top-level accessories and equipment for demanding divers, competitors and enthusiasts seeking more technical gear.



• HIGH POWER

A special speargun configuration which provides maximum power and reliability.



ADVANCED USE

 $Product\ designed\ for\ advanced\ use,\ perfect\ for\ snorkelers\ who\ need\ comfort\ and\ high\ performance.$



• RECREATIONAL USE

Product ideal for recreational use, for those who go snorkeling occasionally.



WATER CONFIDENCE


Product especially developed to improve confidence in the water and introduce little ones to the world of snorkeling.



• COLOR & SIZES

The Color & Size identification system allows the user to immediately identify the different sizes of Diving Center and rental equipment by just looking at the color codes.

| | REGULATORS | 8 |
|--|----------------------------------|------------|
| | INSTRUMENTS | 33 |
| | BCD'S | 43 |
| mares | SUITS | 58 |
| | FINS | 85 |
| | MASKS & SNORKELS | 97 |
| | ACCESSORIES | 117 |
| | JUNIOR LINE | 137 |
| | DDEATHING CYCTEMS | 1// |
| maros vo | BREATHING SYSTEMS | 146 157 |
| mares XR | BUOYANCY SYSTEMS | |
| extended range 1 | INSULATION SYSTEMS ACCESSORIES | 175 181 |
| | ACCESSONIES | |
| | COMPUTERS | 192 |
| ▶ △ | FINS | 195 |
| | MASKS & SNORKELS | 211 |
| mares) pure passion | NEOPRENE | 217 |
| pure passion | PNEUMATIC GUNS | 237 |
| | SLING GUNS | 241 |
| | ACCESSORIES | 249 |
| | FINS - ADULT /JUNIOR | 280 |
| | MASKS & SNORKELS - ADULT /JUNIOR | 287 |
| mares Quazone | COMBOS - ADULT /JUNIOR | 311 |
| aquazone I | SETS - ADULT /JUNIOR | 327 |
| | NEOPRENE - ADULT /JUNIOR | 333 |
| | | |
| mares Name of the state of th | | 337 |
| | PROMO MATERIAL | 355 |
| | mares | |
| | | 363 |







REGULATORS

MAIN FEATURES / 1ST STAGES



MAIN FEATURES / 2ND STAGES



DFC / DYNAMIC FLOW CONTROL


The exclusive DFC system is a true innovation in the diving market. It makes it possible to minimize the intermediate pressure drop that occurs in all first stages during the inhalation phase of the divers breathing cycle. This phenomenon is compounded and noticed more with increasing depth and when the airflow demanded from the regulator is higher. A restriction of the valve pin hole hinders the formation of a dynamic pressure. An additional conduit located between the intermediate pressure chamber and the command spring chamber, leads directly to the LP-port of the second stage, preventing counter-pressure from accumulating. The DFC system uses the Venturi Effect, optimizing the regulator's sensitivity to ensure maximum delivery of air to the second stage during the inhale.

The DFC system substantially reduces inhalation resistance, especially during deep dives and under demanding conditions.

DISCOVER MORE









Equipment Regulator Type Serial Number Interstage Pressure Static

Conditions of Test

Results (2 Loops, SA: 100)




Conditions of Test



Inhale Work

TBP / TWIN BALANCED PISTON

This system consists of a lower piston, sealed by means of an 0-ring, on top of which the main spring, which defines intermediate pressure, $\frac{1}{2}$ is placed. Above the spring, an upper piston with the same dimensions as the lower one senses the ambient pressure. This piston is sealed against water by a thin silicone membrane. The two pistons are aligned with one another. This is very important, as we cannot always be sure that the spring has perfectly parallel surfaces, meaning that during movement the piston could tilt slightly. The result is a dry chamber that is unaffected by depth (tested down to 400m) and protected against water, providing a highly reactive response to gas flow request.





DISCOVER MORE




AST / AUTO SEALING TECHNOLOGY

The AST system is a dynamic technology that provides protection against water leaks into the first stage, without affecting the regulator's performance during use. This pneumatic solution ensures reliability without compromise. AST is an internal component that is activated automatically by the air pressure, requiring no action from the diver. It simply opens when the first stage is pressurized, and closes when it depressurizes.



MULTIPLE VERTICAL PORTS

8 low-pressure ports make the 72X first stage unique and incomparable. There are 4 horizontal ports and 4 vertical (Patent pending). All 8 feature Natural DFC for elevated airflow under all conditions. The configuration allows for maximum versatility, making it excellent for technical and recreational dives.





VAD / VORTEX ASSISTED DESIGN

Mares second stages feature VAD Technology. This revolutionary patented delivery system creates a low pressure inside the 2nd stage during inhalation.

The gas coming from the LP-hose passes through the second stage valve and is routed directly to the mouthpiece through our Mares patented bypass tube.

Innovative molding technology, allows Mares to achieve special contours of the bypass tube, resulting in a flow of air that creates a swirling effect or vortex movement. The core of the vortex is a low pressure area that pulls the diaphragm down during the inhalation phase, resulting in a markedly sensitive and easy breathing regulator. Compared with the traditional Venturi effect technology that all other regulators in the market are based on, our ingenious solution has a number of advantages:

- Allows for the feel of natural breathing. You do not have the feeling of air being "injected" into your mouth, as in many other types of second stages.
- The possibility of freezing the 2nd stage mechanical parts in cold water is considerably reduced because the air expansion inside the 2nd stage occurs in the bypass tube, rather than on the mechanical parts. Ultimately minimizing potential free-flow due to freezing.

Many models of Mares regulators with VAD 2nd stages are approved and used by Rescue Agencies, Military Divisions, including the U.S. Navy, for dives in extreme conditions and especially cold water.









TPS / TWIN POWER SYSTEM

We've designed second stages equipped with the Twin Power System (adjustable VAD). This adjustment can be used at any time during the dive, allowing the diver to choose between natural breathing or assisted breathing, which increases air flow. The result is an increased flowrate with less effort for divers who need to work extra hard, are in a strong current, or are facing extreme conditions.



VAD +

ADJUSTABLE BREATHING COMFORT

When you combine the Twin Power System with the Adjustable Breathing Comfort System found in some new models, you have maximum control over customizing your regulator to your personal preference while meeting the demands of changing diving conditions.



PAD / PNEUMATICALLY ASSISTED DESIGN

Second stage models featuring the Adjustable Breathing Comfort System also feature the PAD System [Pneumatically Assisted Design]; with this system, the low-pressure air from the first stage is directed through a hole in the center of the second stage valve, until it reaches an air chamber located at the end of the valve. With the same pressure on both sides of the valve, the spring tension required to close the valve is greatly reduced. Lighter spring tension results in an high comfort during inhalation. This in combination with the 2nd stage VAD which is automatically regulating air flow based on the divers demand, results in a high performance, highly comfortable, and natural breathing 2nd stage!





ANSTI MACHINE

Regulator performance is measured using a special machine that simulates the breathing conditions of a diver underwater. With this machine you can measure the inhale and exhale forces in kPa (kilo Pascal), (1kPa = 10cm of water column). Maximum allowable forces according to EC standards are 2.5kPa (equivalent to 25cm of water column) D; testing conditions are: depth 50m C, breathing rate: 62.5l/min B. Breathing work is also measured, under the same conditions. The maximum breathing work allowed by the European standards is 3 Joule/liter B. This work represents the actual fatigue resulting from a diver's breathing during the dive. Breathing effort is represented by the area of the breathing curve (pressure-volume curve). The smaller the area of the curve, the lower the breathing effort.


Mares ANSTI testing machine can reach and test at an unprecedented 200m of depth; twice the depth of most machines used by competitors, allowing us to test our regulators under conditions that are unthinkable for others. Clearly, a diver doesn't push himself to these depths breathing air, but being able to test at these depths teaches us a great deal about how our regulators function at the limit. What's more, our machine is fitted so that it can be supplied with gas from cylinders, and this enables us to certify our regulators at 200m using the right mix for this depth, which is TX6.7/83.3, as defined by British standard BS8547:2016.





| Conditions of Test | Mean |
|-----------------------------|------------|
| Room Temperature (C) | 23.0 C |
| Exhale Temp (C) | 20.4 C |
| Water Temp (C) | 7.7 C |
| Fast Response Temp Min | 9,7 C |
| Fast Response Temp Max | 10,5 C |
| HP Supply Pressure (barg) | 57.3 barg |
| Tidal Volume (litre) | 2.50 litre |
| Breath Rate (bpm) | 25.13 bpm |
| Ventilation Rate (lpm) | 62.89 lpm |
| Results (2 Loops, SA: 100) | Mana |
| Inhale Pressure (mbar) | |
| Inhale Pos Pressure (mbar) | |
| Exhale Pressure (mbar) | |
| Ext Work of Breathing (J/1) | |
| | |
| Inhale Work (J/1) | |
| Pos Inhale Work (J/1) | |
| Exhale Work (J/1) | |

C Pressure - Volume Diagrams at Mean Depth of 50.5 msw (165.8 fsw)





PRODUCT SELECTOR / REGULATORS



| | | Atlas Adj 62X | SXS 62X | Epic Adj 82X | Fusion 72X | Ultra Adj 82X | Ultra 72X | Dual Adj 62X | Dual 15X | Abyss 22 Navy II | Rover 15X | Rover 2S |
|-------------------------------|------------------------------|-------------------------|-----------------------------|-------------------------|-------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------|-----------------------------|----------------------------|
| Code | | 416268 | 416269 | 416247 | 416252 | 416250 | 416251 | 416263 | 416258 | 416171 | 416254 | 416255 |
| Page | | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 23 | 24 | 24 |
| ∞ | Technical dive | | | • | • | • | • | | | | | |
| Kind of dive & type of use | Deep dive (tested to 200m) | • | • | • | • | • | • | • | | | | |
| nd of | Extremely cold water | • | | • | • | | | | | • | | |
| <u>Σ</u> τ. | Travel optimized | | • | | | | | • | | | • | • |
| | | | | | | | | | | | | |
| | Dynamic flow control | • | • | • | • | • | • | • | • | • | • | |
| e g | Dry system (AST) | • | • | • | • | • | • | • | | | | |
| 1# Stage Details | Twin balanced piston | • | | | | | | | | | | |
| ~ □ | 360° Swivel turret | | | • | | • | | | | | | |
| | Finish | Pearl | Pearl | PVD | Pearl | Pearl | Pearl | Pearl | Sandblasted | Sandblasted | Sandblasted | Sandblasted |
| | | | | | | | | | | | | |
| | VAD / Vortex Assisted Design | • | • | | | | | • | • | • | • | • |
| | ADJ VAD / Twin power system | | | • | • | • | • | | | | | |
| age | Adjustable breathing comfort | • | | • | | • | | • | | | | |
| 2™ Stage Details | PAD / Pneumatically assisted | • | | • | | • | | • | | | | |
| | Left & right sided use | | • | | | | | | | | | |
| | Material / Technology | All Metal Technology | Ultralight Technopolymer | All Metal Technology | All Metal Technology | Ultralight Technopolymer | Ultralight Technopolymer | Ultralight Technopolymer | Ultralight Technopolymer | All Metal Technology | Ultralight Technopolymer | Ultralight Technopolyme |

PRODUCT SELECTOR / OCTOPUS



| | | Atlas Adj | SXS | Epic Adj | Fusion | Ultra Adj | Ultra | Dual Adj | Dual | Abyss Navy | Loop | Rover |
|----------------------------------|------------------------------|-------------------------|-----------------------------|-------------------------|-------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-------------------------|-----------------------------|-----------------------------|
| Code | | 416566 | 416562 | 416550 | 416544 | 416553 | 416554 | 416555 | 416556 | 416546 | 416548 | 416557 |
| Page | | 27 | 27 | 27 | 27 | 27 | 27 | 28 | 28 | 28 | 28 | 28 |
| T ed s | Deep dive (tested to 200m) | • | • | • | • | | | • | | | | |
| Kind of dive & type of use | Extremely cold water | • | | • | • | | | | | • | | |
| ⊼ ₹ ° | Travel optimized | | • | | | | | • | • | | • | • |
| | | | | | | | | | | | | |
| | VAD / Vortex Assisted Design | • | • | | | | | • | • | • | Sagittal | • |
| | ADJ VAD / Twin power system | | | • | • | • | • | | | | | |
| ails | Adjustable breathing comfort | • | | • | | • | | • | | | | |
| Details | PAD / Pneumatically assisted | • | | • | | • | | • | | | | |
| | Left & right sided use | | • | | | | | | | | • | |
| | Material / Technology | All Metal Technology | Ultralight Technopolymer | All Metal Technology | All Metal Technology | Ultralight Technopolymer | Ultralight Technopolymer | Ultralight Technopolymer | Ultralight Technopolymer | All Metal Technology | Ultralight Technopolymer | Ultralight Technopolymer |

ATLAS ADJ 62X



Code: 416268* INT / DIN 300

€ 649.00



2ND STAGE

- ALL METAL TECHNOLOGY
- VAD SYSTEM FOR NATURAL BREATHING
- ADJUSTABLE BREATHING COMFORT TO FULFIL DIVER'S NEEDS
- PAD PNEUMATICALLY ASSISTED DESIGN
- WIDE PIVOTING PURGE BUTTON WHICH IS EASY USE, EVEN WITH THICK GLOVES
- HIGH AIR FLOW
- SUPERFLEX HOSE

1ST STAGE

- TBP: ENVIRONMENTALLY SEALED FOR BETTER PERFORMANCE ON COLD WATER DIVES
- NATURAL DFC ON ALL LP PORTS FOR HIGH AIR FLOW AT ANY DEPTH
- AST FIRST STAGE DRY SYSTEM TO AVOID WATER ENTERING
- PRE-ORIENTED LP AND HP PORTS
- COMPACT DIAPHRAGM 1ST STAGE
- PEARL CHROME FINISH





TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar | | |
|-------------------------------|-----------------------|-----------------------|----------------|--|--|
| 1st Stage | Weight | 782g / 27.6oz | 565g / 19.9oz | | |
| Ist S | High pressure ports | 2 HP 7/16" | UNF Ports | | |
| , | Low pressure ports | 4 LP 3/8" UNF Ports | | | |
| ge | Weight | 313g / 11oz | | | |
| 2nd Stage | Material / Technology | All Metal Technology | | | |
| 210 | LP Hose Type/Length | Superflex hose / 75cm | | | |
| Total weight (including hose) | | 1225g / 43.2oz | 1008g / 35.5oz | | |


ACCESSORIES

| Octopus Atlas Adj | 416566 | Page 27 |
|------------------------------|--------|---------|
| Twin Balanced Piston Dry Kit | 416819 | Page 29 |
| DIN Connector | 416809 | Page 29 |
| Swivel | 415862 | Page 29 |


RESULTS AND PERFORMANCE

Pressure - Volume diagram at mean depth of: 201.0 msw (659.3 fsw)

| Inhale Pressure | 14.71 Mbar |
|--------------------------|------------|
| Inhale Positive Pressure | 2.94 Mbar |
| Exhale Pressure | 9.35 Mbar |
| Work Of Breathing | 1.75 J/l |
| Inhale Work | 1.03 J/l |
| Positive Inhale Work | 0.00 J/l |
| Exhale Work | 0.71 J/l |









Pivoting Purge Button



All Metal First Stage




Metal Case with VAD System

^{*}Meets and exceeds the requirements of Norsok U-101 at a depth of 200m

SXS 62X

NEW

Code: 416269* INT / DIN 300





2ND STAGE

- OUR SMALLEST AND MOST COMPACT SECOND STAGE
- MADE FROM ULTRALIGHT TECHNOPOLYMER
- VAD SYSTEM WITH "CURVED" BYPASS FOR THE HIGHEST AIR FLOW
- LEFT AND RIGHT-SIDED USE
- LATERAL EXHAUST TUBE FOR BETTER VISIBILITY IN ALL DIVING POSITIONS
- EASY TO USE, SOFT PURGE BUTTON
- SUPERFLEX HOSE

1ST STAGE

- NATURAL DFC ON ALL LP PORTS. HIGH AIR FLOW AT ANY DEPTH
- PRE-ORIENTED LP AND HP PORTS
- AST FIRST STAGE DRY SYSTEM TO AVOID WATER ENTRY
- OUR MOST COMPACT 1ST STAGE WITH THE LIGHTEST DIAPHRAGM
- PEARL CHROME FINISH





TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar | | |
|-------------------------------|-----------------------|--------------------------|---------------|--|--|
| 1st Stage | Weight | 742g / 26.2oz | 525g / 18.5oz | | |
| 1st S | UNF Ports | | | | |
| - | Low pressure ports | 4 LP 3/8" UNF Ports | | | |
| ge | Weight | 156g / 5.5oz | | | |
| 2nd Stage | Material / Technology | Ultralight Technopolymer | | | |
| Ž. | LP Hose Type/Length | Superflex hose / 75cm | | | |
| Total weight (including hose) | | 1028g / 36.3oz | 811g / 28.6oz | | |


ACCESSORIES

| Octopus SXS | 416562 | Page 27 |
|------------------------------|--------|---------|
| DIN Connector | 416809 | Page 29 |
| Twin Balanced Piston Dry Kit | 416819 | Page 29 |
| 62X | 416267 | Page 25 |

RESULTS AND PERFORMANCE

Pressure - Volume diagram at mean depth of: 204.2 msw (670.1 fsw)

| Inhale Pressure | 8.90 Mbar |
|--------------------------|-----------|
| Inhale Positive Pressure | 2.54 Mbar |
| Exhale Pressure | 8.66 Mbar |
| Work Of Breathing | 1.21 J/l |
| Inhale Work | 0.53 J/l |
| Positive Inhale Work | 0.00 J/l |
| Exhale Work | 0.68 J/l |







Soft Purge Button

"Curved" By-Pass







AST - 1st stage Dry System

^{*}Meets and exceeds the requirements of Norsok U-101 at a depth of 200m $\,$

EPIC ADJ 82X

Code: 416247* INT / DIN 300

RRP € 749.00



2ND STAGE

- METAL 2ND STAGE WITH PVD COATING
- TWIN POWER SYSTEM
- ADJUSTABLE BREATHING COMFORT
- PAD PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- WIDE PIVOTING PURGE BUTTON
- COLD WATER USE
- SUPERFLEX HOSE

1ST STAGE

- PVD COATING
- SWIVEL TURRET
- NATURAL DFC ON ALL LP PORTS
- OPD TILTED HP PORTS
- AST 1ST STAGE DRY SYSTEM
- COMPACT DIMENSIONS





CERTIFIED PERFORMANCE at **200m** PROVEN TECHNOLOGY at **400m**

TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar | | |
|-------------------------------|-----------------------|-----------------------|----------------|--|--|
| 1st Stage | Weight | 964g / 34oz | 790g / 27.9oz | | |
| Ist S | High pressure ports | 2 HP 7/ | 16" UNF | | |
| , | Low pressure ports | 5 LP 3/8" UNF | | | |
| - de | Weight | 329g / 11.6oz | | | |
| 2nd Stage | Material / Technology | All Metal Technology | | | |
| 2 | LP Hose Type/Length | Superflex hose / 75cm | | | |
| Total weight (including hose) | | 1429g / 50.4oz | 1255g / 44.3oz | | |

ACCESSORIES

| Octopus Epic Adj | 416550 | Page 27 |
|------------------------------|--------|---------|
| DIN Connector | 416809 | Page 29 |
| Twin Balanced Piston Dry Kit | 416860 | Page 29 |

RESULTS AND PERFORMANCE

Pressure - Volume diagram at mean depth of: 201.4 msw (660.9 fsw)

| Inhale Pressure | 8.78 Mbar | |
|--------------------------|-----------|------|
| Inhale Positive Pressure | 2.25 Mbar | 25 |
| Exhale Pressure | 9.19 Mbar | 15 |
| Work Of Breathing | 1.27 J/l | mbar |
| Inhale Work | 0.60 J/l | -15 |
| Positive Inhale Work | 0.00 J/l | -25 |
| Exhale Work | 0.67 J/l | |







Twin Power System



Swivel Turret - Natural DFC on all LP ports



AST – 1st Stage Dry System (DIN version)

^{*}Meets and exceeds the requirements of Norsok U-101 at a depth of 200m $\,$

FUSION 72X

Code: 416252* INT / DIN 300

€ 549.00



2ND STAGE

- TWIN POWER SYSTEM
- METAL 2ND STAGE WITH PEARL CHROME FINISH
- HIGH AIR FLOW
- WIDE PIVOTING PURGE BUTTON
- SUPERFLEX LP HOSE

1ST STAGE

- 4 VERTICAL AND 4 RADIAL LP PORTS (PAT. PENDING)
- IDEAL FOR ALL TECH AND RECREATIONAL DIVING CONFIGURATIONS
- NATURAL DFC ON ALL LP PORTS
- PRE-ORIENTED HP PORTS
- AST 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- COMPACT DIMENSIONS





TECHNICAL FEATURES

| tage | Туре | INT | DIN 300 bar |
|-----------------|-----------------------|--|----------------|
| | Weight | 882g / 31.1oz | 708g / 25oz |
| 1st Stage | High pressure ports | 2 HP 7/ | 16" UNF |
| - | Low pressure ports | 8 LP 7/16" UNF | |
| e Weight | | 327g / 11.5oz | |
| 2nd Stage | Material / Technology | All Metal Technology Superflex hose / 75cm | |
| 2nc | LP Hose Type/Length | | |
| Total we | ight (including hose) | 1345g / 47.4oz | 1171g / 41.3oz |


ACCESSORIES

| Octopus Fusion | 416544 | Page 27 |
|------------------------------|--------|---------|
| 72X | 416256 | Page 25 |
| DIN Connector | 416809 | Page 29 |
| Twin Balanced Piston Dry Kit | 416860 | Page 29 |

RESULTS AND PERFORMANCE

Pressure - Volume diagram at mean depth of: 209.6 msw (687.5 fsw)

| Inhale Pressure | 7.63 Mbar |
|--------------------------|-----------|
| Inhale Positive Pressure | 2.53 Mbar |
| Exhale Pressure | 8.96 Mbar |
| Work Of Breathing | 1.11 J/l |
| Inhale Work | 0.39 J/l |
| Positive Inhale Work | 0.05 J/l |
| Exhale Work | 0.72 J/l |









Twin Power System



Vertical and Radial LP Ports (Pat. Pending)



AST - 1st Stage Dry System (INT Version)

^{*}Meets and exceeds the requirements of Norsok U-101 at a depth of 200m \Diamond While stocks last

ULTRA ADJ 82X

Code: 416250* INT / DIN 300

RRP € 519.00



2ND STAGE

- TWIN POWER SYSTEM
- ADJUSTABLE BREATHING COMFORT
- PAD PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- ULTRALIGHT TECHNOPOLYMER
- WIDE PIVOTING PURGE BUTTON
- SUPERFLEX HOSE

1ST STAGE

- NATURAL DFC ON ALL LP PORTS
- SWIVEL TURRET
- OPD TILTED HP PORTS
- AST 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- COMPACT DIMENSIONS





TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar |
|--|-----------------------|----------------|---------------|
| tage | Weight | 964g / 34oz | 790g / 27.9oz |
| 1st Stage | High pressure ports | 2 HP 7/1 | 16" UNF |
| - | Low pressure ports | 5 LP 3/8" UNF | |
| ge | Weight | 192g / 6.8oz | |
| 2nd Stage | Material / Technology | 9, 1,7 | |
| Ę. | LP Hose Type/Length | | |
| Total weight (including hose) 1292g / 45.6oz 111 | | 1118g / 39.4oz | |


ACCESSORIES

| Octopus Ultra Adj | 416553 | Page 27 |
|-------------------|--------|---------|
| 82X | 416248 | Page 25 |
| DIN Connector | 416809 | Page 29 |

RESULTS AND PERFORMANCE

Pressure - Volume diagram at mean depth of: 205.8 msw (675.1 fsw)

| Inhale Pressure | 11.45 Mbar | |
|--------------------------|------------|-------|
| Inhale Positive Pressure | 1.97 Mbar | 25 |
| Exhale Pressure | 7.17 Mbar | 15- |
| Work Of Breathing | 1.33 J/l | mbar- |
| Inhale Work | 0.79 J/l | -15 |
| Positive Inhale Work | 0.00 J/l | -25 |
| Exhale Work | 0.54 J/I | |







Adjustable Breathing Comfort



AST – 1st Stage Dry System (DIN version)



Swivel Turret - Natural DFC on all LP Ports

^{*}Meets and exceeds the requirements of Norsok U-101 at a depth of 200m $\,$

ULTRA 72X

Code: 416251* INT / DIN 300

RRP € 449.00



2ND STAGE

- TWIN POWER SYSTEM
- HIGH AIR FLOW
- ULTRALIGHT TECHNOPOLYMER
- WIDE PIVOTING PURGE BUTTON
- SUPERFLEX HOSE

1ST STAGE

- 4 VERTICAL AND 4 RADIAL LP PORTS (PAT. PENDING)
- IDEAL FOR ALL TECH AND RECREATIONAL DIVING CONFIGURATIONS
- NATURAL DFC ON ALL LP PORTS
- PRE-ORIENTED HP PORTS
- AST 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- COMPACT DIMENSIONS





TECHNICAL FEATURES

| | | | I |
|-------------------------------|-----------------------|---|----------------|
| _ | Туре | INT | DIN 300 bar |
| Stage | Weight | 882g / 31.1oz | 708g / 25oz |
| 1st S | High pressure ports | 2 HP 7/ | 16" UNF |
| • | Low pressure ports | LP 3/8" UNF | |
| ge | Weight | 190g / 6.7oz | |
| 2nd Stage | Material / Technology | Ultralight Technopolymer Superflex hose / 75cm | |
| 2 | LP Hose Type/Length | | |
| Total weight (including hose) | | 1208g / 42.6oz | 1034g / 36.5oz |


ACCESSORIES

| Octopus Ultra | 416554 | Page 27 |
|------------------------------|--------|---------|
| 72X | 416256 | Page 25 |
| DIN Connector | 416809 | Page 29 |
| Twin Balanced Piston Dry Kit | 416860 | Page 29 |

RESULTS AND PERFORMANCE

Pressure - Volume diagram at mean depth of: 200.2 msw (656.9 fsw)

| Inhale Pressure | 8.41 Mbar | |
|--------------------------|-----------|---|
| Inhale Positive Pressure | 2.86 Mbar | |
| Exhale Pressure | 7.23 Mbar | |
| Work Of Breathing | 0.66 J/l | n |
| Inhale Work | 0.12 J/l | |
| Positive Inhale Work | 0.05 J/l | |
| Exhale Work | 0.54 J/l | |









Twin Power System



AST - 1st Stage Dry System (INT Version)



Vertical and Radial LP Ports (Pat. Pending)

^{*}Meets and exceeds the requirements of Norsok U-101 at a depth of 200m

DUAL ADJ 62X

Code: 416263* INT / DIN 300

€ 449.00



2ND STAGE

- ADJUSTABLE BREATHING COMFORT
- ULTRALIGHT TECHNOPOLYMER
- PAD PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- LIGHTWEIGHT
- OVERSIZED PURGE BUTTON
- SUPERFLEX HOSE

1ST STAGE

- NATURAL DFC
- PRE-ORIENTED LP AND HP PORTS
- AST 1ST STAGE DRY SYSTEM
- LIGHT, COMPACT DIAPHRAGM 1ST STAGE
- ALL METAL
- PEARL CHROME FINISH





CERTIFIED PERFORMANCE at 200m PROVEN TECHNOLOGY at 400m

TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar |
|--|-----------------------|--|---------------|
| tage | Weight | 638g / 22.5oz | 464g / 16.4oz |
| 1st Stage | High pressure ports | 2 HP 7/ | 16" UNF |
| - | Low pressure ports | 4 LP 3/8" UNF | |
| e Weight | | 185g / 16.5oz | |
| 2nd Stage | Material / Technology | Ultralight Technopolymer Superflex hose / 75cm | |
| 2nc | LP Hose Type/Length | | |
| Total weight (including hose) 953g / 33.6oz 779g / | | 779g / 27.5oz | |


ACCESSORIES

| 62X | 416267 | Page 25 |
|------------------------------|--------|---------|
| Octopus Dual Adj | 416555 | Page 28 |
| DIN Connector | 416809 | Page 29 |
| Twin Balanced Piston Dry Kit | 416813 | Page 29 |

RESULTS AND PERFORMANCE

Pressure - Volume diagram at mean depth of: 202.6 msw (664.7 fsw)

| Inhale Pressure | 12.27 Mbar | |
|--------------------------|------------|--|
| Inhale Positive Pressure | 1.93 Mbar | |
| Exhale Pressure | 6.70 Mbar | |
| Work Of Breathing | 1.41 J/l | |
| Inhale Work | 0.92 J/l | |
| Positive Inhale Work | 0.00 J/l | |
| Exhale Work | 0.49 1/1 | |










Adjustable Breathing Comfort







AST - 1st Stage Dry System (DIN version)

^{*}Meets and exceeds the requirements of NORSOK U-101 at a depth of 200m $\,$

DUAL 15X

Code: 416258 INT / DIN 300

RRP € 339.00



2ND STAGE

- TECHNOPOLYMER
- LIGHTWEIGHT
- OVERSIZED SILICONE PURGE BUTTON
- HIGH AIR FLOW
- SUPERFLEX HOSE

1ST STAGE

- DFC PORT
- PRE-ORIENTED PORTS
- COMPACT SIZE
- SANDBLASTED FINISH





ABYSS 22 NAVY II

Code: 416171 INT / DIN 300

RRP € 699.00



2ND STAGE

- VAD SYSTEM
- MESH GRID
- FLUOROPOLYMER RESIN FINISH
- RUBBER HOSE
- IDEAL FOR EXTREME COLD WATER

1ST STAGE

- HI FLOW DFC PORT
- PRE-ORIENTED PORTS
- CWD OIL KIT
- US NAVY APPROVED





TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar | |
|-------------|-----------------------|--------------------------------|-----------------------------------|--|
| 1st Stage | Weight | 850g / 30oz | 685g / 24.2oz | |
| Ist S | High pressure ports | 2 HP 7/ | 16" UNF | |
| _ | Low pressure ports | 1 LP 1/2" UNF po | 1 LP 1/2" UNF port, 3 LP 3/8" UNF | |
| ge | Weight | 269g | 9.5oz | |
| 2nd Stage | Material / Technology | All Metal | Technology | |
| 2 2 2 | LP Hose Type/Length | Type/Length Rubber hose / 80cm | | |
| Total we | ight (including hose) | 1337g / 47.2oz 1172g / 41.3oz | | |

ACCESSORIES

| Octopus Abyss Navy | 416546 | Page 28 |
|--------------------|--------|---------|

TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar | |
|---|-----------------------|---------------|--------------------------|--|
| 1st Stage | Weight | 772g / 27.2oz | 598g / 21.1oz | |
| Ist S | High pressure ports | 2 HP 7/ | 16" UNF | |
| - | Low pressure ports | 4 LP 3/ | 4 LP 3/8" UNF | |
| ge | Weight | 183g | / 6.4oz | |
| 2nd Stage | Material / Technology | Ultralight Te | Ultralight Technopolymer | |
| 2nc | LP Hose Type/Length | Superflex I | nose / 75cm | |
| Total weight (including hose) 1085g / 70oz 911g / 3 | | 911g / 32.1oz | | |

ACCESSORIES

| Octopus Dual | 416556 | Page 28 |
|------------------------------|--------|---------|
| 15X | 416237 | Page 25 |
| DIN Connector | 416809 | Page 29 |
| Twin Balanced Piston Dry Kit | 416813 | Page 29 |

ROVER 15X

Code: 416254 INT / DIN 300

RRP € 299.00



2ND STAGE

- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE

1ST STAGE

- DFC PORT
- PRE-ORIENTED PORTS
- COMPACT SIZE
- SANDBLASTED FINISH



Code: 416255 INT / DIN 300

RRP € 189.00



2ND STAGE

- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE

1ST STAGE*

- LIGHTWEIGHT, STURDY AND COMPACT
- PISTON CONTROL
- DEDICATED PLACE FOR RFID CHIP





TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar |
|---|---------------------------------------|--------------------------|---------------|
| 1st Stage | Weight | 772g / 27.2oz | 598g / 21.1oz |
| Ist S | High pressure ports | 2 HP 7/16" UNF | |
| - | Low pressure ports | 4 LP 3/8" UNF | |
| ge | Weight | 190g / 6.7oz | |
| 2nd Stage | Material / Technology | Ultralight Technopolymer | |
| 2 2 2 | LP Hose Type/Length Rubber hose / 80c | | se / 80cm |
| Total weight (including hose) 1107g / 39oz 933g / | | 933g / 32.9oz | |

ACCESSORIES

| 15X | 416237 | Page 25 |
|---------------|--------|---------|
| Octopus Rover | 416557 | Page 28 |
| DIN Connector | 416809 | Page 29 |

TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar |
|-------------------------------|-----------------------|--------------------------|---------------|
| Stage | Weight | 608g / 21.4oz | 432g / 15.2oz |
| 1st S | High pressure ports | 1 HP 7/16" UNF | |
| , | Low pressure ports | 4 LP 3/8" UNF | |
| ge | Weight | 190g / 6.7oz | |
| 2nd Stage | Material / Technology | Ultralight Technopolymer | |
| Ę. | LP Hose Type/Length | Rubber hose / 80cm | |
| Total weight (including hose) | | 977g / 34.5oz | 978g / 34.5oz |

ACCESSORIES

| 25 | 416232 | Page 25 |
|---------------|--------|---------|
| Octopus Rover | 416557 | Page 28 |
| DIN Connector | 416809 | Page 29 |

^{*} Picture not to scale

82X

Code: 416248¢

| RRP |
|----------|
| € 385.00 |

- SWIVEL TURRET
- NATURAL DFC ON ALL LP PORTS
- OPD TILTED HP PORTS
- AST 1ST STAGE DRY SYSTEM
- COMPACT DIMENSIONS



TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar |
|-------|---------------------|---------------------|---------------|
| Stage | Weight | 964g / 34oz | 790g / 27.9oz |
| 1st S | High pressure ports | 2 HP 7/16" | UNF ports |
| • | Low pressure ports | 5 LP 3/8" UNF ports | |

62X

Code: 416267 INT / DIN 300

| RRP | |
|----------|--|
| € 319.00 | |

- NATURAL DFC
- PRE-ORIENTED LP AND HP PORTS
- AST 1ST STAGE DRY SYSTEM
- LIGHT, COMPACT DIAPHRAGM 1ST STAGE



TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar |
|-------|---------------------|----------------------|---------------|
| Stage | Weight | 638g / 22.5oz | 464g / 16.4oz |
| 1st S | High pressure ports | 2 HP 7/16" UNF Ports | |
| | Low pressure ports | 4 LP 3/8" UNF Ports | |

25

Code: **416232**�

| | RRP |
|---|--------|
| • | 139.00 |

- LIGHTWEIGHT, STURDY AND COMPACT
- PISTON CONTROL
- DEDICATED PLACE FOR RFID CHIP



TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar |
|-------|---------------------|---------------------|---------------|
| Stage | Weight | 608g / 21.4oz | 432g / 15.2oz |
| st S | High pressure ports | 1 HP 7/16 | UNF port |
| - | Low pressure ports | 4 LP 3/8" UNF ports | |

72X

Code: 416256¢

| RRP |
|----------|
| € 349.00 |

- 4 VERTICAL AND 4 RADIAL LP PORTS (PAT. PENDING)
- IDEAL FOR ALL TECH AND RECREATIONAL DIVING CONFIGURATIONS
- NATURAL DFC ON ALL LP PORTS
- AST 1ST STAGE DRY SYSTEM
- PEARL CHROME FINISH
- PRE-ORIENTED HP PORTS
- COMPACT DIMENSIONS



TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar |
|-------|---------------------|--------------|-------------|
| Stage | Weight | 882g/ 31.1oz | 708g / 25oz |
| 1st S | High pressure ports | 2 HP 7/16" | UNF Ports |
| ` | Low pressure ports | 8 LP 3/8" | UNF Ports |

15X

Code: 416237¢

| RRP | |
|----------|--|
| € 229.00 | |

- SIMPLE, RUGGED, AND COMPACT.
- CHROME-PLATED BRASS BODY WITH SANDBLASTED FINISH.
- 4 PRE-ORIENTED LOW-PRESSURE PORTS, ONE OF WHICH OFFERS DFC.



TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar |
|-------|---------------------|----------------------|---------------|
| Stage | Weight | 772g / 27.2oz | 598g / 21.1oz |
| lst S | High pressure ports | 2 HP 7/16" UNF ports | |
| - | Low pressure ports | 4 LP 3/8" UNF ports | |

^{*} For use with octopuses and 2nd stages with which it has been certified. Assembly, checks and any necessary adjustments must be done by a Mares Lab Authorized Service Center.

DUAL ADJ



DUAL

NEW

Code: 416564*





- ADJUSTABLE BREATHING COMFORT TO FULFIL DIVER'S NEEDS
- PAD PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- MADE FROM ULTRALIGHT TECHNOPOLYMER
- OVERSIZED PURGE BUTTON WHICH IS EASY TO USE WITH GLOVES
- CERTIFIED WITH 62X AND 15X FIRST STAGES

NOTE: LP HOSE NOT INCLUDED



TECHNICAL FEATURES

| Weight | 185g |
|-----------|--------------------------|
| Material | Ultralight Technopolymer |
| Hose type | Superflex Hose |



RRP € 119.00



- MADE FROM ULTRALIGHT TECHNOPOLYMER
- OVERSIZED PURGE BUTTON WHICH IS EASY TO USE WITH GLOVES
- HIGH AIR FLOW
- CERTIFIED WITH 62X, 15X AND 2S FIRST STAGES

NOTE: LP HOSE NOT INCLUDED



TECHNICAL FEATURES

| Weight | 183g |
|-----------|--------------------------|
| Material | Ultralight Technopolymer |
| Hose type | Superflex Hose |

LOOP



Code: 416563*

| RRP |
|----------|
| € 105.00 |



- CAN BE MOUNTED ON THE RIGHT OR LEFT SIDE
- "UNDER THE SHOULDER" HOSE POSITION
- FREEDOM OF MOVEMENT IN ALL DIRECTIONS
- TWIN EXHAUST VALVES
- INTEGRATED SAGITTAL VAD (S-VAD)
- OVERSIZED SILICONE PURGE BUTTON
- CERTIFIED WITH 72X, 15X AND 2S FIRST STAGES

NOTE: LP HOSE NOT INCLUDED



TECHNICAL FEATURES

| Weight | 199g |
|-----------|--------------------------|
| Material | Ultralight Technopolymer |
| Hose type | Rubber hose |

 $^{^{*}}$ Assembly, checks and any necessary adjustments must be done by a Mares Lab Authorized Service Center.

OCTOPUS ATLAS ADJ



OCTOPUS SXS

NEW

Code: 416566

RRP € 310.00



- ALL METAL TECHNOLOGY
- V.A.D. SYSTEM FOR NATURAL BREATHING
- ADJUSTABLE BREATHING COMFORT TO FULFIL DIVER'S NEEDS
- PAD PNEUMATICALLY ASSISTED DESIGN
- WIDE PIVOTING PURGE BUTTON WHICH IS EASY TO USE, EVEN WITH THICK GLOVES
- HIGH AIR FLOW



OCTOPUS EPIC ADJ

Code: 416550

RRP € 335.00



- METAL 2ND STAGE WITH PVD COATING
- TWIN POWER SYSTEM
- ADJUSTABLE BREATHING COMFORT
- PAD PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- WIDE PIVOTING PURGE BUTTON
- COLD WATER USE
- SUPERFLEX HOSE



Code: 416562

€ 130.00



- OUR SMALLEST, MOST COMPACT SECOND STAGE
- MADE FROM ULTRALIGHT TECHNOPOLYMER
- V.AD. SYSTEM WITH "CURVED" BYPASS FOR THE HIGHEST AIR FLOW
- LEFT AND RIGHT-SIDED USE
- LATERAL EXHAUST TUBE FOR BETTER VISIBILITY IN ALL DIVING POSITIONS
- EASY TO USE, SOFT PURGE BUTTON
- SUPERFLEX OCTOPUS HOSE



OCTOPUS FUSION

Code: 416544

RRP € 280.00






- TWIN POWER SYSTEM
- VAD SYSTEM
- HIGHEST AIR FLOW
- SUPERFLEX HOSE
- WIDE PIVOTING PURGE BUTTON



OCTOPUS ULTRA ADJ

Code: 416553





- TWIN POWER SYSTEM
- ADJUSTABLE BREATHING COMFORT
- PAD PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- ULTRALIGHT TECHNOPOLYMER 2ND STAGE
- WIDE PIVOTING PURGE BUTTON
- SUPERFLEX HOSE



OCTOPUS ULTRA

Code: 416554

€ 155.00



- TWIN POWER SYSTEM
- TECHNOPOLYMER
- ULTRALIGHT
- WIDE PIVOTING PURGE BUTTON
- HIGH AIR FLOW
- SUPERFLEX HOSE



 $^{^{*}}$ Assembly, checks and any necessary adjustments must be done by a Mares Lab Authorized Service Center.

OCTOPUS DUAL ADJ

Code: 416555





- ADJUSTABLE BREATHING COMFORT
- PAD PNEUMATICALLY ASSISTED DESIGN
- HIGH AIR FLOW
- TECHNOPOLYMER
- ULTRALIGHT
- OVERSIZED PURGE BUTTON
- SUPERFLEX HOSE



OCTOPUS DUAL

Code: 416556

| RRP | |
|----------|--|
| € 135.00 | |



- TECHNOPOLYMER
- LIGHTWEIGHT
- OVERSIZED PURGE BUTTON
- HIGH AIR FLOW
- SUPERFLEX HOSE



OCTOPUS ABYSS NAVY

Code: 416546

| RRP | |
|----------|--|
| € 369.00 | |



- VAD SYSTEM
- MESH GRID
- FLUOROPOLYMER RESIN FINISH
- RUBBER HOSE
- EXTREMELY COLD WATER USE



OCTOPUS LOOP

Code: 416548

| RRP |
|----------|
| € 115.00 |



- CAN BE MOUNTED ON THE RIGHT OR THE LEFT SIDE
- FREEDOM OF MOVEMENT IN ALL DIRECTIONS
- "UNDER THE SHOULDER" HOSE POSITION
- TWIN EXHAUST VALVES
- INTEGRATED SAGITTAL VAD (S-VAD)
- OVERSIZED SILICONE PURGE BUTTON



OCTOPUS ROVER

Code: **416557**

| | RRP | |
|--|---------|--|
| | € 89.00 | |



- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE



CERTIFIED OCTOPUS/1ST STAGE COMBINATIONS

| | 1ST STAGES | | | | |
|------------|------------|-----|-----|-----|----|
| | 82X | 72X | 62X | 15X | 25 |
| ATLAS ADJ | • | • | • | • | |
| sxs | | • | • | • | |
| EPIC ADJ | | • | • | • | |
| FUSION | • | • | • | • | • |
| ULTRA ADJ | • | • | • | • | |
| ULTRA | | • | • | • | |
| ABYSS NAVY | • | • | • | • | • |
| LOOP | • | • | • | • | |
| DUAL ADJ | • | • | • | • | |
| DUAL | | • | • | • | |
| ROVER | • | • | • | • | • |

 $[\]hbox{* Assembly, checks and any necessary adjustments must be done by a Mares Lab Authorized Service Center.}\\$

DIN CONNECTOR

Code: 416809 for 82X - 72X - 62X - 15X - 2S

Code: 416810 for 22X

| RRP | |
|---------|--|
| € 59.00 | |

Code: 416817 for 82X - 72X - 62X - 15X - 2S with AST NEW

€ 65.00

- FOR 200 AND 300 BAR USE
- CONICAL SINTERED FILTER
- AST AUTO SEALING TECHNOLOGY [416817]



416809 416817

416810

AST DRY SYSTEM

Code: 416811 INT

| RRP |
|---------|
| € 38.00 |
| |

Code: 416812 DIN

- AUTO-SEALING TECHNOLOGY
- KEEPS THE 1ST STAGE DRY
- ACTIVATED BY GAS
- CAN BE USED WITH A HIGHER PERCENTAGE OF OXYGEN
- CAN BE USED IN COLD WATER
- CAN BE INSTALLED ON 82X-72X-52X-15X AND 2S 1ST STAGES



TWIN BALANCED PISTON DRY KIT

| | RRP |
|--------------------------|---------|
| Code: 416860 for 82X | € 62.00 |
| Code: 416815 for 72X ◊ | € 69.00 |
| Code: 416819 for 62X NEW | € 69.00 |
| Code: 416813 for 15X | € 99.00 |

- RECOMMENDED FOR COLD WATER USE
- IDEAL FOR CONTAMINATED WATER
- HIGH FLOW PERFORMANCE
- PROTECTS ALL MOVING PARTS



82X







SWIVEL

Code: 415862

| RRP |
|---------|
| € 55.00 |

- TO IMPROVE COMFORT
- 120 DEGREE ADAPTER
- EASY TO INSTALL BETWEEN HOSE AND 2ND STAGE
- 9/16" UNF



DIN/YOKE ADAPTOR

Code: 415861

| RRP | |
|---------|--|
| € 45.00 | |

■ FOR ALL DIN 1ST STAGES



JAX

Code: 415336 12 pcs mix (2 pcs BL/YL/BK/CL - 1 pcs GN/PK/IYL/WH)

Code: 415347 12 pcs unicolors (CL/BK/PK/BL/YL)

| RRP | |
|---------|--|
| € 30.00 | |

- CUSTOM FIT MOUTHPIECE
- VARIOUS COLOR OPTIONS
- HIGH COMFORT
- FITS ON ALL MARES REGULATORS
- STRAP INCLUDED



REGULAR MOUTHPIECE KIT

Code: **415335**

| RRP | |
|--------|--|
| € 9.50 | |

- THE STANDARD MARES MOUTHPIECE
- STRAP INCLUDED
- FITS ON ALL MARES REGULATORS



SMALL MOUTHPIECE KIT

Code: **415111**

| RRP | |
|--------|--|
| € 7.50 | |

- SMALL SIZE MARES MOUTHPIECE
- STRAP INCLUDED
- FITS ON ALL MARES REGULATORS



LP HOSES

| | | | LP HOSE W | ITHOUT HOSE PR | OTECTORS | | 1 ST STAGE HOSE PROTECTORS | 2 ND STAGE HOSE PROTECTORS | |
|------------|----------------------|----------|-----------|----------------|----------|--------|--|--|--|
| | Abyss 22 Navy | 46201396 | 1/2" | RUBBER | BLACK | 80 cm | | 46200846 | |
| | Epic Adj 82X | | | | | | | 46201313 | |
| | Fusion 72X | 46201379 | 3/8" | | | | | 46201313 | |
| SS | Ultra Adj 82X | | | | | | | 46201313 | |
| REGULATORS | Ultra 72X | | | SUPERFLEX | BLACK | 75 cm | 46201249 | 46201313 | |
| G. | Atlas Adj 62X | | | SUPERFLEX | BLACK | /5 cm | 46201249 | 46201473 | |
| Ä | Dual Adj 62X | | | | | | | 46201473 | |
| | SXS 62X | | | | BLACK | | - | 46201473 | |
| | Dual 15X | | | | | | | 46201473 | |
| | Rover 15X / Rover 2S | 46201382 | 3/8" | RUBBER | | 80 cm | | 46201473 | |
| | Epic Adj | | 3/8" | SUPERFLEX | YELLOW | 100 cm | 46201249 | 46201339 | |
| | Fusion | 46201381 | | | | | | 46201339 | |
| | Ultra Adj | | | | | | | 46201339 | |
| | Ultra | | | | | | | 46201339 | |
| S | Atlas Adj | | | | | | | 46201473 | |
| OCTOPUS | Dual Adj | | | | | | | 46201473 | |
| Ĕ | SXS | | | | | | | 46201473 | |
| 0 | Dual | | | | | | | 46201473 | |
| | Abyss Navy | 46201383 | 3/8" | RUBBER | YELLOW | 100 cm | | 46200846 | |
| | Rover | 40201303 | | | TELEOW | | | 46201473 | |
| | Loop | 46201666 | 3/8" | RUBBER | YELLOW | 110 cm | | 46201473 | |
| | Air Control | 46201379 | 3/8" | SUPERFLEX | BLACK | 75 cm | | 46201473 | |

| | | s | PECIAL LENGTH | | | | |
|----------------|----------|------|---------------|--------|--------|---|---|
| | 46200984 | 3/8" | SUPERFLEX | BLACK | 210 cm | | |
| | 46200985 | 1/2" | SUPERFLEX | BLACK | 210 cm | - | |
| Regulator hose | 46200986 | 3/8" | SUPERFLEX | YELLOW | 210 cm | | - |
| | 46201393 | 3/8" | RUBBER | BLACK | 210 cm | | |
| | 46201394 | 3/8" | RUBBER | BLACK | 60 cm | | |

1ST STAGES

2ND STAGES





82X PVD

- Balanced diaphragm design
- Swivel turret
- 2 HP 7/16" UNF ports
- 5 LP 3/8" UNF ports



Epic Adj



- Balanced diaphragm design
- Swivel turret
- 2 HP 7/16" UNF ports
- 5 LP 3/8" UNF ports





72X

- Balanced diaphragm design
- Vertical and Radial Lp Ports (Patented)
- 2 HP 7/16" UNF ports
- 8 LP 3/8" UNF ports









62X TBP

- Balanced diaphragm design
- 2 HP 7/16" UNF ports
- 4 LP 3/8" UNF ports



Ultra

Atlas



62X

- Balanced diaphragm design
 2 HP 7/16" UNF ports
 4 LP 3/8" UNF ports







62X

- Balanced diaphragm design
- 2 HP 7/16" UNF ports 4 LP 3/8" UNF ports



Dual Adj



22X CWD KIT

- Balanced diaphragm design2 HP 7/16" UNF ports
- 1 LP 1/2" UNF port (primary) • 3 LP 3/8" UNF ports



Abyss Navy II



15X

- Balanced diaphragm design
- 2 HP 7/16" UNF ports
- 4 LP 3/8" UNF ports





Rover



25

- Piston design
- 1 HP 7/16" UNF port
- 4 LP 3/8" UNF ports



Dual

Rover



| Regulators | | Atlas Adj 62X | SXS 62X | Epic Adj 82X | Fusion 72X | Ultra Adj 82X | Ultra 72X | Dual Adj 62X | Dual 15X | Abyss 22 Navy II | Rover 15X | Rover 2S |
|--------------------------------------|-----------------|---------------|----------|--------------|------------|---------------|-----------|--------------|----------|---------------------|-----------|----------|
| Code | | 416268 | 416269 | 416247 | 416252 | 416250 | 416251 | 416263 | 416258 | 416171 | 416254 | 416255 |
| 1.161 | Diaphragm | • | • | • | • | • | • | • | • | • | • | |
| 1st Stage | Piston | | | | | | | | | | | • |
| All Metal Technolo | Jy | • | | • | • | | | | | • | | |
| Ultralight Technop | olymer | | • | | | • | • | • | • | | • | • |
| DFC - Dynamic Flo | w Control | • | • | • | • | • | • | • | • | • | • | • |
| AST - Auto Sealing | Technology | • | • | • | • | • | • | | | | | |
| Swivel Turret | | | | - | | • | | | | | | |
| Tilted HP | | | | - | | • | | | | | | |
| Vertical LP | | | | | • | | • | | | | | |
| Twin Power | | | | - | • | • | • | | | | | |
| VAD - Vortex Assisted Design (*SVAD) | | • | • | - | • | • | • | • | • | • | • | • |
| Adjustable Breathing Comfort | | • | | - | | • | | • | | | | |
| PAD - Pneumaticall | Assisted Design | • | | • | | • | | • | | | | |
| Mesh Grid | | | | | | | | | | • | • | • |
| Fluid Dynamic Defl | ector | | | | | | | | | | • | • |
| Superflex Hose | | • | • | • | • | • | • | • | • | | | |
| PVD finishing | | | | • | | | | | | | | |
| Pearl finishing | | • | • | | • | • | • | | • | | | |
| Sandblasted | | | | | | | | | • | • | • | - |
| 1st Stage Weight | INT | 782g | 742g | 964g | 882g | 964g | 882g | 638g | 772g | 850g | 772g | 608g |
| isi Stage weight | DIN 300 bar | 565g | 525g | 790g | 708g | 790g | 708g | 464g | 598g | 685g | 598g | 432g |
| 2nd Stage Weight | | 313g | 156g | 329g | 327g | 192g | 190g | 185g | 183g | 269g | 190g | 190g |
| Total Weight | INT | 1225g | 1028g | 1429g | 1345g | 1292g | 1208g | 953g | 1085g | 1337g | 1107g | 977g |
| (including hose) | DIN 300 bar | 1008g | 811g | 1255g | 1171g | 1118g | 1034g | 779g | 911g | 1172g | 933g | 978g |
| RRP | | € 649.00 | € 419.00 | € 749.00 | € 549.00 | € 519.00 | € 449.00 | € 449.00 | € 339.00 | € 699.00 | € 299.00 | € 189.00 |



| Octopus | Atlas Adj | sxs | Epic Adj | Fusion | Ultra Adj | Ultra | Dual Adj | Dual | Abyss Navy | Loop | Rover |
|-------------------------------|-----------|----------|----------|----------|-----------|----------|----------|----------|------------|----------|---------|
| Code | 416566 | 416562 | 416550 | 416544 | 416553 | 416554 | 416555 | 416556 | 416546 | 416548 | 416557 |
| All Metal Technology | - | | • | • | | | | | • | | |
| Ultralight Technopolymer | | • | | | • | • | • | • | | • | • |
| Twin Power | | | • | • | • | • | | | | | |
| VAD - Vortex Assisted Desig | - | • | • | • | • | • | • | • | • | Sagittal | • |
| Adjustable Breathing Comfort | • | | • | | • | | • | | | | |
| Pneumatical Balanced System | - | | • | | • | | • | | | | |
| Mesh Grid | | | | | | | | | • | | |
| Fluid Dynamic Deflector | | | | | | | | | | | • |
| Superflex Hose | - | • | • | • | • | • | • | • | | | |
| Total Weight (including hose) | 443g | 286g | 483g | 481g | 346g | 344g | 359g | 357g | 427g | 374g | 365g |
| RRP | € 310.00 | € 130.00 | € 335.00 | € 280.00 | € 210.00 | € 155.00 | € 190.00 | € 135.00 | € 369.00 | € 115.00 | € 89.00 |



INSTRUMENTS

GENIUS

Code: 414139













- ZH-L16C ALGORITHM WITH GRADIENT FACTORS AND PREDICTIVE MULTIGAS
- NITROX AND TRIMIX CAPABLE, UP TO 5 GASES
- FULL COLOR HIGH-RESOLUTION DISPLAY
- FULL TILT DIGITAL COMPASS WITH BEARING MEMORY AND STOPWATCH
- HOSELESS TANK DATA INTEGRATION FOR UP TO FIVE TRANSMITTERS
- COLOR CODED TANK PRESSURE FOR AT-A-GLANCE READABILITY
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH
- DECOMPRESSION DIVE PLANNER WITH ADDITIONAL SURFACE INTERVAL FUNCTION
- BRILLIANT LOGBOOK WITH MULTIPLE GRAPHS

- LOGBOOK CAPACITY MORE THAN 1000 HOURS OF DIVE PROFILE AT 5-SECOND SAMPLING RATE
- SMART BATTERY MANAGEMENT SYSTEM WITH 40 HOURS DIVETIME PER FULL CHARGE
- BLUETOOTH CONNECTION FOR DIRECT CONNECTION TO SMARTPHONE
- NIGHT MODE FUNCTION
- MAP VIEWING FUNCTION DURING THE DIVE
- TISSUE SATURATION GRAPH WITH DETAILED INFORMATION
- UNDERWATER MENU ALLOWS CERTAIN SETTINGS TO BE CHANGED DURING THE DIVE
- FUTURE DECO AND RUNAWAY DECO ALARM (PROPRIETARY)



TECHNICAL FEATURES

| LOIIIIOA | LILATORLS | |
|----------|-----------|--|
| Battery | Туре | 18650 Lithium Ion polymers |
| Battery | Duration | 40 hours dive time / 500 recharge cycles |
| Nitrox | | EAN from 21% to 99% |
| Trimix | | Hypoxic, Normoxic |

ACCESSORIES

| LED Tank Module | 414319 | Page 40 |
|--------------------|----------|---------|
| HP Hose 15 cm / 6" | 44201030 | Page 40 |



414319 - LED Tank Module (optional)



Profile view



Night mode



44201030 - HP Hose 15 cm / 6" (optional)

In its fourth year, Genius grows substantially in features and functions. Trimix, introduced with FW 1.00.05 in June 2019, is now expanded with full logbook and dive planner functionality to 150 m / 492 ft. FW 1.01 released in January 2021 improved the graphic interface and added features such as choice of shallowest deco stop between 3, 4.5 and 6 m and display of dive time in minutes and seconds. Also, user interface improvements such as deep stop timer in tissue saturation view (to allow you to gauge the impact of a deep stop on your tissue saturation), direct access to algorithm settings from the GF table and much more.









 $FW\ 1.02,$ released in June 2021, added alternative gradient factors and ceiling-controlled decompression.

Alternative gradient factors allow you to have a back-up plan if for any reason you need to exit the water sooner than what your main decompression schedule dictates. Whatever the reason for the emergency, you have an alternate back-up plan with a less conservative decompression plan, still calculated with ZH-L16C. During the dive you can look up and compare the two decompression plans to get a feel for the difference in choice of gradient factors.





And if you violate the main GF, Genius automatically switches to alternate GF so as to prevent a deco violation*.

* If the decompression schedule calculated with alternate gradient factors is compatible with the current depth.




Ceiling-controlled decompression is Bühlmann on steroids. The stationary decompression stops in 3-m intervals represent a practical way to release excess inert gas during your ascent, but these are somehat inefficient in that the pressure gradient available for inert gas washout is gradually reduced during the stationary stop, whereas a continuous ascent which follows the ceiling - the actual depth at which the maximum tolerated supersaturation would be exceeded - maximizes the pressure gradient throughout the ascent. This reduces the total decompression time while keeping tissue supersatuation constant at a near maximum level.





And what's best, all these new features can be added to any Genius previously owned, via a free firmware download from our website.





QUAD AIR

Code: 414169

| RRP | |
|----------|--|
| € 389.00 | |



- MAGNIFICENTLY CLEAR DISPLAY WITH JUMBO SIZE INFORMATION
- HOSELESS TANK DATA INTEGRATION FOR UP TO THREE TRANSMITTERS
- THREE-ROW LAYOUT COMPRISES ALL RELEVANT DATA INCLUDING TANK PRESSURE
- TWO CUSTOMIZABLE FIELDS FOR ANCILLARY INFORMATION
- FOUR BUTTONS FOR INTUITIVE USER INTERFACE
- MIRRORED BUTTON FUNCTION DURING DIVE
- RUNAWAY DECO ALARM
- MULTIGAS CAPABLE
- DECOMPRESSION DIVE PLANNER WITH USER ADJUSTABLE SURFACE INTERVAL
- LONG BATTERY LIFE, USER REPLACEABLE
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC

7777

QUAD

Code: **414134**

- MAGNIFICENTLY CLEAR DISPLAY WITH JUMBO SIZE INFORMATION
- TWO CUSTOMIZABLE FIELDS FOR ANCILLARY INFORMATION
- FOUR BUTTONS FOR INTUITIVE USER INTERFACE
- MIRRORED BUTTON FUNCTION DURING DIVE

€ 335.00

- OPTION TO VIEW DIVE TIME INCLUDING SECONDS
- RUNAWAY DECO ALARM
- MULTIGAS CAPABLE
- DECOMPRESSION DIVE PLANNER WITH USER ADJUSTABLE SURFACE INTERVAL
- LONG BATTERY LIFE, USER REPLACEABLE
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC





COLOR VARIATIONS









414319 - LED Tank Module (optional)

COLOR VARIATIONS







TECHNICAL FEATURES

| Battery | Type CR2450 | |
|---------|-------------|---------------------|
| Battery | Duration | 150 dives |
| Nitrox | | EAN from 21% to 99% |

ACCESSORIES

| LED Tank Module | 414319 | Page 40 |
|------------------------|----------|---------|
| Bluelink Pro | 414317 | Page 40 |
| Dive Link 2 USB | 414316 | Page 41 |
| Quad Display Protector | 415182 | Page 40 |
| HP Hose 15 cm / 6" | 44201030 | Page 40 |

TECHNICAL FEATURES

| Nitrox | Duration | 200-300 dives FAN from 21% to 99% | |
|---------|----------|------------------------------------|--|
| Battery | Duration | 200-300 dives | |
| | Type | CR2450 | |

| Bluelink Pro | 414317 | Page 40 |
|------------------------|--------|---------|
| Dive Link 2 USB | 414316 | Page 41 |
| Quad Display Protector | 415182 | Page 40 |

SMART

Code: **414129**

| RRP | |
|----------|--|
| € 315.00 | |



- FULL FEATURED NITROX DIVE COMPUTER WITH TWO GAS CAPABILITY
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH
- LOGBOOK CAPACITY IN EXCESS OF 40 HOURS OF DIVE PROFILE AT 5-SECOND SAMPLING RATE (SCUBA) AND MEMORY FUNCTION FOR FREEDIVING
- DECOMPRESSION DIVE PLANNER WITH ADDITIONAL SURFACE INTERVAL FUNCTION
- UPGRADEABLE FIRMWARE
- COMPLETE WATCH FUNCTIONS: STOPWATCH, WAKE-UP ALARM, SECOND TIME ZONE, DATE
- USER-REPLACEABLE BATTERY
- FREEDIVING MODE (APNEA) WITH DEDICATED ALARMS
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC



SMART AIR

Code: 414138

| RRP | |
|----------|--|
| € 339.00 | |



- HOSELESS TANK DATA INTEGRATION FOR UP TO THREE TRANSMITTERS
- GRAPHIC AND NUMERIC DISPLAY OF TANK PRESSURE
- THREE-ROW LAYOUT COMPRISES ALL RELEVANT DATA INCLUDING TANK PRESSURE
- MULTIGAS CAPABLE
- OPTION TO VIEW DIVE TIME INCLUDING SECONDS
- TWO CUSTOMIZABLE FIELDS FOR ANCILLARY INFORMATION
- LOGBOOK CAPACITY OF 95 HOURS OF DIVE PROFILE
- DECOMPRESSION DIVE PLANNER WITH ADDITIONAL SURFACE INTERVAL FUNCTION
- COMPLETE WATCH FUNCTIONS
- FREEDIVING MODE (APNEA) WITH DEDICATED ALARMS
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH
- USER-REPLACEABLE BATTERY
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC





COLOR VARIATIONS













414319 - LED Tank Module (optional)

TECHNICAL FEATURES

| D-44 | Туре | CR2430 | |
|---------|----------|---|--|
| Battery | Duration | 200-300 dives over a three year time span | |
| Nitrox | | EAN from 21% to 99% | |

ACCESSORIES

| Bluelink Pro | 414317 | Page 40 |
|-------------------------|----------|---------|
| Dive Link 2 USB | 414316 | Page 41 |
| Smart Display Protector | 415173 | Page 40 |
| Smart Strap Extension | 44201190 | Page 40 |

TECHNICAL FEATURES

| D-11 | Туре | CR2430 | |
|---------|----------|---|--|
| Battery | Duration | 200-300 dives over a three year time span | |
| Nitrox | | EAN from 21% to 99% | |

| LED Tank Module | 414319 | Page 40 |
|-------------------------|----------|---------|
| Bluelink Pro | 414317 | Page 40 |
| Dive Link 2 USB | 414316 | Page 41 |
| Smart Display Protector | 415173 | Page 40 |
| Smart Strap Extension | 44201190 | Page 40 |
| HP Hose 15 cm / 6" | 44201030 | Page 40 |

PUCK PRO +

Code: **414135**

| RRP |
|----------|
| € 249.00 |

- SLIM DESIGN FOR A PERFECT FIT
- INTUITIVE USER INTERFACE WITH ONE-BUTTON SIMPLICITY
- LOGBOOK CAPACITY 35 HOURS OF DIVE PROFILE AT 5-SECOND SAMPLING RATE
- UPGRADEABLE FIRMWARE
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH
- USER-REPLACEABLE BATTERY
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC

PUCK CONSOLES

Code: 414420 Mission Puck 2

| RRP | |
|----------|---|
| € 329.00 | |
| | _ |

Code: 414421 Mission Puck 3

| RRP | |
|----------|--|
| € 399.00 | |

- COMPACT CONSOLE WITH FULL FEATURED COMPUTER AND ANALOG PRESSURE GAUGE
- AVAILABLE WITH ANALOG COMPASS
- INTUITIVE USER INTERFACE WITH ONE-BUTTON SIMPLICITY
- LOGBOOK CAPACITY 35 HOURS OF DIVE PROFILE AT 5-SECOND SAMPLING RATE
- USER-REPLACEABLE BATTERY
- MULTIPLE LANYARD ATTACHMENT POINTS







COLOR VARIATIONS



















TECHNICAL FEATURES

| Battery | Туре | CR2450 |
|---------|----------|---------------------|
| Dattery | Duration | 200-300 dives |
| Nitrox | | EAN from 21% to 99% |

ACCESSORIES

| Dive Link 2 USB | 414316 | Page 41 |
|-----------------|--------|---------|
| Bluelink Pro | 414317 | Page 40 |

TECHNICAL FEATURES

| Battery | Туре | CR2450 |
|---------|----------|---------------------|
| Dattery | Duration | 200-300 dives |
| Nitrox | | EAN from 21% to 50% |

| | Drak USB | 414308 | Page 41 |
|--|----------|--------|---------|
|--|----------|--------|---------|

MISSION 1C WRIST COMPASS

Code: 414404

| RRP |
|---------|
| € 73.00 |

- OIL BATH
- SIDE VIEW WINDOW
- WRIST MOUNT CONSOLE



HANDY COMPASS

Code: 414504 Northern Hemisphere

| RRP | |
|---------|--|
| € 85.00 | |

- OIL BATH
- SIDE VIEW WINDOW
- SPECIAL HOUSING FOR CLIPPING TO BCD



MISSION 1

Code: 414417

| RRP | |
|----------|--|
| € 109.00 | |

- BRASS CASE
- TECHNOPOLYMER WINDOW
- PHOSPHORESCENT DIAL FACE
- PROTECTIVE RUBBER CONSOLE
- MULTIPLE ATTACHMENT POINTS



MISSION 2

Code: 414418

| RRP | |
|----------|--|
| € 179.00 | |

PRESSURE GAUGE:

- BRASS CASE
- TECHNOPOLYMER WINDOW
- PHOSPHORESCENT DIAL FACE

DEPTH GAUGE:

- OIL BATH
- PHOSPHORESCENT DIAL FACE
- MAX DEPTH INDICATOR
- LINEAR SCALE

CONSOLE:

■ PROTECTIVE RUBBER COVER WITH MULTIPLE ATTACHMENT POINTS



MISSION 2C

Code: **414423**

| | Ξ |
|----------|---|
| RRP | |
| € 179.00 | |

PRESSURE GAUGE:

- BRASS CASE
- TECHNOPOLYMER WINDOW
- PHOSPHORESCENT DIAL FACE

COMPASS:

- OIL BATH
- SIDE VIEW WINDOW

CONSOLE:

■ PROTECTIVE RUBBER COVER WITH MULTIPLE ATTACHMENT POINTS



MISSION 3

Code: **414419**

| RRP | |
|----------|--|
| € 235.00 | |

PRESSURE GAUGE:

- BRASS CASE
- TECHNOPOLYMER WINDOW
- PHOSPHORESCENT DIAL FACE

DEPTH GAUGE:

- OIL BATH
- PHOSPHORESCENT DIAL FACE
- MAX DEPTH INDICATOR
- LINEAR SCALE

COMPASS:

- OIL BATH
- SIDE VIEW WINDOW

CONSOLE:

■ PROTECTIVE RUBBER COVER WITH MULTIPLE ATTACHMENT POINTS



QUAD DISPLAY PROTECTOR

Code: **415182**

| RRP | |
|---------|--|
| € 12.00 | |

- EASY TO INSTALL
- PREVENTS FROM SCRATCHES
- SOFT AND DURABLE
- ULTRA CLEAR



SMART DISPLAY PROTECTOR

Code: 415173

| RRP | |
|---------|--|
| € 35.00 | |
| | |

- PERFECT FIT AND EASE OF INSTALLATION
- AVOIDS SCRATCHES, DIRT AND SAND
- SOFT AND DURABLE
- ULTRA TRANSPARENT
- SOLD IN A PACK OF 2





SMART STRAP EXTENSION

Code: 44201190

| RRP | |
|---------|--|
| € 15.00 | |

- FOR USE WITH THICK WET OR DRY SUITS
- FOR SMART ONLY



HP HOSE 15 CM / 6"

Code: 44201030

| RRP |
|---------|
| € 35.00 |

- ALLOWS TO MOVE THE LED TANK MODULE AWAY FROM THE FIRST STAGE
- IDEAL FOR IMPROVING SIGNAL RECEPTION IN COMPLEX CONFIGURATIONS
- HELPS AVOID BREAKAGE DUE TO KNOCKING INTO THE MODULE OR TANK TIPPING OVER
- 15 CM / 6 " LENGTH



LED TANK MODULE

Code: **414319**

| RRP | |
|----------|--|
| € 235.00 | |

- TRANSMITS TANK INFORMATION
- COLOR LED FOR QUICK TANK CHECK ON THE SURFACE
- COLOR LED ALERTS BUDDY OF LOW AIR SITUATION DURING DIVE
- PERMANENT PAIRING
- EN250:2014 CERTIFIED TO 300BAR
- BATTERY TYPE: CR123A, USER REPLACEABLE
- PAIRS WITH THE FOLLOWING MODELS: GENIUS (414139), QUAD AIR (414169), SMART AIR (414138)



BLUELINK PRO

Code: **414317**

| RRP |
|---------|
| € 72.00 |
| |

- TO DOWNLOAD THE LOGBOOK OF A DIVE COMPUTER USING THE BLUETOOTHLOW ENERGY TECHNOLOGY (QUAD, QUAD AIR, PUCK PRO +, SMART, SMART AIR)
- REQUIRES THE DIVESSI APP (ANDROID, IOS).



DIVE LINK 2 USB

Code: **414316**

| RRP |
|---------|
| € 65.00 |

- FOR DOWNLOADING THE DIVE COMPUTER MEMORY TO PC OR MAC (QUAD, QUAD AIR, PUCK PRO +, SMART, SMART AIR)
- REQUIRED SOFTWARE: DIVE ORGANIZER (PC)



Code: **414308**

| RRP | |
|---------|--|
| € 75.00 | |
| | |


- FOR DOWNLOADING THE DIVE COMPUTER MEMORY TO PC OR MAC (ALL PUCK CONSOLES)
- REQUIRED SOFTWARE: DIVE ORGANIZER (PC) OR DIVERS DIARY (MAC)





DIVE ORGANIZER

- FULL-FEATURED LOGBOOK MANAGEMENT SOFTWARE
- ALLOWS UPGRADING OF FIRMWARE ON COMPATIBLE DIVE COMPUTERS
- ALLOWS UPLOADING OF MAPS AND IMAGES TO ICON HD
- FEATURES TISSUE SATURATION GRAPH WITH DETAILED EVOLUTION DURING THE DIVE
- FOR PC ONLY



TENDER



- CAN BE USED TO REPROGRAM THE GENIUS COMPUTER ON A MAC OS X PLATFORM
- DIVES CAN BE DOWNLOADED WITH SUBSEQUENT UPDATES



TECHNICAL SPECIFICATIONS / SOFTWARE

















| | | | | | | | * | * |
|-----------------------------------|--------------|--------------|---------------------------|--|--------------|---|----------------|----------------|
| Computers | Genius | Quad Air | Quad | Smart | Smart Air | Puck Pro + | Mission Puck 2 | Mission Puck 3 |
| Code | 414139 | 414169 | 414134 | 414129 | 414138 | 414135 | 414420 | 414421 |
| Colors | BKSI | вквк, whwh | BKBK, BKBL, BKWH, BKYL | BKBK, BKGR, BKRD, BKWH, WHLL, WHLM | вквк | BKBK, BKWH, BLBK, GRBK, LLBK, LMBK, WHBK, YLBK | - | - |
| ZH-L16C GF | • | | | | | | | |
| RGBM | | • | • | • | | • | | 1 |
| Trimix | • | | | | | | | |
| LCD Color Display | • | | | | | | | |
| Segment Display | | • | • | • | | • | | ı |
| Air Integrated | • | • | | | • | | | |
| Graphic and numeric tank pressure | • | | | | • | | | |
| Gas Switching | • | • | • | - | • | • | | |
| Software Upgradeability | • | • | • | | | • | | |
| USB Charger | • | | | | | | | |
| One Button Control | | | | | | • | | ı |
| Mineral Glass | • | • | • | | | • | | |
| Max Display Depth | 150m / 492ft | 150m / 492ft | 150m / 492ft | 150m / 492ft | 150m / 492ft | 150m / 492ft | 150m | 492ft |
| Rechargeable Batteries | • | | | | | | | |
| Dive hours per charge | 40hr | | | | | | | |
| User Replaceable Batteries | | • | • | • | • | • | | |
| Residual Nitrogen Reset | • | • | | • | • | • | | ı |
| Option to Exclude Audible Alarms | | • | • | • | • | • | | |
| Ascent Rate Indicator | • | • | • | • | • | • | | |
| Memory Capacity | 1000hr | > 100hr | 35hr | 40hr | 95hr | 36h | 36 | hr |
| Profile Sampling Rates | 5s | 5s | 5s | 5s | 5s | 5s | 5 | S |
| Dual Time | | | | • | • | | | |
| Stopwatch | • | ■* | ■* | • | • | • | | |
| Daily Alarm | • | | | • | • | | | |
| RRP | € 849.00 | € 389.00 | € 335.00 | € 315.00 | € 339.00 | € 249.00 | € 329.00 | € 399.00 |

^{*} Bottom timer mode



BCD'S

GUARDIAN ERGOTRIM



Code: 417105

RRP € 749.00



- THE ERGOTRIM TECHNOLOGY ALLOWS THE DIVER TO ADJUST BUOYANCY NO MATTER THE DIVING POSITION
- THE ERGO COMMAND CAN BE USED LIKE A 'CLASSIC' INFLATOR BY AN INSTRUCTOR WHEN TEACHING, BUT WILL WORK AS AN AIR TRIM WHEN IN ITS DEDICATED HOLDER
- THE AIRCELL IS SEPARATED FROM THE SHOULDERS, MEANING GREATER COMFORT IN THE SHOULDER AREA WHEN INFLATED
- HIGH LIFT AIRCELL WITH WINGLETS
- MONOPLATE BACKPACK FITS SINGLE OR DOUBLE TANKS
- 50MM SWIVEL BUCKLES
- STAINLESS STEEL D-RINGS
- ADJUSTABLE CUMMERBUND
- HIGH CAPACITY CARGO POCKETS WITH SUPRATEX STRETCH PANELS
- SMART TRIM WEIGHT POSITIONING
- SLS WEIGHT SYSTEM
- VISUAL CONFIRMATION OF PROPER WEIGHT POUCH INSERTION
- PERSONALIZABLE LABEL ON WEIGHT POCKETS
- COLOR CUSTOMIZATION POSSIBLE WITH A DEDICATED ADDITIONAL KIT AVAILABLE TO PURCHASE IN 4 DIFFERENT COLORS (CODE 417966)
- AN INTEGRATED SLOT ALLOWS THE DIVER TO ADD A LINE CUTTER WITH THE OPTIONAL COLOR KIT AVAILABLE TO PURCHASE SEPARATELY



TECHNICAL FEATURES

| Guardian Ergotrim | XS | S | М | L | XL |
|-------------------|------------------|------------------|------------------|------------------|------------------|
| Weight | 4.8kg | 4.8kg | 5kg | 5.1kg | 5.35kg |
| Buoyancy | 130N (14.1kg) | 150N (15.5kg) | 180N (18.8kg) | 200N (20.4kg) | 230N (23.9kg) |

ACCESSORIES

| Color Kit | 417966 | Page 48 | |
|--------------------|--------|---------|--|
| Magnetic Connector | 415804 | Page 53 | |
| BCD Attachment Kit | 415178 | Page 54 | |



Standard Ergo configuration



Optional color kit in 4 colors [code 417966]



Color customization includes a Titanium line cutter



ErgoTrim configuration and quick release

ERGOTRIM TECHNOLOGY GUARDIAN & GRACE

In 2001 Mares took the industry by storm when it introduced the AIRTRIM Technology. One of the most innovative features ever in BCs, it combined inflation and deflation in one single, ergonomically well-placed control. While the inflation took place the usual way, feeding intermediate pressure gas from the first stage into the aircell, deflation was carried out by pneumatically activating two exhaust valves. These were placed at the two ends of the BC, one on the right shoulder and one on the bottom left corner of the aircell, and they were activated simultaneously, so that no matter what your position in the water, gas was sure to be released from the aircell. As much as one valve was sure to be high enough to vent gas, the other was sure to be low enough to suck in water, so to prevent water ingress into the aircell, both valves had a one-way flapper valve in front of it. Oral inflation, if needed in case of an emergency, could be performed via a medical –type tubing, stashed in a side pocket. We called it AIRTRIM, because it made achieving the perfect trim so much easier.

That was 2001. In 2021, Mares outdoes itself by introducing the version 2.0 of this technology. We named it ERGOTRIM, because we combined the pneumatic deflation into the "standard" ERGO inflator. Well. not so standard. It inflates and deflates like a normal inflator would, but has an additional button to feed the pneumatic circuit. A rocker switch is placed on top of the inflate and pneumatic deflate buttons to prevent you from operating both at the same time. If you are an instructor and need to show the standard maneuvers, you will carry the ergotrim along your left shoulder. For everybody else, the ERGOTRIM equipped jackets have a sleeve in the back of the aircell which routes the corrugated hose under the left shoulder and positions it onto a holder on the far top end of the left lobe. Ergonomically it is similar to the original, but it has a 40% higher flow rate for inflation, is more integrated into the BC and, in case of an emergency oral inflation, just pull it off the holder, bring it to your mouth and exhale into it. The end result is a very streamlined BC, one-hand operation under all circumstances, an uncluttered left shoulder and the peace of mind that comes with knowing you don't need to change your position in the water to deflate the BC.







SCAN THE QR CODE TO SEE THE VIDEO

GRACE ERGOTRIM



Code: 417106





- THE ERGOTRIM TECHNOLOGY ALLOWS THE DIVER TO ADJUST BUOYANCY NO MATTER THE DIVING
- THE ERGO COMMAND CAN BE USED LIKE A 'CLASSIC' INFLATOR BY AN INSTRUCTOR

WHEN TEACHING, BUT WILL WORK AS AN AIR TRIM WHEN IN ITS DEDICATED HOLDER

- THE AIRCELL IS SEPARATED FROM THE SHOULDERS, MEANING GREATER COMFORT IN THE SHOU
- HIGH LIFT AIRCELL WITH WINGLETS
- MONOPLATE BACKPACK FITS SINGLE OR DOUBLE TANKS
- 50MM SWIVEL BUCKLES
- STAINLESS STEEL D-RINGS
- ADJUSTABLE CUMMERBUND
- HIGH CAPACITY CARGO POCKETS WITH SUPRATEX STRETCH PANELS
- SMART TRIM WEIGHT POSITIONING
- SLS WEIGHT SYSTEM
- VISUAL CONFIRMATION OF PROPER WEIGHT POUCH INSERTION
- PERSONALIZABLE LABEL ON WEIGHT POCKETS
- COLOR CUSTOMIZATION POSSIBLE WITH A DEDICATED ADDITIONAL KIT AVAILABLE TO PURCHASE
- AN INTEGRATED SLOT ALLOWS THE DIVER TO ADD A LINE CUTTER WITH THE OPTIONAL COLOR KI
- DEDICATED BLADDER, PROVIDING THE PERFECT FIT FOR FEMALE DIVERS



TECHNICAL FEATURES

| Grace Ergotrim | XXS | XS | S | М | L |
|----------------|------------------|------------------|------------------|------------------|--------------------------|
| Weight | 4.7kg | 4.8kg | 4.8kg | 5kg | 5.1kg |
| Buoyancy | 140N (14.7kg) | 140N (14.7kg) | 140N (14.7kg) | 140N (14.7kg) | 170N (17.8kg / 39lb) |

ACCESSORIES

| ACCESSORIES | | |
|--------------------|--------|---------|
| Color Kit | 417966 | Page 48 |
| Magnetic Connector | 415804 | Page 53 |
| BCD Attachment Kit | 415178 | Page 54 |



Standard Ergo configuration



Optional color kit in 4 colors [Code 417966]



Color customization includes a Titanium line cutter



ErgoTrim configuration and quick release connection

COLOR KIT GUARDIAN & GRACE

Guardian and Grace ErgoTrim models also come with a color kit option, available to purchase separately, which allows the diver to customize their BCD. The color kit not only includes color panels, but also a Titanium line cutter that can be placed on the shoulder. It is user friendly and can be assembled easily by the end consumer.




COLOR KIT


NEW

Code: 417966

RRP € 85.00

- COLOR CUSTOMIZATION FOR THE GUARDIAN AND GRACE ERGOTRIM
- USER-FRIENDLY COLOR PANELS ALLOW FOR BCD CUSTOMIZATION
- MARES TITANIUM LINE CUTTER ALSO INCLUDED





DRAGON SLS / KAILA SLS

Code: 417223 Dragon SLS

RRP € 529.00

Code: 417363 Kaila SLS

RRP € 529.00

- SUPERBLY COMFORTABLE AND STABLE YET TOUGH AND DURABLE
- AIRCELL SLIDES ON SHOULDERS FOR INCREASED COMFORT WHEN INFLATED
- POSITION OF THE CORRUGATED HOSE RETAINING EPAULETTE CAN BE ADJUSTED
- HIGH LIFT AIRCELL WITH "DRAGON" WINGLETS
- SMART TRIM WEIGHT POSITIONING
- SLS WEIGHT SYSTEM
- SWIVEL BUCKLES: 50MM ON THE DRAGON, 40MM ON THE KAILA
- HIGH CAPACITY CARGO POCKETS WITH STRETCH PANELS
- ADJUSTABLE CUMMERBUND
- MONOPLATE BACKPACK FITS SINGLE OR DOUBLE TANKS
- VISUAL CONFIRMATION OF PROPER WEIGHT POUCH INSERTION
- PERSONALIZABLE LABEL ON WEIGHT POCKETS





TECHNICAL FEATURES

| Dragon SLS | XS | S | М | L | XL |
|------------|------------------|------------------|------------------|------------------|------------------|
| Weight | 4.2kg | 4.2kg | 4.4kg | 4.5kg | 4.75kg |
| Buoyancy | 130N (14.1kg) | 150N (15.5kg) | 180N (18.8kg) | 200N (20.4kg) | 230N (23.9kg) |

| Kaila SLS | xxs | xs | S | м | L |
|-----------|------------------|------------------|------------------|------------------|------------------|
| Weight | 4.1kg | 4.2kg | 4.2kg | 4.4kg | 4.5kg |
| Buoyancy | 110N (10.8kg) | 130N (14.1kg) | 150N (15.5kg) | 180N (18.8kg) | 200N (20.4kg) |

ACCESSORIES

| BCD Attachment Kit | 415178 | Page 54 |
|--------------------|--------|---------|
| Magnetic Connector | 415804 | Page 53 |







High capacity cargo pockets with stretch panels



Adjustable epaulette



50mm swivel buckles

MAGELLAN

Code: **417226**

| RRP | |
|----------|--|
| € 369.00 | |



- THE TRUE TRAVEL BCD: EXTREMELY LIGHTWEIGHT
- INTEGRATED QUICK RELEASE WEIGHT SYSTEM
- OPTIONAL TRIM WEIGHT (TO BE PLACED ON THE TANK BAND)
- FOLDABLE WITH NO RIGID BACKPACK
- STRAP LOOP BACKPACK FEATURE FOR EASY ADJUSTMENT
- 1 ROLL-UP POCKET
- CONCAVE ERGONOMIC SHOULDERS (PATENT PENDING): INCREASED COMFORT IN CHEST/ SHOULDER AREA
- TROUBLE FREE FOR FEMALE DIVERS



TECHNICAL FEATURES

| Magellan | XXS/XS | S/M | L/XL |
|----------|------------------|------------------|------------------|
| Weight | 2.0kg | 2.1kg | 2.3kg |
| Buoyancy | 180N (18.5kg) | 180N (18.5kg) | 180N (18.5kg) |

ACCESSORIES

| Trim Weight | 417964 | Page 54 |
|--------------------|--------|---------|
| Magnetic Connector | 415804 | Page 53 |
| BCD Attachment Kit | 415178 | Page 54 |









BOLT SLS

Code: 417362

| RRP | |
|----------|--|
| € 439.00 | |

- AN EXTREMELY COMFORTABLE, STABLE, BACK BUOYANCY BC WITH 21KG LIFT (46 LBS)
- STREAMLINED
- SWIVEL SHOULDER BUCKLES
- SMART TRIM WEIGHT POSITIONING
- SLS WEIGHT SYSTEM
- ROLL-DOWN CARGO POCKET
- ADJUSTABLE CUMMERBUND
- MONOPLATE BACKPACK FITS SINGLE OR DOUBLE TANKS
- VISUAL CONFIRMATION OF PROPER WEIGHT POUCH INSERTION
- PERSONALIZABLE LABEL ON WEIGHT POCKETS

PRESTIGE SLS

Code: **417224 BL**

Code: **417225 WH**

| RRP | |
|----------|--|
| € 459.00 | |
| | |

- EXCELLENT LIFT CAPACITY
- LIGHT, STRONG DURABLE 420 DENIER CORDURA
- IMPROVED FIT: SWIVELING BUCKLES ON THE SHOULDERS AND A SMALLER AIRCELL
- SLS INTEGRATED WEIGHT SYSTEM
- 3-DIMENSIONAL ZIPPERED, SELF-DRAINING POCKETS
- 2 REAR TRIM WEIGHT POCKETS







TECHNICAL FEATURES

| Bolt SLS | XS | S | М | L | XL |
|----------|------------------|------------------|------------------|------------------|------------------|
| Weight | 3.6kg | 3.7kg | 3.7kg | 3.9kg | 3.9kg |
| Buoyancy | 180N (18.5kg) | 180N (18.5kg) | 180N (18.5kg) | 180N (18.5kg) | 180N (18.5kg) |

ACCESSORIES

| BCD Attachment Kit | 415178 | Page 54 | |
|--------------------|--------|---------|--|
| Magnetic Connector | 415804 | Page 53 | |

TECHNICAL FEATURES

| Prestige SLS BL | XS | S | М | L | XL |
|-----------------|------------------|------------------|----------------|------------------|----------------|
| Weight | 3.4kg | 3.5kg | 3.85kg | 3.9kg | 4kg |
| Buoyancy | 120N (12.2kg) | 130N (13.8kg) | 150N (16kg) | 180N (18.3kg) | 200N (21kg) |

| Prestige SLS WH | xxs | XS | S | М | L |
|-----------------|------------------|------------------|------------------|----------------|------------------|
| Weight | 3.3kg | 3.4kg | 3.5kg | 3.85kg | 3.9kg |
| Buoyancy | 100N (10.8kg) | 120N (12.2kg) | 130N (13.8kg) | 150N (16kg) | 180N (18.3kg) |

| BCD Attachment Kit | 415178 | Page 54 |
|--------------------|--------|---------|
| Magnetic Connector | 415804 | Page 53 |

ROCK PRO



ROCK

Code: **417107**

| ı | RRP |
|----|--------|
| €: | 399.00 |



- RESISTANT TO THE MOST EXTREME CONDITIONS
- INTEGRATED STANDARD WEIGHT SYSTEM
- GREAT WEARABILITY THANKS TO ENVELOPING SHOULDER STRAPS
- ANATOMICAL POCKETS, CUT TO MINIMISE WATER RESISTANCE DURING MOVEMENT
- POCKETS INCLUDE AN INTERNAL ELASTIC STRAP FOR ACCESSORY CLIPS
- PADDED BACKPLATE
- STRATEGICALLY POSITIONED STEEL D-RINGS
- REDUCED WEIGHT: TRAVEL FRIENDLY



RRP € 339.00



- RESISTANT TO THE MOST EXTREME CONDITIONS
- INTEGRATED STANDARD WEIGHT SYSTEM
- GREAT WEARABILITY THANKS TO ENVELOPING SHOULDER STRAPS
- ANATOMICAL POCKETS, CUT TO MINIMISE WATER RESISTANCE DURING MOVEMENT
- POCKETS INCLUDE AN INTERNAL ELASTIC STRAP FOR ACCESSORY CLIPS
- PADDED BACKPLATE
- STRATEGICALLY POSITIONED STEEL D-RINGS
- REDUCED WEIGHT: TRAVEL FRIENDLY





TECHNICAL FEATURES

| Rock Pro | XS | S | М | L | XL |
|----------|------------------|------------------|------------------|------------------|------------------------|
| Weight | 3kg | 3.1kg | 3.3kg | 3.4kg | 3.45kg |
| Buoyancy | 140N (14.7kg) | 150N (15.7kg) | 160N (16.6kg) | 200N (20.6kg) | 230N (23.7k / 52lb) |

ACCESSORIES

| Trim Weight | 417964 | Page 54 |
|--------------------|--------|---------|
| Magnetic Connector | 415804 | Page 53 |

TECHNICAL FEATURES

| Rock | xs | S | м | L | XL |
|----------|------------------|----------------|------------------|----------------|----------------|
| Weight | 2.6kg | 2.7kg | 2.8kg | 2.85kg | 2.85kg |
| Buoyancy | 140N (14.2kg) | 150N (16kg) | 160N (16.3kg) | 200N (21kg) | 235N (24kg) |

| Trim Weight | 417964 | Page 54 |
|--------------------|--------|---------|
| Magnetic Connector | 415804 | Page 53 |

EXPLORER

MAGNETIC CONNECTOR

Code: 417229

| RRP |
|----------|
| € 255.00 |

- KID/JUNIOR BCD WITH A DEDICATED BACKPACK
- 2 COMFORTABLE POCKETS WITH VELCRO® BRAND CLOSURE
- SPECIALLY DESIGNED OCTOPUS AND PRESSURE GAUGE POCKETS
- OPTIONAL TRIM WEIGHTS TO BE PLACED ON TANK STRAP
- TANK BAND: DEDICATED ADAPTABLE SHORTER TANK BAND TO FIT SMALLER TANKS
- 1 SIZE FITS ALL, FROM 8 12 YEARS, THANKS TO A DEDICATED ADJUSTMENT SYSTEM



Code: 415804

- SIMPLE AND SECURE
- FAST AND EASY MAGNETIC CONNECTION
- SINGLE-HANDED USE
- 360° FREE-SWIVELLING
- SAFE UNLOCKING, EVEN WITH A FULL LOAD
- DESIGNED TO ATTACH TO ALL BCV D-RINGS
- HIGH-QUALITY, STURDY MATERIALS
- SAFELY SECURES A VARIETY OF EQUIPMENT
- HOLDING STRENGTH 60KG / 132 LBS





TECHNICAL FEATURES

| Explorer | 3XS |
|----------|----------------|
| Weight | 1.8kg |
| Buoyancy | 70N [7.8kg] |



DETAILS







Simple, quick and safe to unlock

WEIGHT POCKET EXPLORER

Code: 417965 - PAIR

| | _ |
|---------|---|
| RRP | |
| € 39.00 | |

- EXPANDS THE CAPABILITY OF THE SCUBA RANGER BC
- RELEASEABLE WEIGHT POCKETS FIT INTO CARGO POCKETS FOR EASY ACCESS
- CAPACITY 1 KG / 2LBS





360° rotating, free-tilting ball head

SLS SLIDE & LOCK SYSTEM

Code: 417959 - SMALL: 4kg / 9lb (PAIR)*

Code: 417960 - LARGE: 6kg / 13lb (PAIR)*




- STURDY ZIPPERED POCKET FOR QUANTUM BCD'S
- EASY TO SLIDE INTO POCKET
- VISUAL AID TO SEE IF SYSTEM IS PROPERLY ENGAGED
- SAFEST SYSTEM AVAILABLE
- EASY TO USE WITH THICK GLOVES



STANDARD WEIGHT SYSTEM

Code: 417963 - SMALL: 4kg / 9lbs (PAIR) ♦

Code: 417962 - LARGE: 6kg / 13lbs (PAIR) >



- ADD-ON TO UPGRADE BCD WITH STANDARD BUCKLE WEIGHT SYSTEM
- ZIPPERED POCKET
- EASY USE WITH THICK GLOVES



STANDARD WEIGHT SYSTEM



Code: 417968 - SMALL: 4kg / 9lb (PAIR)



- ADD-ON TO UPGRADE BCD WITH STANDARD BUCKLE WEIGHT SYSTEM
- ZIPPERED POCKET
- EASY USE WITH THICK GLOVES



TRIM WEIGHT

Code: 417964 (PAIR)



- EASY TO INSTALL ON TANK BAND
- DOUBLE LOOP TO FIT PERFECTLY ON THE BAND
- PERFECT BUOYANCY
- LESS WEIGHT ON THE BELT
- WEIGHT CAPACITY: 2KG EACH



CROTCH STRAP

Code: **415744**

| RRP |
|---------|
| € 16.00 |

- CAN BE USED WITH BACKMOUNTED BCD'S
- ULTIMATE STABILITY



BCD ATTACHMENT KIT

Code: 415178¢

| RRP | |
|---------|--|
| € 15.00 | |

- IDEAL SOLUTION FOR YOUR EXTENSION POLE
- EASY TO INSTALL
- FITS ONTO MARES BCD'S



^{*} Patented

[♦] While stocks last

LANYARD STAINLESS SPIRAL WITH RING

Code: 415732

| RRP | |
|---------|--|
| € 28.00 | |

- STAINLESS STEEL SPIRAL CABLE
- PROVIDES EXTENSION MORE THAN 50 CM/20 IN
- QUICK RELEASE BUCKLE
- TO AVOID LOOSE ACCESSORIES



LANYARD SPIRAL WITH RING

Code: **415717**

| RRP | |
|---------|--|
| € 23.00 | |

- SPIRAL CABLE PROVIDES MORE THAN 50 CM/20 IN EXTENSION
- STAINLESS STEEL RING
- QUICK RELEASE BUCKLE



LANYARD OPEN LOOP

Code: 415722

| RRP | |
|--------|--|
| € 8.50 | |
| | |

- MULTI FUNCTIONAL LANYARD WITH OPEN LOOP
- THE LOOP ALLOWS WIDE ATTACHMENT FUNCTIONALITY
- MALE/FEMALE QUICK RELEASE BUCKLE



LANYARD MALE/FEMALE

Code: 415716

| RRP | |
|--------|--|
| € 7.50 | |
| | |

- MULTI FUNCTIONAL
- PLUG IN AND USE WITH MOST STANDARD BUCKLE SYSTEMS
- FAST LEASH OPENING FOR SIMPLE ATTACHMENT



STANDARD RETRACTOR

Code: 415715

| RRP | |
|---------|--|
| | |
| € 30.00 | |

- STAINLESS STEEL CABLE
- HEAVY DUTY HOOKS ON BOTH SIDES
- MORE THAN 60 CM/23,5 IN WHEN EXTENDED



CONSOLE HOLDER WITH VELCRO® BRAND FASTENER

Code: **415718**

| RRP | |
|--------|--|
| € 8.80 | |

- STRONG VELCRO® BRAND FASTENER
 TO HOLD AND RELEASE WHEN
 NEEDED
- QUICK RELEASE SYSTEM USED FOR CONSOLE AND OCTOPUS
- QUICK ADJUSTING ROPE LEASH FOR FLEXIBLE FASTENING



HOSE RETAINER

Code: **415157**

| RRP | |
|--------|--|
| € 7.50 | |

- HEAVY DUTY HOOKS
- SWIVEL SOLUTION
- TWO POSITIONS TO HANG HOSES



TECHNICAL SPECIFICATIONS





















| BCD | | Guardian Ergotrim | Grace Ergotrim | Dragon SLS | Kaila SLS | Magellan | Bolt SLS | Prest | ige SLS | Rock Pro | Rock | Explorer |
|-----------------|-------------------------------|----------------------------|-----------------------------|------------------------|----------------------|------------------------|------------------------|------------------------|----------------------|------------------------|------------------------|----------------|
| Code | | 417105 | 417106 | 417223 | 417363 | 417226 | 417362 | 417224 | 417225 | 417107 | 417263 | 417229 |
| Sizes | | XS · S · M · L · XL | XXS · XS · S · M · L | XS · S · M · L · XL | XXS · XS · S · M · L | XXS/XS · S/M · L/XL | XS · S · M · L · XL | XS · S · M · L · XL | XXS · XS · S · M · L | XS · S · M · L · XL | XS · S · M · L · XL | 3XS |
| Fusion Bladder | | • | • | - | | | | | | | | |
| Classic Bladder | | | | | | | | | • | • | • | • |
| Backmounted | | | | | | | | | | | | |
| Ergo Inflator | | • | • | | | | • | | • | • | • | • |
| Airtrim | | • | • | | | | | | | | | |
| Monoplate Back | pack | • | • | | | | • | | • | • | • | • |
| Foldable Backpa | ack | | | | | • | | | | | | |
| Materials | | Cordura®420 | Cordura®420 | Cordu | ra®420 | Cordura®420 | Cordura®420 | Cordu | ra®420 | Cordura®420 | Cordura®420 | Cordura®42 |
| | Stainless steel | 5 | 5 | ! | 5 | | 6 | | 2 | 6 | 6 | |
| D-rings | Aluminium | | | | | 4 | | | | | | |
| | Heavy-duty Tech- nopolymer | | | | | 1 | | 4 | | | | 2 |
| Weight | Size L | 5.1kg | 5.1kg | 4.5 | 4.5kg | | 3.9kg | 3.9kg | | 3.4kg | 2.85kg | |
| | 3XS | | | | | | | | | | | 70N (7.8kg) |
| | XXS | | 140N (14.7kg) | | 110N (10.8kg) | 180N (18.5kg) | | | 100N (10.8kg) | | | |
| | XS | 130N (14.1kg) | 140N (14.7kg) | 130N (14.1kg) | 130N (14.1kg) | 180N (18.5kg) | 180N (18.5kg) | 120N (12.2kg) | 120N (12.2kg) | 140N (14.7kg) | 140N (14.2kg) | |
| Buoyancy | S | 150N (15.5kg) | 140N (14.7kg) | 150N (15.5kg) | 150N (15.5kg) | 180N (18.5kg) | 180N (18.5kg) | 130N (13.8kg) | 130N (13.8kg) | 150N (15.7kg) | 150N (16kg) | |
| | М | 180N (18.8kg) | 140N (14.7kg) | 180N (18.8kg) | 180N (18.8kg) | 180N (18.5kg) | 180N (18.5kg) | 150N (16kg) | 150N (16kg) | 160N (16.6kg) | 160N (16.3kg) | |
| | L | 200N (20.4kg) | 170N (17.8kg / 39lb) | 200N (20.4kg) | 200N (20.4kg) | 180N (18.5kg) | 180N (18.5kg) | 180N (18.3kg) | 180N (18.3kg) | 200N (20.6kg) | 200N (21kg) | |
| | XL | 230N (23.9kg) | | 230N (23.9kg) | | 180N (18.5kg) | 180N (18.5kg) | 200N (21kg) | | 230N (23.7k / 52lb) | 235N (24kg) | |
| BRONZE | | € 429.00 € 429.00 € 299.00 | | 79.00 | € 205.00 | € 249.00 | € 2 | 59.00 | € 220.00 | € 190.00 | € 146.00 | |
| RRP | | € 749.00 | € 749.00 | € 52 | 29.00 | € 369.00 | € 439.00 | € 4 | 59.00 | € 399.00 | € 339.00 | € 255.00 |

| | WEIGHT POCKETS | | | | | | | | | | | | | | |
|--------------------|--|----------------------|-------------------|------------|--------------|-------------------------|------------|------------|--------------|--------------|------|----------|--|--|--|
| BCD | | Guardian Ergotrim | Grace Ergotrim | Dragon SLS | Kaila SLS | Magellan | Bolt SLS | Presti | ge SLS | Rock Pro | Rock | Explorer | | | |
| Ŋ | 417959 (small - max 4 kg) | XS · S | xxs · xs · s | XS · S | xxs · xs · s | | XS · S · M | XS · S | XXS · XS · S | | _ | | | | |
| 25 | 417960 (large - max 6 kg) | M · L · XL | M·L | M · L · XL | M·L | - | L · XL | M · L · XL | M · L | - | - | - | | | |
| Standard Weight | 417963 (small - max 4 kg) 417962 (large - max 6 kg) | | | - | | XXS/XS · S/M L/XL | | - | | XXS/XS · S/M | - | - | | | |
| Weigh 41796 | nt Pocket Explorer 55 | | | | | | | | | | | Optional | | | |



FLEXA GRAPHENE

Code: 412078 Man

Code: 412079 She Dives

RRP € 869.00





- MAXIMUM THERMAL COMFORT IN THE MOST CRITICAL AREAS THANKS TO THE SOFT, WARM FABRIC LINING WITH GRAPHENE INSERTS THAT HELPS RETAIN HEAT
- WATERPROOF, HORIZONTAL, MASTERSEAL REAR ZIP
- ZIPPERS ON ANKLES
- SUPRATEX KNEE PADS
- HOOD WITH GLIDESKIN LINING AND VENTING SYSTEM
- S-SEAL TECHNOLOGY TO ENSURE BETTER THERMAL COMFORT
- POP-OUT POCKET DESIGN
- GRIP AREA ON THE WRISTS FOR FASTENING INSTRUMENTS
- EASY DONNING AND DOFFING THANKS TO THE ULTRASTRETCH NEOPRENE





TECHNICAL FEATURES

| Thickness | | 7mm | | | | | | | | | | |
|-----------------|---|----------------------------|---|----|----|---|----|----|---|--|--|--|
| Fabric Type | | Ultrastretch Neoprene | | | | | | | | | | |
| Man sizes | | 2 3 3L 3W 4 4L 4W 5 5W 6 7 | | | | | | | | | | |
| She Dives sizes | 1 | 2 | 3 | 3L | 3W | 4 | 4L | 4W | 5 | | | |








Thermal Graphene lining





FLEXA

GRAPHENE

What is GRAPHENE material?

It is a thick, strong material which is an excellent heat conductor. From tests, we have found that Graphene has the capacity to raise temperatures by 5° when in contact with heat, in this case from the body.

The Flexa Graphene is the most advanced Mares semidry suit, with an innovative Graphene coating that helps to increase body temperature by retaining body heat. S-seal technology ensures additional thermal comfort.

The suit features a soft, flexible, waterproof Masterseal zip on the back, and further zips at the ankles.

Ultrastretch neoprene means easy donning and doffing. A comfortable, new 'pop out' pocket has been placed on the right thigh, and a hood is included with Glideskin material for a better seal.

The Flexa Graphene is not just a semidry suit, it is a revolutionary concept. It helps the diver stay warmer for longer, providing a perfect fit, with a unique Mares design!

ICE SKIN

Code: 412102 Man

Code: 412103 She Dives







- WATERPROOF T-ZIP ZIPPER
- MADE IN ELASTIC NEOPRENE FOR MAXIMUM COMFORT
- PREFORMED CUT FOR OPTIMAL FIT
- INTEGRATED ZIPPERED POCKET
- SPECIAL INTERNAL FABRIC TO INCREASE THERMAL COMFORT WHERE MOST NEEDED
- NECK, WRIST AND ANKLE SEALS IN GLIDE SKIN FOR MAXIMUM SEAL
- PREFORMED HOOD INCLUDED
- REINFORCED KNEEPADS
- GRIP AREA ON THE WRISTS FOR FASTENING INSTRUMENTS






TECHNICAL FEATURES

| Thickness | | 7mm | | | | | | | | | | |
|-----------------|---|-----------------------|---|---|---|--|--|--|--|--|--|--|
| Fabric Type | | Ultrastretch Neoprene | | | | | | | | | | |
| Man sizes | | 2 3 4 5 6 | | | | | | | | | | |
| She Dives sizes | 1 | 2 | 3 | 4 | 5 | | | | | | | |







Waterproof T-Zip zipper

FLEXA

8-6-5MM

Code: **412337 Man**

Code: **412339 She Dives**

RRP € 529.00

5-4-3MM

Code: 412338 Man

Code: 412345 She Dives

RRP € 479.00

3-2-2MM

Code: **412348 Man**

Code: **412349 She Dives**

RRP € 399.00

- THE ULTIMATE EXPRESSION OF TRILASTIC MATERIAL DESIGN
- VARIED THICKNESSES STRATEGICALLY PLACED IN DIFFERENT AREAS OF THE BODY
- SOFT ERGONOMIC CUSTOM CLOSURE
- I BACK AND SHOULDERS COMFORT SYSTEM: AN ADDITIONAL LAYER OF NEOPRENE STITCHED IN THE BACK FOR ADDED COMFORT AND PROTECTION
- FRONT ZIP WITH SMOOTH NEOPRENE FLAP FOR GREATER COMFORT AND ISOLATION
- INTEGRATED BUCKLE ON THE LEG FOR HOOD ATTACHMENT OR ATTACHMENT OF THE DEDICATED SMART POCKET (SOLD SEPARATELY)
- INSTRUMENT GRIPS ON BOTH WRISTS





8.6.5 mm 5.4.3 mm 3.2.2 mm

TECHNICAL FEATURES

| Thickness | | 8.6.5mm / 5.4.3mm | | | | | | | | | | |
|-----------------|---|-----------------------|---|---|---|---|--|--|--|--|--|--|
| Fabric Type | | Ultrastretch Neoprene | | | | | | | | | | |
| Man sizes | | 2 3 4 5 6 7 8 | | | | | | | | | | |
| She Dives sizes | 1 | 2 | 3 | 4 | 5 | 6 | | | | | | |

| Thickness | | 3.2.2mm | | | | | | | |
|-----------------|---|-----------------------|---|---|---|--|--|--|--|
| Fabric Type | | Ultrastretch Neoprene | | | | | | | |
| Man sizes | | 2 3 4 5 6 7 | | | | | | | |
| She Dives sizes | 1 | 2 | 3 | 4 | 5 | | | | |



Shoulder color changes with suit thickness



412341 - Smart Pocket (Sold separately)

EVOLUTION



Code: **412176 Man**

Code: **412177 She Dives**

| RRP | |
|----------|--|
| € 349.00 | |



- A VERY COMFORTABLE 5MM SUIT WITH A BACK ZIP IN A NEW, EXCLUSIVE MARES DESIGN
- SUPER STRETCHY NEOPRENE FOR EASY DONNING AND DOFFING AND GREATER EASE OF USE WHILE DIVING
- GLIDESKIN ON THE INNER WRISTS AND ANKLES FOR A PERFECT SEAL
- ANTI-SCRATCH CUSTOM CLOSURE
- REINFORCED KNEEPADS WITH A DEDICATED PRINT
- SHOULDER GRIP AREA FOR A BETTER COMFORT WHILE WEARING THE BCD
- ANTI-SLIP GIP AREA ON WRISTS TO HELP SECURE YOUR DIVING INSTRUMENTS
- DEDICATED FEMALE CUT





TECHNICAL FEATURES

| Thickness | | 5mm | | | | | | | | | | | | |
|-----------------|---|------------------------------|---|----|----|---|----|----|---|---|--|--|--|--|
| Fabric Type | | Ultrastretch Neoprene | | | | | | | | | | | | |
| Man sizes | | 2 3 3W 4 4L 4W 5 5L 5W 6 7 8 | | | | | | | | | | | | |
| She Dives sizes | 1 | 2 | 3 | 3L | 3W | 4 | 4L | 4W | 5 | 6 | | | | |







New exclusive Mares design: functionality and style

EVOLUTION

NEW EVOLUTION 5MM

The perfect suit for divers looking for ease, fit, comfort and a unique design. Extra comfortable super stretchy neoprene delivering the best comfort while diving and during donning and doffing with a unique female dedicated cut. Glideskin on inside ankles and wrists to reduce water circulation and keeping a better thermal comfort. A Computer wrist grip helps to keep your instruments in place. Reinforced kneepads with a dedicated print and shoulder grip area for a better comfort while wearing the BCD. The Evolution 5mm suit is the expression of sophistication by keeping simplicity and functionality. Nothing is left to chance.



PIONEER

7MM Code: 412346 Man

Code: **412347 She Dives**

RRP € 385.00

5MM

Code: **412344 Man**

Code: **412345 She Dives**

€ 299.00

- COMFORTABLE ANTI-SCRATCH CUSTOM CLOSURE
- ZIPPERS ON THE ANKLES (ONLY ON THE 7 MM VERSION) MAKE DONNING AND DOFFING EFFORTLESS
- THE HOOD VENTING SYSTEM ASSISTS THE RELEASE OF AIR, OPTIMIZING EQUALIZATION AND COMFORT
- NECK WITH ANTI-ABRASION VELCRO® BRAND CLOSURE PREVENTS WETSUIT DAMAGE
- INSTRUMENT GRIPS ON BOTH WRISTS
- HOOD KEEPER D-RING ON THE RIGHT LEG
- KNEEPAD IN ANTI-ABRASIVE MATERIAL





7 mm 5 mm

| Thickness | | 7mm / 5mm | | | | | | | |
|-----------------|---|----------------------------------|--|--|--|--|--|--|--|
| Fabric Type | | Neoprene & Ultrastretch Neoprene | | | | | | | |
| Man sizes | | 2 3 4 5 6 7 | | | | | | | |
| She Dives sizes | 1 | 1 2 3 4 5 | | | | | | | |

DUAL

Code: 412375 Man

Code: **412376 She Dives**

| RRP | |
|----------|--|
| € 349.00 | |

- TRADITIONAL COMBINATION OF A LONG JOHN AND A JACKET
- THICKEST NEOPRENE AREA CONCENTRATED ON CHEST AND BACK AREAS WHERE THERMAL PROTECTION IS MOST NEEDED
- GLIDESKIN WRIST AND ANKLE SEALS
- LEAVES ARMS AND LEGS WITH A FEELING OF FREEDOM AND MOBILITY
- STRATEGICALLY PLACED ELASTIC INSERTS
- INSTRUMENT GRIP AREA ON BOTH WRISTS
- KNEEPAD IN ANTI-ABRASIVE MATERIAL

REEF

Code: **412382 Man**

Code: **412383 She Dives**

| RRP | |
|----------|--|
| € 169.00 | |
| | |

- MODERN DESIGN WITH SHOULDER GRIP AREA
- COOL, STRETCHY AND IDEAL FOR TEMPERATE WATER
- ERGONOMIC, COMFORTABLE VELCRO® BRAND CLOSURE AND BACK ZIP PULLER
- WRIST, ANKLE AND NECK SEALS ENRICHED WITH AQUASTOP FINISH







TECHNICAL FEATURES

| Thickness | | 5mm | | | | | | | | |
|-----------------|---|-------------|--|--|--|--|--|--|--|--|
| Fabric Type | | Neoprene | | | | | | | | |
| Man sizes | | 2 3 4 5 6 7 | | | | | | | | |
| She Dives sizes | 1 | 1 2 3 4 5 | | | | | | | | |

| Thickness | | 3mm | | | | | | | |
|-----------------|---|---------------|---|---|---|---|--|---|--|
| Fabric Type | | Neoprene | | | | | | | |
| Man sizes | | 2 3 4 5 6 7 8 | | | | | | 8 | |
| She Dives sizes | 1 | 2 | 3 | 4 | 5 | 6 | | | |

SWITCH



Code: 412428 Man

Code: 412429 She Dives

RRP € 189.00



- 2 SUITS IN 1: A NEW REVERSIBLE SUIT CONCEPT
- CAN BE WORN ON BOTH SIDES: CHOOSE BETWEEN A SIMPLE, CLASSIC BLACK DESIGN OR A MORE SPORTY, COLORFUL DESIGN
- AN EXTRA-COMFORTABLE, 2.5MM SUIT WITH A FRONT ZIP IN ULTRASTRETCH NEOPRENE
- NEW EXCLUSIVE MARES DESIGN
- PERFECT FOR WARM WATER DIVING AND ALL WATERSPORTS
- DEDICATED FEMALE CUT



| Thickness | 2,5 mm | | | | | | | |
|-----------------|--------|-----------------------|---|---|---|---|--|--|
| Fabric Type | | Ultrastretch Neoprene | | | | | | |
| Man sizes | | 2 3 4 5 6 7 8 | | | | | | |
| She Dives sizes | 1 | 2 | 3 | 4 | 5 | 6 | | |

Did you ever wish to have 2 suits in one? Diving one day colorful and another day more classic style? Do you think that this can happen only in fashion like a with a reversible jacket? Mares created a 2.5mm Steamer in Man and She Dives version with a dedicated cut and style. The suit is made with a reversible concept so that you can use it both sides according to your wish. One side more sporty and stylish and the other side more conservative. Do not get bored, surprise yourself, surprise everybody!

BEVERSIBLE BEVERSIBLE



FLEXA CORE

Code: 412342 Man

Code: **412343 She Dives**

RRP € 225.00

- ULTRA-ELASTIC SHORTY WITH ATTACHED HOOD FOR GREATER THERMAL COMFORT
- COMPLETES THE FAMILY OF FLEXA SUITS, BUT CAN ALSO BE USED WITH ANY MARES SUIT
- CAN BE USED AS A STAND-ALONE PRODUCT
- INTEGRATED BUCKLE ON THE LEG FOR HOOD ATTACHMENT OR ATTACHMENT OF A CUSTOMIZED POCKET (SOLD SEPARATELY)



2ND SKIN SHORTY

Code: 412371 Man

Code: 412372 She Dives

RRP € 159.00

- MADE WITH METALITE (WITH HEAT REFLECTING AND HEAT RETAINING PROPERTIES)
- BEST WORN UNDERNEATH A STEAMER
- EXTREMITIES IN GLIDE SKIN ON THE LEGS, TOGETHER WITH THE ERGONOMIC NECK CLOSURE AND THE 0,5 MM HOOD, CREATE AN EXTREMELY WATER RESISTANT SHORTY
- CAN ALSO BE USED AS A SNORKELING SUIT









TECHNICAL FEATURES

| Thickness | 4mm | | | | | | | | |
|-----------------|---------------|-----------------------|--|--|--|--|--|---|--|
| Fabric Type | | Ultrastretch Neoprene | | | | | | | |
| Man sizes | 2 3 4 5 6 7 8 | | | | | | | 8 | |
| She Dives sizes | 1 | 1 2 3 4 5 | | | | | | | |

| Thickness | 1.5mm | | | | | | | | | |
|-----------------|-------------|---|--|--|--|--|--|--|--|--|
| Fabric Type | | Ultrastretch Neoprene / Metalite Inside | | | | | | | | |
| Man sizes | 2 3 4 5 6 7 | | | | | | | | | |
| She Dives sizes | 1 | 1 2 3 4 5 | | | | | | | | |

REEF SHORTY

Code: 412384 Man

Code: 412385 She Dives

| RRP | |
|----------|--|
| € 137.00 | |

- COOL, STYLISH, LIGHTWEIGHT AND EXCELLENT FOR WARM WATER DIVES AND LONG SNORKELING SESSIONS
- HIGH LEVEL OF FINISH ON ALL DETAILS INCLUDING NECK CUSTOM CLOSURE AND BACK ZIP PULLER
- ERGONOMIC COMFORTABLE VELCRO® BRAND CLOSURE AND BACK ZIP PULLER
- AQUASTOP FINISH ON ARMS AND THIGHS





FLEXA VEST

Code: **412537 Man**

Code: **412538 She Dives**

| RRP | |
|----------|--|
| € 143.00 | |
| | |

- INCREASES HEAT RETENTION IN COLD WATER DIVING
- IDEAL FOR WEARING UNDER FLEXA SUITS
- LOW COMPRESSION NEOPRENE ON THE TOP OF THE HEAD





TECHNICAL FEATURES

| Thickness | 3mm | | | | | | |
|-----------------|-----|-----------------------|---|---|---|---|---|
| Fabric Type | | Ultrastretch Neoprene | | | | | |
| Man sizes | | 2 | 3 | 4 | 5 | 6 | 7 |
| She Dives sizes | 1 | 2 | 3 | 4 | 5 | | |

GOLD SKIN

Code: **412411 Man ◊**

Code: **412412 She Dives**

| RRP€ | |
|-------|--|
| 96.00 | |
| | |

■ NEOPRENE WITH OUTER COVERING AND OPEN-CELL INTERIOR WITH GOLD SKIN COATING



TECHNICAL FEATURES

| Thickness | 2.5mm | | | | | | | |
|-----------------|----------|---------------|---|---|---|--|--|---|
| Fabric Type | Neoprene | | | | | | | |
| Man sizes | | 2 3 4 5 6 7 8 | | | | | | 8 |
| She Dives sizes | 1 | 2 | 3 | 4 | 5 | | | |

| Thickness | 2mm | | | | | | | |
|-----------------|-----------|--------------------------------------|---|---|---|--|--|--|
| Fabric Type | | Neoprene - Gold Skin coated interior | | | | | | |
| Man sizes | 2 3 4 5 6 | | | | | | | |
| She Dives sizes | 1 | 2 | 3 | 4 | 5 | | | |

SCUBA RANGER

Code: 412373 Jacket ◊

| RRP | |
|----------|--|
| € 149.00 | |
| | |

Code: **412374 Long John ◊**

| RRP | |
|----------|--|
| € 125.00 | |

- DEDICATED KID'S TWIN SUIT: LONG-SLEEVED, HOODED JACKET AND LONG JOHN (SOLD SEPARATELY)
- JACKET AND LONG JOHN CAN BE WORN TOGETHER OR SEPARATELY ACCORDING TO WATER TEMPERATURE
- DEDICATED DESIGN AND COLOR FOR KIDS: SHOULDERS AND ZIPPERS IN LIME
- VARIED THICKNESSES STRATEGICALLY PLACED IN DIFFERENT AREAS OF THE BODY FOR COMFORT AND FREEDOM OF MOVEMENT
- EASY DONNING AND DOFFING



| 5mm | | | | | | |
|------------|-----|-------|-------------------|--|--|--|
| Neoprene | | | | | | |
| -3 -2 -1 0 | | | | | | |
| 8Y | 10Y | 12Y | 14Y | | | |
| | | -3 -2 | Neoprene -3 -2 -1 | | | |

 $[\]ensuremath{^{*}}$ Ages indicated in the table are purely for reference

GLIDE SKIN

An outer coating applied over a closed-cell neoprene rubber sheets.

It enhances gliding and prevents water absorption if used on the outer side, while it helps position stability and seal closure if used






DOUBLE FACE (DF) Neoprene

An outer/inner lamination with nylon and polyester series fabric applied over a closedcell neoprene rubber.

It provides the suits with a smooth feel, colorful and durable. All fabrics are chemical resistant, elastic and low moisture contents (4,5%), suitable for all water sports products.







DOUBLE **FACE FLEX** (DFF) Ultrastretch

An outer/inner lamination with super stretch nylon and polyester series fabric applied over a closed-cell neoprene rubber.

It provides the suits with a soft smooth feel, high elastic, colorful, durable and regains products desired shape.

All fabrics help to increase free movement, leading to high performance on products.









ENDURANCE

ELASTIC RETURN IN SHAPE

HI-COMFORT



THERMO GUARD SHORTY

Code: 412536 > BL (Man)

RRP € 125.00

Code: **412536♦ AQ (She Dives)**

RRP € 125.00

Code: 412536 > YL (Junior)

| RRP | |
|----------|--|
| € 125.00 | |

- ALWAYS HANDY
- EXTREMELY VERSATILE PRODUCT THAT CAN BE USE AS A FIRST LAYER OR AS A STANDALONE IN WARM WATERS
- METALITE FABRIC INSIDE
- THE PERFECT CHOICE FOR SWIMMING POOLS OR SNORKELING
- JUNIOR SIZES WITH DEDICATED GRAPHICS AVAILABLE

THERMO GUARD

LONG SLEEVE Code: 412550 Man

Code: **412554 She Dives**

RRP

€ 105.00

SHORT SLEEVE

Code: 412549 Man

Code: 412553 She Dives

RRP € 99.00

SHORTS

Code: 412534 Man

Code: 412535 She Dives

RRP € 62.00

- CORE BODY COMFORT FOR ALL WATER SPORTS
- EASY TO WEAR
- METALITE COATING HELPS BODY HEAT RETENTION
- FLAT STITCHING FOR COMFORTABLE CONTACT WITH YOUR BODY









TECHNICAL FEATURES

| Thickness | | 1.5mm | | | | | | | | | |
|----------------------|----|----------------------------|----|---|---|---|---|---|---|---|--|
| Fabric Type | | Neoprene / Metalite Inside | | | | | | | | | |
| Man sizes (BL) | | 2 3 4 5 6 7 8 | | | | | | | | | |
| She dives sizes (AQ) | | | | | 1 | 2 | 3 | 4 | 5 | 6 | |
| Junior sizes (YL) | -3 | -2 | -1 | 0 | | | | | | | |



| Thickness | 0.5mm | | | | | | | | |
|-----------------|-------|----------------------------|---|---|---|----|-----|--|--|
| Fabric Type | | Neoprene / Metalite Inside | | | | | | | |
| Man sizes | | XS S M L XL XXL 33 | | | | | | | |
| She Dives sizes | XXS | XS | S | М | L | XL | XXL | | |

RASH GUARD UPF BLOCK 80+

Code: **412413 Man BL ◊**

Code: 412414 She Dives LIL �

RRP € 62.00

Code: 412415 Junior YL ♦

| RRP | |
|---------|--|
| € 44.00 | |

- LONG-SLEEVED RASH GUARD UPF BLOCK 80+ AVAILABLE IN A MAN'S, WOMAN'S AND JUNIOR VERSION WITH DEDICATED CUT
- COOL, LIGHTWEIGHT MATERIAL
- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT

RASH GUARD

LONG SLEEVE

Code: **412551 Man**

Code: **412555 She Dives**

RRP € 52.00

SHORT SLEEVE

Code: 412552 Man

Code: 412556 She Dives

RRP € 41.00

SHORTS

Code: 412547 Man

Code: **412548 She Dives**

RRP € 33.00

- FOR ALL KINDS OF WATER SPORTS
- COOL, LIGHTWEIGHT MATERIAL
- FAST DRYING
- FLAT SEAM CONSTRUCTION FOR COMFORT







TECHNICAL FEATURES

| Thickness | | | | | | | | |
|-----------------|-----|----|---|---------|---------|----|-----|-----|
| Fabric Type | | | | Nylon / | Spandex | | | |
| Man sizes | | XS | S | М | L | XL | XXL | 3XL |
| She Dives sizes | XXS | XS | S | М | L | XL | XXL | |
| Sizes Junior | | | S | М | L | XL | | |

| Thickness | | | | | | | | |
|-----------------|-----|---------------------|---|---|---|----|-----|-----|
| Fabric Type | | Polyester / Spandex | | | | | | |
| Man sizes | | XS | S | М | L | XL | XXL | 3XL |
| She Dives sizes | XXS | XS | S | М | L | XL | XXL | |

RASH GUARD LOOSE FIT

LONG SLEEVE

Code: 412539 Man LM / Man BL

Code: 412541 She Dives LIL / She Dives AQ

RRP € 59.00

SHORT SLEEVE

Code: 412540 Man LM / Man BL

Code: 412542 She Dives LIL / She Dives AQ

RRP € 47.00

- BE COOL AND PROTECTED
- LOOSE FIT STYLE
- VIBRANT COLORS
- FAST DRYING
- IDEAL AS AN UNDERGARMENT OR BY ITSELF
- FLAT SEAM CONSTRUCTION FOR COMFORT







TECHNICAL FEATURES

| Thickness | | | | | - | | | |
|-----------------|-----|-----------------|---|---|---|----|-----|-----|
| Fabric Type | | Nylon / Spandex | | | | | | |
| Man sizes | | XS | S | М | L | XL | XXL | 3XL |
| She Dives sizes | XXS | XS | S | М | L | XL | XXL | |

TRILASTIC STEAMER

Code: **412545 Man**

Code: 412546 She Dives

RRP € 109.00

- SNORKELING WITHOUT WORRIES
- PROTECTS ALMOST YOUR ENTIRE BODY SURFACE FROM SOLAR RAYS OR OCCASIONAL SEA ENCOUNTERS
- CAN BE USED AS THE PERFECT LAYER UNDER A RENTAL SUIT
- STIRRUPS EQUIPPED FOR SECURE PLACEMENT



TECHNICAL FEATURES

| Thickness | - | | | | | | | |
|-----------------|-----|---------------------|---|---|---|----|-----|-----|
| Fabric Type | | Polyester / Spandex | | | | | | |
| Man sizes | | XS | S | М | L | XL | XXL | 3XL |
| She Dives sizes | XXS | XS | S | М | L | XL | XXL | |

PHOTOSUIT

Code: 412525

| RRP | |
|----------|--|
| € 165.00 | |

- IDEAL FOR DIVE PHOTOGRAPHY
- TO BE WORN OVER A WETSUIT
- 4 COLORS AVAILABLE



UPP 500

| Thickness | - | | | | | | |
|--------------|---------------------|--|--|--|--|--|--|
| Fabric Type | Polyester / Spandex | | | | | | |
| Sizes Unisex | 2 3 4 | | | | | | |

RASH GUARD KID

LONG SLEEVE Code: 412543 Boy Code: 412544 Girl

| KKP |
|---------|
| € 38.00 |
| |

| SHORT SLEEVE | |
|-------------------------|--|
| Code: 412559 Boy | |

| RRP |
|---------|
| € 33.00 |

■ LIGHTWEIGHT AND COOL MATERIAL

■ UPF+50 PROTECTION

Code: 412560 Girl

■ QUICK DRYING

■ ULTRA COMFORTABLE FLATLOCK SEAMS

■ CHILD-FRIENDLY CUT

RASH GUARD JUNIOR

| LONG SLEEVE | |
|--------------------------|--|
| Code: 412500 Boy | |
| Code: 412501 Girl | |
| RRP | |
| € 42.00 | |

|--|

Code: 412506 Boy

Code: **412507 Girl**

| RRP | |
|---------|--|
| € 33.00 | |

■ LIGHTWEIGHT AND COOL MATERIAL

■ UPF+50 PROTECTION

■ QUICK DRYING

■ ULTRA COMFORTABLE FLAT SEAMS

■ DEDICATED CUT FOR CHILDREN







TECHNICAL FEATURES

| Thickness | - | | | | | | |
|-------------|---------------------|-----|-----|-----|-----|--|--|
| Fabric Type | Polyester / Spandex | | | | | | |
| Sizes | XS | S | М | L | XL | | |
| Ages* | 2/3 | 3/4 | 4/5 | 5/6 | 6/7 | | |



| Thickness | | | - | | | | | |
|-------------|-----|---------------------|-------|-------|-------|--|--|--|
| Fabric Type | | Polyester / Spandex | | | | | | |
| Sizes | XS | S | М | L | XL | | | |
| Ages* | 8/9 | 9/10 | 10/11 | 11/12 | 12/13 | | | |

^{*} Ages indicated in the table are purely for reference

ULTRA SKIN

STEAMER

Code: **412394 Man**

Code: **412420 She Dives**

RRP € 249.00

LONG SLEEVE

Code: 412389 Man

Code: **412397 She Dives**

RRP € 159.00

SHORT SLEEVE

Code: **412393 Man**

Code: 412419 She Dives

RRP € 139.00

SLEEVELESS WITH HOOD

Code: **412391 Man**

Code: 412399 She Dives

RRP € 125.00 SLEEVELESS WITHOUT HOOD

Code: **412392 Man**

Code: **412418 She Dives**

RRP € 109.00

SHORTS

Code: 412398 Man

Code: 412390 She Dives

RRP € 99.00

SHORTS

Code: 412423 Man

Code: 412424 She Dives

RRP € 149.00

- INNOVATIVE UNDERSUIT WITH THERMAL COMFORT PROPERTIES
- ULTRASKIN TECHNOLOGY COMBINES 3 DIFFERENT LAYERS: INSIDE FLEECE FOR GREAT COMFORT, A WINDPROOF, BREATHABLE MEMBRANE AND AN OUTER, STRETCHY LAYER FOR A PERFECT FIT AND GREAT FREEDOM OF MOVEMENT
- SUITABLE UNDER A WETSUIT, AS A DRY SUIT UNDERSUIT OR PERFECT ALONE FOR ALL WATERSPORTS
- A FULL RANGE OF STYLES AND ACCESSORIES TO MEET EVERYONE'S NEEDS, IN MALE AND FEMALE VERSIONS





| Thickness | - | | | | | | |
|-----------------|----------|--|---|---|----|-----|-----|
| Fabric Type | Outer: I | Outer: Nylon/Elastan - Mid: PU Membrane - Inner: Polyester/Elastan | | | | | |
| Man sizes | | S | М | L | XL | XXL | 3XL |
| She Dives sizes | XS | S | М | L | XL | XXL | |

| Fabric Type | Outer: Nylon/Elastan - Mid: PU Membrane - Inner: Polyester/Elastan | | | | | | |
|-----------------|--|---|---|---|----|-----|-----|
| Man Sizes | | S | М | L | XL | XXL | 3XL |
| She Dives sizes | XS | S | М | L | XL | XXL | 3XL |



WHAT IS ULTRA SKIN ABOUT?

The Mares Ultra Skin Line is a complete range of apparel designed for any sporting adventure: whether you are diving or doing other watersports, the Ultra Skin is the right choice.

Designed as a stand-alone piece, it is also suitable under a wetsuit or a dry suit. Ultra Skin technology combines three layers of fabric studied to deliver the best performance, thermal comfort and with neutral buoyancy.

When worn as a standalone, the Mares Ultra Skin provides 50+ UPF protection from the sun's harmful rays.


Every style comes equipped with thumb loops and stirrups to prevent it riding up when being worn as an undergarment. A full range of sizes and varieties are available, including accessories.











ULTRA SKIN

GLOVES

Code: **412727**

RRP € 56.00

SOCKS

Code: **412642**

RRP € 52.00

LONG HOOD

Code: **412825**

RRP € 56.00







TECHNICAL FEATURES

| Thickness | - | | | | | |
|-----------|----|---|---|---|----|-----|
| Sizes | XS | S | М | L | XL | XXL |

TECHNICAL FEATURES

| Thickness | | | | - | | | |
|-----------|----|---|---|---|----|-----|-----|
| Sizes | XS | S | М | L | XL | XXL | 3XL |

| Thickness | | | | - | | | |
|-----------|----|---|---|---|----|-----|-----|
| Sizes | XS | S | М | L | XL | XXL | 3XL |



FLEXA FIT 6.5MM

Code: **412725**

| RRP |
|---------|
| € 54.00 |
| |

- ULTRASTRETCH NEOPRENE
- INNOVATIVE CUT
- PRE-SHAPED CUT AND GLIDE SKIN CUFFS WITH WATERSTOPS
- GOOD FREEDOM OF MOVEMENT



TECHNICAL FEATURES

| Thickness | 6,5 mm | | | | | |
|-----------|--------|----|---|---|---|----|
| Sizes | XXS | XS | S | М | L | XL |

FLEXA FIT 5MM

Code: **412724**

| RRP | |
|---------|--|
| € 52.00 | |
| | |

- ULTRASTRETCH NEOPRENE
- INNOVATIVE CUT
- PRE-SHAPED CUT AND GLIDE SKIN CUFFS WITH WATERSTOPS
- GOOD FREEDOM OF MOVEMENT



TECHNICAL FEATURES

| Thickness | 5 mm | | | | | | | |
|-----------|------|----|---|---|---|----|-----|-----|
| Sizes | XXS | XS | S | М | L | XL | XXL | 3XL |

FLEXA CLASSIC 3MM

Code: 412723

| RRP |
|---------|
| € 30.00 |

- LINED NEOPRENE ON BOTH SIDES
- RUBBER PATTERN ON PALM FOR GREATER GRIP



TECHNICAL FEATURES

| Thickness | 3 mm | | | | | | |
|-----------|------|----|---|---|---|----|-----|
| Sizes | XXS | XS | S | М | L | XL | XXL |

FLEXA TOUCH 2MM

Code: 412726

| RRP |
|---------|
| € 44.00 |

- MAXIMUM FREEDOM OF MOVEMENT
- TACTILE FEEL
- EASY TO DON AND DOFF



TECHNICAL FEATURES

| Thickness | 2 mm | | | | |
|-----------|------|-----|--------|--|--|
| Sizes | XS/S | M/L | XL/XXL | | |

AMARA 2MM

Code: **412722**

| RRP | |
|---------|--|
| € 41.00 | |

- DURABLE AMARA ON PALMS AND FINGERS
- ADJUSTABLE VELCRO® BRAND FASTENER



TECHNICAL FEATURES

| Thickness | | | 2 n | nm | | |
|-----------|-----|----|-----|----|---|----|
| Sizes | XXS | XS | S | М | L | XL |

CLASSIC SOCK 3MM

Code: **412635**

| RRP | |
|---------|--|
| € 24.00 | |

- N0 S0LE
- DOUBLE-LINED NEOPRENE
- CONTOURED CUT
- GLUED AND STITCHED SEAMS



| Thickness | | | 3 r | nm | | |
|-----------|-----|----|-----|----|---|----|
| Sizes | XXS | XS | S | М | L | XL |

FLEXA DS 6.5MM

Code: 412638

| RRP | |
|---------|--|
| € 90.00 | |

- EXCLUSIVE DS DRAINAGE SYSTEM PREVENTS A VACUUM FORMING IN THE FOOTPOCKET
- EASY TO DON AND DOFF
- SUITABLE FOR LONGER WALKS TO DIVE SITES



TECHNICAL FEATURES

| Thickness | | | | 6,5 mm | | | |
|-----------|---|---|---|--------|---|----|----|
| Sizes | 5 | 6 | 7 | 8 | 9 | 10 | 11 |

FLEXA DS 5MM

Code: 412637

| RRP | |
|---------|--|
| € 84.00 | |

- EXCLUSIVE DS DRAINAGE SYSTEM PREVENTS A VACUUM FORMING IN THE FOOTPOCKET
- EASY TO DON AND DOFF
- SUITABLE FOR LONGER WALKS TO DIVE SITES



TECHNICAL FEATURES

| Thickness | | 5 mm | | | | | | | | | | | |
|-----------|---|------|---|---|---|----|----|----|----|--|--|--|--|
| Sizes | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | | | | |

SEAL SKIN 5MM

Code: 412640¢

| RRP | |
|-----------|--|
| | |
| € 79.00 | |
| 0 / ///00 | |

- EXCLUSIVE DRAINAGE SYSTEM PREVENTS A VACUUM FORMING IN THE FOOTPOCKET
- EASY TO DON AND DOFF
- ALSO SUITABLE FOR LONGER WALKS TO DIVE SITES
- WATERPROOF 'S-SEAL' SEAMS FOR GREATER THERMAL COMFORT



CLASSIC NG 5MM

Code: 412634

| RRP | |
|---------|--|
| € 65.00 | |

- EASY DONNING AND DOFFING
- LIGHTWEIGHT IDEAL FOR TRAVELLING
- ANTI-SLIP SOLE



TECHNICAL FEATURES

| Thickness | | 5 mm | | | | | | | | | | | |
|-----------|---|------|---|---|---|----|--|--|--|--|--|--|--|
| Sizes | 5 | 6 | 7 | 8 | 9 | 10 | | | | | | | |

TECHNICAL FEATURES

| Thickness | | 5 mm | | | | | | | | | | | |
|-----------|---|------|---|---|---|---|---|----|----|----|----|--|--|
| Sizes | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | | |

EQUATOR 2MM

Code: **412636**

| RRP | |
|---------|--|
| € 35.00 | |

- ANKLE BOOTS
- LIGHTWEIGHT, IDEAL FOR TRAVELING
- NON-SLIP SOLE



PURE 2MM

Code: 412639

| RRP | |
|--------|---|
| € 33.0 | 0 |

- ANKLE BOOTS
- LIGHTWEIGHT, IDEAL FOR TRAVELING
- NON-SLIP SOLE



TECHNICAL FEATURES

| Thickness | | | | | | 2 mm | | | | | |
|-----------|---|---|---|---|---|------|---|----|----|----|----|
| Sizes | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |

| Thickness | | 2 mm | | | | | | | | | | |
|-----------|---|------|---|---|---|---|---|----|----|----|----|--|
| Sizes | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | |

EVOLUTION HOOD

FLEXA HOOD



Code: 412826

| RRP | |
|---------|--|
| € 45.00 | |

- EXTRA COMFORTABLE 5MM HOOD
- GLIDESKIN LINING FOR A PERFECT SEAL AND ADDED COMFORT
- A DEDICATED VENT SYSTEM HELPS RELEASE AIR WHILE DIVING



TECHNICAL FEATURES

| Thickness | 6-4-3 mm | | | | | |
|-----------|----------|---|---|---|----|--|
| Sizes | XS | S | М | L | XL | |

Code: **412823**

RRP € 52.00

- A VENTING SYSTEM HELPS RELEASE AIR, OPTIMIZING EQUALIZATION AND COMFORT
- HOOD ATTACHMENT SYSTEM



TECHNICAL FEATURES

| Thickness | 5 mm | | | | | |
|-----------|------|---|---|---|----|--|
| Sizes | XS | S | М | L | XL | |

SMART POCKET

Code: 412341

| RRP |
|---------|
| € 47.00 |

- CAN BE INSTALLED ON ALL NEW MARES
 SUITS FEATURING THE INTEGRATED
 SMART POCKET SYSTEM VIA AN EASY
 AND INTUITIVE CLIP SYSTEM
- INTEGRATED GRAPHIC PERFECTLY MATCHES ALL MARES SUITS
- GRIP PROTECTION SYSTEM TO AVOID LOOSENING WHEN DIVING OR DAMAGE TO THE SUIT



NEOPRENE GLUE

Code: 415108

| RRP | |
|---------|--|
| - NA | |
| € 12.50 | |
| 0 12.00 | |

- IDEAL FOR URGENT AND QUICK WETSUIT REPAIRS
- MADE IN COMPLIANCE WITH LATEST REGULATIONS
- 20MI



MINERAL TALCUM

Code: 415748 Desk Exhibitor (6pcs)

| RRP | |
|---------|--|
| € 11.90 | |

- HIGH QUALITY TALCUM TO PROTECT LATEX AND RUBBER PARTS
- IDEAL FOR MAINTENANCE AND THE CARE OF DRYSUITS AND WETSUITS
- MAKES DONNING SUITS EASIER
- PREVENTS IRRITATION
- 125G




TIZIP LUBRICANT

Code: **415728**

| RRP | |
|--------|--|
| € 9.90 | |


- FOR SEMI-DRY AND DRY TIZIP
- TO PREVENT DRYING
- TO INCREASE DURABILITY






WETSUIT 5+/- MAN LL0 EU MLO ML MLW MLLO LW XL 2XL 3XL USA XXXL XXL sw MW МТ LW 178/5'10" 181/5'11" 184/6" 184/6" 184/6" 187/6'2" 190/6'3" 193/6'4" 175/5'9" 178/5'10" 181/5'11" 181/5'11" 187/6'2" 1 2 93/37" 97,5/38" 101,5/40" 97,5/38" 101,5/40" 105,5/42" 101,5/40" 105,5/42" 110/43" 105,5/42" 110/43 114/45" 118/46" 3 98/39" 73/29" 77,5/31" 81,5/32" 77,5/31" 81,5/32" 86/34" 81,5/32" 90/35" 86/34" 90/35" 94/37" 4 91/36" 95,5/38" 99,5/39" 95,5/38" 99,5/39" 104/41" 99,5/39" 104/41" 108/43" 104/41" 108/43" 112/44" 116/46"

| IT | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|-----|----------|-----------|-----------|-----------|----------|-----------|----------|
| EU | S | М | ML | L | XL | 2XL | 3XL |
| USA | | S | М | L | XL | XXL | XXXL |
| 1 | 176/5'9" | 179/5'10" | 182/6" | 185/6'1" | 188/6'2" | 191/6'3" | 194/6'4" |
| 2 | 92/36" | 96,5/38" | 100,5/40" | 105/41" | 109/43" | 113,5/45" | 117,5/46 |
| 3 | 71,5/28" | 75,5/30" | 80/32" | 84/33" | 88,5/35" | 92,5/36" | 97/38" |
| 4 | 91/36" | 95/37" | 99,5/39" | 103,5/41" | 108/43" | 112/44" | 116/46" |



| WET | WETSUIT 5 +/- SHE DIVES | | | | | | | | | | |
|-----|-------------------------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-------------|
| IT | 1 | 2 | 3 | 3W | 3L | 4 | 4W | 4L | 5 | 6 | 7 |
| EU | XS | S | М | MW | ML0 | L | LW | LL0 | XL | 2XL | 3XL |
| USA | 4 | 6 | 8 | 8 W | 8 T | 10 | 10 W | 10 T | 12 | 14 | 16 |
| 1 | 164/5'5" | 167/5'6" | 170/5'7" | 170/5'7" | 173/5'8" | 173/5'8" | 173/5'8" | 176/5'9" | 176/5'9" | 179/5'10" | 182/6" |
| 2 | 77,5/31" | 81,5/32" | 85,5/34" | 89,5/35" | 85,5/34" | 89,5/35" | 95,3/37" | 89,5/35" | 95,3/37" | 97,5/38" | 101,5 / 40" |
| 3 | 67/26" | 71/28" | 75/30" | 79/31" | 75/30" | 79/31" | 83/33" | 79/31" | 83/33" | 87/34" | 91/36" |
| 4 | 84/33" | 88/35" | 92/36" | 96/38" | 92/36" | 96/38" | 100/39" | 96/38" | 100/39" | 104/41" | 108/43" |


| WET | WETSUIT 3 +/- SHE DIVES | | | | | | | | |
|-----|-------------------------|----------|----------|----------|----------|-----------|-----------|--|--|
| IT | 1 | 2 | 3 | 4 | 5 | 6 | 7 | | |
| EU | XS | S | М | L | XL | 2XL | 3XL | | |
| USA | 4 | 6 | 8 | 10 | 12 | 14 | 16 | | |
| 1 | 163/5'4" | 166/5'6" | 169/5'7" | 172/5'8" | 175/5'9" | 178/5'10" | 181/5'10" | | |
| 2 | 75/30" | 79/31" | 83/33" | 87/34" | 91/36" | 95/37" | 99/39" | | |
| 3 | 66/26" | 70/28" | 74/29" | 78/31" | 82/32" | 86/34" | 90/35" | | |
| 4 | 82/32" | 86/34" | 90/36" | 94/37" | 98/39" | 102/40" | 106/42" | | |




| SCUBA RANGER | | | | | | | |
|--------------|-----------|-----------|-----------|-----------|--|--|--|
| | -3 | -2 | -1 | 0 | | | |
| 1 | 119 / 47" | 129 / 50" | 140 / 55" | 150 / 59" | | | |
| 2 | 59 / 23" | 64 / 25" | 70 / 27" | 75 / 30" | | | |
| 3 | 55 / 21" | 59 / 23" | 63 / 24" | 67 / 26" | | | |
| 4 | 65 / 26" | 73 / 29" | 77 / 30" | 85 / 33" | | | |

| THERMO GUARD SHORTY UNISEX | | | | | | |
|----------------------------|------|-----------|----------|-----------|--------------|--|
| IT | EU | CHEST | WAIST | HIPS | TOLERANCE | |
| -3 | 8 A | 56 / 22" | 52 / 20" | 66 / 26" | ± 2 / ± 0.8" | |
| -2 | 10 A | 61 /24" | 56 / 22" | 75 / 30" | ± 2 / ± 0.8" | |
| -1 | 12 A | 67 / 26" | 60 / 24" | 79 / 31" | ± 2 / ± 0.8" | |
| 0 | 14 A | 73 / 29" | 65 / 26" | 87 / 34" | ± 2 / ± 0.8" | |
| 1 | XS | 86 / 34" | 65 /26" | 85 / 33" | ± 2 / ± 0.8" | |
| 2 | S | 90 / 35" | 70 / 28" | 89 / 35" | ± 2 / ± 0.8" | |
| 3 | М | 94 / 37" | 74 / 29" | 94 / 37" | ± 2 / ± 0.8" | |
| 4 | L | 99 / 39" | 78 / 31" | 98 / 39" | ± 2 / ± 0.8" | |
| 5 | XL | 103 / 41" | 82 / 32" | 102 / 40" | ± 2 / ± 0.8" | |
| 6 | XXL | 107 / 42" | 86 / 34" | 106 / 42" | ± 2 / ± 0.8" | |
| 7 | 3XL | 111 / 44" | 91 / 36" | 111 / 44" | ± 2 / ± 0.8" | |
| | | | | | | |

| NEOPRENE BOOTS | | | | | | |
|----------------|--------|-----|-------|--|--|--|
| | EUROPE | USA | JAPAN | | | |
| 4XS | 34/35 | 3 | - | | | |
| 3XS | 35/36 | 4 | - | | | |
| 2XS | 36/37 | 5 | 23 cm | | | |
| XS | 38 | 6 | 24 cm | | | |
| s | 39/40 | 7 | 25 cm | | | |
| М | 40/41 | 8 | 26 cm | | | |
| L | 41/42 | 9 | 27 cm | | | |
| XL | 43 | 10 | 28 cm | | | |
| 2XL | 44/45 | 11 | 29 cm | | | |
| 3XL | 45/46 | 12 | - | | | |
| 4XL | 47 | 13 | - | | | |



| ULTRASKIN MAN | | | | | | | | | |
|---------------|------------|------------|-----------|------------|------------|-----------|--|--|--|
| | S | М | L | XL | 2XL | 3XL | | | |
| 1 | 170.5-178 | 173-180.5 | 175.5-183 | 178-185.5 | 180.5-188 | 183-190.5 | | | |
| 1 | 5'7"-5'10" | 5'8"-5'11" | 5'9"-6" | 5'10"-6'1" | 5'11"-6'2" | 6"-6'3" | | | |
| 2 | 97 | 104 | 110 | 116 | 122 | 128 | | | |
| - | 38.2" | 40.9" | 43.3" | 45.7" | 48" | 50.4" | | | |
| 3 | 88 | 95 | 101 | 107 | 113 | 119 | | | |
| 3 | 34.6" | 37.4" | 39.8" | 42.1" | 44.5" | 46.8" | | | |
| 4 | 100 | 107 | 113 | 119 | 125 | 131 | | | |
| 4 | 39.4" | 42.1" | 44.5" | 46.8" | 49.2" | 51.6" | | | |
| 5 | 51 | 53 | 56 | 59 | 62 | 65 | | | |
| 9 | 20.1" | 20.9" | 22" | 23.2" | 24.4" | 25.6" | | | |



| | XS | S | М | L | XL | 2XL | 3XL |
|-----|-----------|-----------|-----------|-------------|-------------|-------------|-------------|
| USA | 4 | 6 | 8 | 10 | 12 | 14 | 16 |
| _ | 152.5-160 | 157.5-165 | 162.5-170 | 167.5-175.5 | 172.5-180.5 | 177.5-185.5 | 183 / 190.5 |
| 1 | 5'-5'3" | 5'2"-5'5" | 5'4"-5'7" | 5'6"-5'9" | 5'8"-5'11" | 5'10"-6'1" | 6'/ 6'3" |
| 2 | 88 | 94 | 100 | 106 | 112 | 119 | 125 |
| 2 | 34.6" | 37" | 39.4" | 41.7" | 44.1" | 47" | 49.2" |
| 3 | 68 | 74 | 80 | 86 | 93 | 99 | 105 |
| 3 | 26.7" | 29.1" | 31.5" | 33.8" | 36.6" | 39" | 41.3" |
| 4 | 96 | 102 | 109 | 114 | 121 | 127 | 133 |
| 4 | 37.7" | 40.1" | 42.9" | 44.9" | 47.6" | 50" | 52.4" |
| | 49 | 52 | 55 | 57 | 60 | 62 | 65 |
| 5 | 19.3" | 20.5" | 21.6" | 22.4" | 23.6" | 24" | 25.6" |

ULTRASKIN ACCESSORIES

| SOCKS | XS | S | М | L | XL | 2XL | 3XL |
|--------------------------|-------|-----|-------|-------|-------|-------|-------|
| SHOE SIZE FEMALE (AU/US) | 4-5 | 6-7 | 8-9 | 10-11 | 12-13 | | |
| SHOE SIZE MALE (AU/US) | | | 6-7 | 8-9 | 10-11 | 12-13 | 14-15 |
| EUROPE MALE/FEMALE | 37-38 | 39 | 40-41 | 42 | 43-44 | 45-46 | 47-48 |

| GLOVES | XS | S | М | L | XL | 2XL |
|--------------------|------|------|------|------|------|------|
| PALM CIRCUMFERENCE | 19.5 | 20.5 | 21.5 | 22.5 | 23.5 | 24.5 |
| PALM CIRCUMPERENCE | 7.5" | 8" | 8.5" | 9" | 9.5" | 10" |

How to measure gloves: measure circumference of your hand around your palm.

| HOOD | XS | S | М | L | XL | 2XL | 3XL |
|----------|-----------|----------|-----------|----------|-----------|----------|-----------|
| FORFUFAR | 46.5-48.5 | 49-51 | 51.5-53.5 | 54-56 | 56.5-58.5 | 59-61 | 61.5-63.5 |
| FOREHEAD | 18.3-19" | 19.2-20" | 20.7-21" | 21.3-22" | 22.2-23" | 23.2-24" | 24.2-25" |

TECHNICAL SPECIFICATIONS



| Suit | Flexa G | raphene | Ice : | Ice Skin | | | Fle | xa | | |
|------------------------|--|--|-------------|---------------|---------------------|-------------|---------------|-------------|------------------|-------------|
| Model | Man | She Dives | Man | She Dives | Man | She Dives | Man | She Dives | Man | She Dives |
| Code | 412078 | 412079 | 412102 | 412103 | 412337 | 412339 | 412338 | 412340 | 412348 | 412349 |
| Thickness | 7n | nm | 7n | nm | 8.6.5 | imm | 5.4.3 | lmm | 3.2. | 2mm |
| Sizes | 2· 3· 3L· 3W· 4· 4L· 4W· 5· 5W· 6· 7 | 1 · 2 · 3 · 3L · 3W · 4 · 4L · 4W · 5 | 2-3-4-5-6-7 | 1- 2- 3- 4- 5 | 2- 3- 4- 5- 6- 7- 8 | 1-2-3-4-5-6 | 2-3-4-5-6-7-8 | 1-2-3-4-5-6 | 2- 3- 4- 5- 6- 7 | 1- 2- 3- 4- |
| For Cold Water | | • | • | • | | • | | | | |
| For Temperate Water | | | | | | | | • | | |
| For Warm Water | | | | | | | | | 1 | |
| Back Protection System | | | | | | • | | 1 | | • |
| Instruments Grip | | | | | | • | | | | • |
| Masterseal Zip | | | | | | | | | | |
| G-Lock Zipper | | | | | | | | | | |
| S-Lock Zipper | | | | | | | | | | |
| Zippers on Ankles | | | | | | | | | | |
| Double Cone | | | | | | | | | | |
| Graphene Plush | | | | | | | | | | |
| Thermo Plush | | | | | | • | | | | • |
| Hood Included | | | | • | | | | | | |
| Hood Keeper | | | | | | | | 1 | | • |
| Smart Pocket | | | | | | • | | 1 | | • |
| Integrated Pocket | | | | | | | | | | |
| RRP | € 74 | 9.00 | € 61 | 9.00 | € 459.00 | € 419.00 | € 41 | 9.00 | € 34 | \$9.00 |











| Suit | Evolution | Pio | neer | Dual | Reef | Switch | Scuba Ranger |
|---------------------|---|-----------------------------------|-----------------------------------|-----------------------------------|--------------------------------------|--------------------------------------|-------------------|
| Model | Man She Dives | Man She Dives | Man She Dives | Man She Dives | Man She Dives | Man She Dives | Jacket Long John |
| Code | 412176 412177 | 412346 412347 | 412344 412345 | 412375 412376 | 412382 412383 | 412428 412429 | 412373 412374 |
| Thickness | 5mm | 7mm | 5mm | 5mm | 3mm | 2.5mm | 5mm |
| Sizes | 2·3/3W· 1·2· 4/4L/4W· 3/3L/3W· 5/5L/5W· 4/4L/4W· 6·7·8 5·6 | 2· 3· 4· 5· 6· 7 1· 2· 3· 4· 5 | 2· 3· 4· 5· 6· 7 1· 2· 3· 4· 5 | 2· 3· 4· 5· 6· 7 1· 2· 3· 4· 5 | 2· 3· 4· 5· 1· 2· 3· 4· 6· 7· 8 5· 6 | 2· 3· 4· 5· 1· 2· 3· 4· 6· 7· 8 5· 6 | -3· -2· -1· 0 |
| For Cold Water | | • | | | | | |
| For Temperate Water | • | | - | • | | | |
| For Warm Water | | | | | • | - | |
| Instruments Grip | • | • | | • | | | |
| Zippers on Ankles | | | | | | | • |
| Double Cone | | • | | | | | |
| Hood Included | | | • | | | | • |
| Hood Keeper | | | • | | | | |
| RRP | € 319.00 | € 325.00 | € 255.00 | € 299.00 | € 159.00 | € 189.00 | € 129.00 € 109.00 |



AVANTI PURE

Code: 410027



- A 2-MATERIAL, OPEN HEEL FIN
- CAN BE USED BAREFOOT OR WITH MARES PURE BOOTIES
- SOFT AND COMFORTABLE FOOT POCKET
- ERGONOMIC HEEL PAD (PATENT PENDING) MINIMIZES PRESSURE ON THE ACHILLES' TENDON
- SPECIAL BUNGEE STRAP FOR MAXIMUM COMFORT DURING USE, WHEN DONNING AND DOFFING
- THE LOOPS ON THE FOOT POCKET MAINTAIN THE STRAP IN THE CORRECT POSITION

COLOR VARIATIONS







TECHNICAL FEATURES

| Sizes | XXS | SM | ML | LXL |
|-------|----------------|------------------|----------------|------------------|
| Fit | 30/34 | 35/38 | 39/43 | 44/47 |
| Blade | 27cm 10.6in | 29.5cm 11.6in | 32cm 12.6in | 34.5cm 13.6in |

DETAILS





Soft, comfortable footpocket

Bungee guides to avoid footpocket pivoting





Ergonomic heel pad

Interchangeable bungee strap



Dual-material fin with an exceptionally soft and comfortable open heel. Soft blade in Tecralene®, with Channel Thrust effect.



Ergonomic heel reinforcement

A soft and ergonomic heel reinforcement reduces pressure on the Achilles tendon to a minimum, making this fin suitable for use with bare feet or a light boot, such as Pure Boots 412639.



Strap retainers on the foot pocket

Strap retainers on the foot pocket serve as guides to keep the strap in the right place.



Adjustable elastic strap

A unique elastic strap makes it easy to put on and adjust to your exact needs.



Rubber bungee with flat heel reinforcement

Alternatively, the fin can be fitted with Bungee Strap 415363, suitable for use with a thick boot.

SCAN THE QR CODE



TO SEE OUR BUNGEE STRAP VIDEO GUIDES

AVANTI HC PRO

Code: 410347

| RRP | |
|---------|--|
| € 72.00 | |

- ERGONOMIC FOOT POCKET. THE LATERAL RIB DISCHARGES PRESSURE IN LINE WITH THE FOOT, PREVENTING LATERAL COMPRESSION
- HYPERCHANNEL-INDUCED THRUST EFFECT WITH AN INCREASED PERFORMANCE/ EFFORT RATIO
- RIDGES ON THE BACK OF THE BLADE: REINFORCE THE BLADE WHILE OPTIMIZING PIVOTING GEOMETRY
- OVERMOLDING ON THE BACK RIB FURTHER OPTIMIZES THRUST AND PERFORMANCE

AVANTI HC

Code: 410346

RRP € 66.00

- ERGONOMIC FOOT POCKET. THE LATERAL RIB DISCHARGES PRESSURE IN LINE WITH THE FOOT, PREVENTING LATERAL COMPRESSION
- HYPERCHANNEL-INDUCED THRUST EFFECT WITH AN INCREASED PERFORMANCE/ EFFORT RATIO
- RIDGES ON THE BACK OF THE BLADE: REINFORCE THE BLADE WHILE OPTIMIZING PIVOTING GEOMETRY





COLOR VARIATIONS











TECHNICAL FEATURES

| Sizes | 036 | 038 | 040 | 042 | 044 | 046 |
|-------|--------|--------|--------|------|--------|--------|
| Blade | 32.5cm | 34.5cm | 36cm | 38cm | 40cm | 42cm |
| | 12.8in | 13.5in | 14.2in | 15in | 15.7in | 16.5in |

COLOR VARIATIONS







| Sizes | 036 | 038 | 040 | 042 | 044 | 046 |
|-------|--------|--------|--------|------|--------|--------|
| Blade | 32.5cm | 34.5cm | 36cm | 38cm | 40cm | 42cm |
| | 12.8in | 13.5in | 14.2in | 15in | 15.7in | 16.5in |

EXCITE / EXCITE PRO

Code: **410025 Excite** ◊

Code: 410026 Excite Pro



- INNOVATIVE MATERIALS FOR A MORE HARMONIOUS THRUST
- ENHANCED CHANNEL THRUST
- EXCITE: OPTIMIZED FOR LOW FATIGUE
- EXCITE PRO: OPTIMIZED FOR MAXIMUM THRUST
- COLOR COORDINATED BUNGEE STRAP

X-STREAM

Code: 410019¢



- BUNGEE STRAP
- RIDDLED FOOT POCKET AVOIDS "PARACHUTE EFFECT"
- NEXT GENERATION OPB
- TRI-MATERIAL BLADE CONSTRUCTION REDUCES TURBULENCE
- CHANNEL THRUST TECHNOLOGY







COLOR VARIATIONS EXCITE





COLOR VARIATIONS EXCITE PRO













TECHNICAL FEATURES

| Sizes | XS | S | R | XL | | | | | |
|-------|----------------|----------------|----------------|----------------|--|--|--|--|--|
| Fit | 34/37 | 37/41 | 41/44 | 44/48 | | | | | |
| Blade | 36cm 14.1in | 39cm 15.3in | 40cm 15.7in | 40cm 15.7in | | | | | |

TECHNICAL FEATURES

| Sizes | XS | S | R | XL |
|-------|------------------|----------------|----------------|--------------|
| Fit | 34/37 | 37/41 | 41/44 | 44/48 |
| Blade | 34.5cm 13.6in | 36cm 14.2in | 37cm 14.6in | 38cm 15in |

^{*} ABS Buckle

AVANTI EXCEL

Code: **410316**

| RRP | |
|---------|--|
| € 69.00 | |

- ANATOMICAL FOOT POCKET
- WHALE TAIL DESIGN FOR POWERFUL FOOT-BLADE POWER TRANSMISSION
- TRI-MATERIAL BLADE WITH CHANNEL THRUST TECHNOLOGY

VOLO RACE

Code: 410313¢

| RRP | |
|---------|--|
| € 79.00 | |

- ANATOMICAL FOOT POCKET
- OPB SYSTEM FOR EASY KICKING EFFICIENCY
- CHANNEL THRUST TECHNOLOGY





COLOR VARIATIONS









TECHNICAL FEATURES

| Sizes | 034 | 036 | 038 | 040 | 042 | 044 | 046 |
|-------|--------|--------|--------|--------|------|--------|--------|
| Blade | 29.5cm | 30cm | 31cm | 32cm | 33cm | 34cm | 35.5cm |
| | 11.6in | 11.8in | 12.2in | 12.6in | 13in | 13.4in | 14in |

COLOR VARIATIONS







| Sizes | 036 | 038 | 040 | 042 | 044 | 046 |
|-------|--------|--------|--------|--------|--------|--------|
| Blade | 33.5cm | 33.5cm | 36.5cm | 37cm | 39.5cm | 39.5cm |
| | 13.2in | 13.2in | 14.5in | 14.6in | 15.6in | 15.6in |

AVANTI QUATTRO +

Code: **410003**

| | Ξ |
|----------|---|
| RRP | |
| € 145.00 | |

- BUNGEE STRAP
- HI-FLEX MATERIAL OPTIMIZES BLADE'S EFFICIENCY
- 4 CHANNELS FOR GREATER THRUSTING POWER
- STABILIZING TRIM TABS

AVANTI QUATTRO POWER

Code: 410301

| RRP | |
|----------|--|
| € 125.00 | |

- ANATOMICAL FOOT POCKET
- RUBBERIZED SIDE RIBS
- 4 CHANNELS FOR GREATER THRUSTING POWER
- LONG BLADE, IDEAL FOR BOTH SCUBA AND APNEA





COLOR VARIATIONS















TECHNICAL FEATURES

| Sizes | XS | S | R | XL | | | |
|-------|--------------|----------------|--------------|----------------|--|--|--|
| Fit | 34/37 | 37/41 | 41/44 | 44/48 | | | |
| Blade | 33cm 13in | 37cm 14.6in | 38cm 15in | 39cm 15.3in | | | |

COLOR VARIATIONS



| | izes | 040 | 042 | 044 |
|---|-------|-----|-----|------------------|
| Blade 44cm 45.5cm 45.5cm 17.3in 17.9in 17.9in | Blade | | | 45.5cm 17.9in |

AVANTI SUPERCHANNEL OH

Code: 410012¢

| RRP | |
|---------|--|
| € 89.00 | |

- BUNGEE STRAP
- ANATOMICAL OPEN HEEL FOOT POCKET
- 3 CHANNEL DESIGN FOR ADDED PROPULSION
- RUGGED AND DURABLE CONSTRUCTION



Code: 410317¢



- ORTHOPEDIC FOOT POCKET
- TECRALENE BLADE FOR SUPERIOR PERFORMANCE AND DURABILITY
- 3 CHANNEL DESIGN FOR ADDED PROPULSION





COLOR VARIATIONS







TECHNICAL FEATURES

| Sizes | S | R | XL | | | | |
|-------|----------------|----------------|----------------|--|--|--|--|
| Fit | 37/41 | 41/44 | 44/48 | | | | |
| Blade | 35cm 13.8in | 37cm 14.6in | 37cm 14.6in | | | | |

COLOR VARIATIONS









TECHNICAL FEATURES

| Sizes | 036 | 038 | 040 | 042 | 044 | 046 |
|-------|--------|------|--------|--------|--------|--------|
| Blade | 32cm | 33cm | 34cm | 35.5cm | 36.5cm | 37cm |
| | 12.6in | 13in | 13.4in | 14in | 14.5in | 14.6in |

SIZE GUIDE

| | | | | R | | Mell | B | The state of the s | | Kal |
|------|-------|------|------|-------------|--------|------------|----------|--|-----------------|---------------------------|
| OPE | N HEE | :L | | 410027 | 410025 | 410026 | 410019 | 410003 | 410001 | 410012 |
| (UK) | (US) | (JP) | (EU) | AVANTI PURE | EXCITE | EXCITE PRO | X-STREAM | AVANTI QUATTRO+ | PLANA AVANTI X3 | AVANTI SUPERCHANNEL OH |
| 11.5 | 12.5 | 19 | 30 | | | | | | | |
| 12.5 | 13.5 | 20 | 31 | | | | | | | |
| 0.5 | 1.5 | 21 | 32 | XXS | | | | | | |
| 1 | 2 | 21.5 | 33 | | | | | | | |
| 1.5 | 2.5 | 22 | 34 | | | | | | | |
| 2.5 | 3.5 | 22.5 | 35 | | XS | XS | XS | XS | XS | |
| 3 | 4 | 23 | 36 | | λο | λο | ٨٥ | ,,,, | ,,,5 | |
| 4 | 5 | 23.5 | 37 | SM | | | | | | |
| 5 | 6 | 24 | 38 | | | | | | | |
| 6 | 7 | 24.5 | 39 | | S | S | S | S | S | S |
| 6.5 | 7.5 | 25 | 40 | | | | | | | |
| 7.5 | 8.5 | 25.5 | 41 | ML | | | | | | |
| 8 | 9 | 26 | 42 | | | | , | | | |
| 9 | 10 | 26.5 | 43 | | R | R | R | R | R | R |
| 9.5 | 10.5 | 27 | 44 | | | | | | | |
| 10.5 | 11.5 | 27.5 | 45 | LXL | | | | | | |
| 11 | 12 | 28 | 46 | | XL | XL | XL | XL | XL | XL |
| 12 | 13 | 28.5 | 47 | | | | | | | |
| 12.5 | 13.5 | 29 | 48 | | | | | | | |

| N. | | | | | Pall | | Tale . | W. | *Color | |
|------|-------|------|------|-----------|---------------|-----------|---------------------------|------------|--------------|-------------------------|
| FUL | L FOC | TPOC | KET | 410346 | 410347 | 410313 | 410317 | 410302 | 410316 | 410301 |
| (UK) | (US) | (JP) | (EU) | AVANTI HC | AVANTI HC PRO | VOLO RACE | AVANTI Superchannel FF | AVANTI TRE | AVANTI EXCEL | AVANTI QUATTRO POWER |
| 1.5 | 2.5 | 22 | 34 | | | | | | 034 | |
| 2.5 | 3.5 | 22.5 | 35 | | | | | | 034 | |
| 3 | 4 | 23 | 36 | 036 | 036 | 036 | 036 | 036 | 036 | |
| 4 | 5 | 23.5 | 37 | 036 | 036 | 036 | 036 | 036 | 036 | |
| 5 | 6 | 24 | 38 | 038 | 038 | 038 | 038 | 038 | 038 | |
| 6 | 7 | 24.5 | 39 | 036 | 036 | 036 | 036 | 036 | 036 | |
| 6.5 | 7.5 | 25 | 40 | 040 | 040 | 040 | 040 | 040 | 040 | 040 |
| 7.5 | 8.5 | 25.5 | 41 | 040 | 040 | 040 | 040 | 040 | 040 | 040 |
| 8 | 9 | 26 | 42 | 0/2 | 042 | 042 | 042 | 042 | 042 | 042 |
| 9 | 10 | 26.5 | 43 | 042 | 042 | 042 | 042 | 042 | 042 | 042 |
| 9.5 | 10.5 | 27 | 44 | 044 | 044 | 044 | 044 | 044 | 044 | 044 |
| 10.5 | 11.5 | 27.5 | 45 | 044 | 044 | 044 | 044 | 044 | 044 | 044 |
| 11 | 12 | 28 | 46 | 046 | 046 | 046 | 046 | 046 | 046 | |
| 12 | 13 | 28.5 | 47 | 046 | 046 | 046 | 046 | 046 | 046 | |

AVANTI TRE

Code: **410302**

| RRP | |
|---------|--|
| € 52.00 | |

- ORTHOPEDIC FOOT POCKET
- 3 CHANNELS FOR MAXIMUM THRUST
- MID-SIZE BLADE WITH DURABLE CONSTRUCTION
- STABILIZING TRIM TABS

COLOR VARIATIONS







| Sizes | 036 | 038 | 040 | 042 | 044 | 046 |
|--------|--------|------|--------|--------|--------|--------|
| Blade* | 31cm | 33cm | 34cm | 36cm | 36.5cm | 37.5cm |
| | 12.2in | 13in | 13.4in | 14.2in | 14.5in | 14.8in |





BUNGEE STRAP

Code: 415363 (PAIR)

RRP € 46.00



- SMART ALERNATIVE TO STEEL SPRING STRAPS
- 3 SIZES: XS/S R XL
- 6 COLOR OPTIONS: BK-WH-BL-YL-LM-AQ
- 2 EXTENSIONS FOR A BETTER FIT
- ERGONOMIC HEEL COVER
- WIDE LOOP TO BE USED EVEN WITH THICK GLOVES













ABS PLUS BUCKLES

Code: 415337 (PAIR)

RRP € 25.00

- USER FRIENDLY BUCKLE SYSTEM
- EASY DONNING AND DOFFING WITH THICK GLOVES
- CAN BE MOUNTED ON ALL MARES OPEN HEEL FINS



FIN STRAP

Code: **415120**

RRP € 8.90

- UNIVERSAL FIN STRAP FOR OPEN HEEL FINS
- WIDTH: 30 MM/1.2 IN LENGTH: 460 MM/18.1 IN
- HIGH QUALITY VULCANIZED RUBBER MATERIAL



TECHNICAL SPECIFICATIONS

























| | | | | | - | 100 | | | | | | | | |
|--|-------------|------------------------|---|--|-------------|--------------|--|---|--|---|----------------------------|------------------------------|--|--|
| Fins | | Avanti Pure | Avanti HC Pro | Avanti HC | Excite Pro | Excite | X-Stream | Avanti Excel | Volo Race | Avanti Quattro + | Avanti Quattro Power | Avanti Superchannel OH | Avanti Superchannel FF | Avanti Tre |
| Code | | 410027 | 410347 | 410346 | 410026 | 410025 | 410019 | 410316 | 410313 | 410003 | 410301 | 410012 | 410317 | 410302 |
| Sizes | | XXS SM ML LXL | 036 038 040 042 044 046 | 036 038 040 042 044 046 | | S R | XS S R XL | 034 036 038 040 042 044 046 | 036 038 040 042 044 046 | XS S R XL | 040 042 044 | S R XL | 036 038 040 042 044 046 | 036 038 040 042 044 046 |
| Colors | | ● BL ○ WH ○ YL | ● BKB ● BKR ● BKY ● WHG ● WHP | ● BL ● GR ● YL | ● GR | ● BL ○ YL | ● BL ● JPK** ● TBK ○ WH ○ YL | ● BL ● SI ● YL | ● BGR ● BL ● YL | AQ ORYL OWH BK FL OLM RBL | ●вк | ● BK ● BL ● YL | BL RD OWH YL | ● BK ● BL ○ YL |
| OPB | | | | | | | • | | • | | | | | |
| Channel Thrust | | • | • | • | | | • | • | • | • | • | • | • | • |
| Tri-Material Constr | uction | | • | | | | - | • | | | | | | |
| Thermoplastic Rub Technopolymers | ber/ | | | | | • | • | • | • | | | | | |
| Thermoplastic Rubber/ Tecralene | | • | • | - | | | | | | • | • | • | • | • |
| Blade* | Length | 32cm | 38cm | 38cm | 40 | cm | 37cm | 33cm | 37cm | 38cm | 45.5cm | 37cm | 35.5cm | 36cm |
| Open Heel (Size R) Full Foot (Size 42) | Thrust Area | 550cm² | 750cm² | 750cm² | 800 | 800cm² | | 560cm² | 680cm² | 780cm² | 960cm² | 730cm² | 650cm² | 680cm² |
| Weight one fin without buckles (Size R or 42) | | 0.6kg | 0.7kg | 0.7kg | 0.9 | kg | 0.7kg | 0.6kg | 0.7kg | 0.9kg | 1kg | 0.9kg | 0.7kg | 0.6kg |
| RRP | | € 75.00 | € 72.00 | € 66.00 | € 16 | 9.00 | € 199.00 | € 69.00 | € 79.00 | € 145.00 | € 125.00 | € 89.00 | € 59.00 | € 52.00 |

^{*} From end of footpocket to end of blade ** ABS Buckle



CHROMA UP



Code: 411066

| RRP | |
|---------|--|
| € 99.00 | |

- TRI-MATERIAL FRAME WITH CHROME PLATED COMPONENTS AND A SOFT INSERT
- INCREASED OPTICAL CONE AND FIELD OF VISION TOWARDS THE TOP
- QUICK RELEASE LENS SYSTEM: INCLUDES A SMART MECHANISM (PATENT PENDING) TO REPLACE LENSES WITHOUT TOOLS
- MONO SILICONE SKIRT



COLOR VARIATIONS










K BKYBK BLWC


DETAILS







Soft overmolding





Quick release lens system



Low profile frame for an extended field of vision

RRP € 49.00

^{*}Our optical lenses conform to norm EN 16805. They are not medical devices.

ROMA UP mares

Fitting


The new silicone skirt with an exclusive fit is derived from the original X-Vision mask, a cornerstone in the history of Mares.

Low-profile frame

The low-profile frame increases the field of vision to the side and upward.

Buckles

Rugged buckles with large buttons make it easy to adjust even when wearing gloves.



Chrome inserts and soft over-molding

Mask with tri-material frame. The polycarbonate structure is enhanced with stiff chrome elements and a soft grip insert in the middle.

Quick lens replacement system

The side buttons make it quick to replace the lenses, and no tools are required. The mask fits optical lenses 411193.



SCAN THE QR CODE TO SEE OUR OPTICAL LENS INSTALLING VIDEO GUIDE


X-VISION ULTRA LIQUIDSKIN

Code: 411052¢

Code: 411052 - Mirrored lenses

RRP € 85.00

Code: 411052 - Mirrored lenses



- ULTRA CLEAR SKIRT (CLYLWCYL, CLBLWCBL)
- MIRRORED GOLD LENSE INCREASES VISIBILITY IN CLOUDY WATERS (GOGRKGRK)
- MIRRORED SILVER LENSE REDUCES THE REFLECTION OF SHALLOW WATER OR SANDY SEABED (SIGRKGRK)
- BI-SILICONE SKIRT CONTOURED FOR ENHANCED FIT AND COMFORT
- LOW DRAG DESIGN
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- FIELD OF VISION 20% WIDER THAN PREVIOUS VERSION
- X-SHAPED BI-SILICONE STRAP

X-VISION CHROME LIQUIDSKIN

Code: 411065

RRP € 89.00

- CHROME PLATED FRAME
- BI-SILICONE SKIRT CONTOURED FOR ENHANCED FIT AND COMFORT
- LOW DRAG DESIGN
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- X-SHAPED BI-SILICONE STRAP







red<mark>dot</mark> award winner













COLOR VARIATIONS









ACCESSORIES

OPTICAL LENS

Code: 411194 / from -1,0 to -6,5 and +1,5 to +3,0*

| RRP | |
|---------|--|
| € 49.00 | |

ACCESSORIES

OPTICAL LENS

Code: 411194 / from -1,0 to -6,5 and +1,5 to +3,0*

| RRP |
|---------|
| € 49.00 |

 $^{^{*}}$ Our optical lenses conform to norm EN 16805. They are not medical devices.

X-VISION

Code: **411053**

| RRP | |
|---------|--|
| € 64.00 | |

- ULTRA-CLEAR SILICONE
- LOW DRAG DESIGN
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- FIELD OF VISION 20% WIDER THAN PREVIOUS VERSION
- X-SHAPED SILICONE STRAP
- OPTICAL LENSES AVAILABLE

X-VISION MID 2.0

Code: **411067**

| RRP | |
|---------|--|
| € 64.00 | |

- BI-MATERIAL FRAME
- MEDIUM SIZED SILICONE SKIRT
- WIDE VIEWING ANGLE
- OPTICAL LENSES AVAILABLE





COLOR VARIATIONS















COLOR VARIATIONS









ACCESSORIES

OPTICAL LENS

Code: 411194 / from -1,0 to -6,5 and +1,5 to +3,0*

| RRP | |
|---------|--|
| € 49.00 | |

ACCESSORIES

OPTICAL LENS

Code: **411187** / -1,5 / -2,5 / -3,5 / -4,5 / -5,5

Code: **411186** / from +1,5 to +3,0*

| RRP | |
|---------|--|
| € 49.00 | |

^{*}Our optical lenses conform to norm EN 16805. They are not medical devices.

ONE VISION

Code: **411046**

Code: **411047 Sunrise** ◊



- SILICONE SKIRT
- LOW DRAG DESIGN
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- SINGLE LENS DESIGN
- X-SHAPED SILICONE STRAP
- SUNRISE VERSION AVAILABLE

COMET

Code: **411059**



- MONOLENS MASK FOR CHILDREN
- SILICONE SKIRT
- AMPLE FIELD OF VISION
- LIGHTWEIGHT
- STRAP WITH QUICK-RELEASE BUCKLES





COLOR VARIATIONS



















COLOR VARIATIONS SUNRISE





X-WIRE

Code: **411068**

| RRP | |
|---------|--|
| € 82.00 | |

- BI-MATERIAL FRAME WITH SOFT, WIRED PORTION
- SOFT WIRE PROVIDES SKIRT SUPPORT AND ENHANCES GRIP WHEN FITTING MASK
- EXTREMELY COMFORTABLE SILICONE SKIRT SUITED TO A VARIETY OF FACE SHAPES"

ESSENCE LIQUIDSKIN

Code: 411031¢

| RRP | |
|---------|--|
| € 85.00 | |
| | |

- BI-SILICONE SKIRT FOR UNMATCHED COMFORT
- LIGHT AND FOLDABLE, ALSO IDEAL AS SPARE MASK
- AMPLE FIELD OF VISION
- X-SHAPED BI-SILICONE STRAP
- SINGLE LENS DESIGN





COLOR VARIATIONS











COLOR VARIATIONS







PURE WIRE

Code: 411069

| RRP | |
|---------|--|
| € 82.00 | |



- INTERCHANGEABLE, BI-MATERIAL FRAME
- SOFT WIRED SKIRT PORTION PROVIDES SUPPORT AND ENHANCES GRIP WHEN FITTING MASK
- EXTREMELY COMFORTABLE SILICONE SKIRT SUITED TO A VARIETY OF FACE SHAPES

PURE WIRE FRAME

Code: **415103**

| RRP | |
|--------|--|
| € 9.00 | |



- INTERCHANGEABLE, BI-MATERIAL FRAME
- MAKES IT POSSIBLE TO CUSTOMIZE THE LOOK OF THE PURE WIRE MASK
- A SOFT SECTION PROVIDES EXTRA SUPPORT FOR THE SKIRT





COLOR VARIATIONS











COLOR VARIATIONS





NEW









••••

PURE WIRE

The Pure Wire mask pairs the prominent features of a frameless mask with a lightweight frame, made in dual materials. The soft and reticulated section of the frame supports the skirt, while increasing grip during placement and equalizing of the mask.



Fitting

New Super-Fit silicone skirt adapts to all facial types.

Interchangeable frame

The frame is interchangeable and lets you personalize the color of your mask. It is easy to replace with no need for tools. Seven color options are available (code 415103).

The pivoting buckles are located on the skirt for improved comfort.















TROPICAL

Code: **411246**

| RRP | |
|---------|--|
| € 35.00 | |

- FRAMELESS SILICONE MASK
- ULTRA COMFORTABLE SKIRT
- BUCKLES WITH LARGE BUTTONS

JUNO

Code: **411056**



- FRAMELESS MONOLENS MASK
- SILICONE SKIRT
- SAME STYLE AS THE JUPITER BUT WITH A REGULAR SKIRT FIT
- PIVOTING BUCKLES ON RIGID INSERTS AT THE SIDES OF THE LENS
- GREAT FIELD OF VISION





COLOR VARIATIONS

























CLCL

JUPITER

Code: 411057¢

| 33,2 | |
|---------|--|
| € 52.00 | |

- FRAMELESS MONOLENS MASK
- SILICONE SKIRT
- SAME STYLE AS THE JUNO BUT WITH AN "XL" SKIRT FIT FOR BIGGER FACES
- PIVOTING BUCKLES ON RIGID INSERTS AT THE SIDES OF THE LENS
- GREAT FIELD OF VISION

13

Code: **411040**

Code: 411042 Sunrise



- SILICONE SKIRT
- SMALL RIBS AROUND NOSE TO RELIEVE PRESSURE
- GREAT PERIPHERAL VISION
- X-SHAPED SILICONE STRAP
- SUNRISE VERSION AVAILABLE





COLOR VARIATIONS















COLOR VARIATIONS SUNRISE







SPYDER

Code: **411074**

€ 65.00

- FRAME WITH SOFT WIRED NOSE BRIDGE FOR ENHANCED GRIP WHEN FITTING THE MASK AND EQUALIZING
- EXTREMELY COMFORTABLE SILICONE SKIRT
- SIDE NOSE AREA SHAPED FOR EASIER EQUALIZING

SEALHOUETTE

Code: **411058**

RRP € 58.00

- BI-LENS MASK
- SILICONE SKIRT
- REDUCED DISTANCE BETWEEN LENSES AND EYES
- AMPLE FIELD OF VISION
- LIGHTWEIGHT
- SOFT SILICONE BUCKLES
- BUCKLES ON SKIRT











COLOR VARIATIONS













PKWH

NOT JUST A SINGLE PRODUCT, BUT A


COLOR CONCEPT

We are the leader in diving products and will continue to engineer and innovate to ensure that our gear is the best in the underwater world.

Mares' philosophy embodies the fact that everyone is different and merits a product line that reflects their passion and confidence, allowing them to perform better and have more fun under the sea. Constant investment in innovation, research, expertise and a creative, professional approach make Mares a synonym of quality, safety and reliability.

The best of Mares is encapsulated in every product to meet the needs of each and every diver.

Mares products are not just 'single products', but part of a whole concept which allows you to perfectly color coordinate all your dive gear, combining performance and style!



X-FREE

Code: **411060**

| Ri | RP |
|-----|------|
| € 5 | 4.00 |

- RIGID FRAME AND ANATOMICAL SKIRT OVERMOLDED IN SILICONE
- MINIMUM DISTANCE BETWEEN LENS AND EYES
- AMPLE FIELD OF VISION
- LIGHTWEIGHT
- ERGONOMIC MASK STRAP BUCKLES FOR EASY OPERATION
- RAISED TEXTURE ON THE SIDES OF THE NOSE

TANA

Code: **411055**



- SILICONE SKIRT
- SOFT TOUCH INSERTS ON THE FRAME FOR GRIP
- LIGHTWEIGHT
- SIDE GUSSETS AT THE NOSE TO FACILITATE EQUALIZING





COLOR VARIATIONS























EDGE

Code: **411070**

| RRP | |
|---------|--|
| € 75.00 | |

- STREAMLINED BI-MATERIAL FRAME
- SOFT AREAS FOR ENHANCED GRIP WHEN FITTING THE MASK
- STURDY, DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME
- EXTREMELY COMFORTABLE SILICONE SKIRT SUITED TO A VARIETY OF FACE SHAPES

PURE EDGE

Code: **411071**

| RRP | |
|---------|--|
| € 75.00 | |
| | |

- STREAMLINED BI-MATERIAL FRAME
- SOFT AREAS FOR ENHANCED GRIP WHEN FITTING THE MASK
- STURDY, DURABLE CONSTRUCTION
- INTEGRATED BUCKLES ON FRAME
- EXTREMELY COMFORTABLE SILICONE SKIRT SUITED TO A VARIETY OF FACE SHAPES"











COLOR VARIATIONS









OPERA

Code: 411019¢

| RRP |
|---------|
| € 42.00 |

- SILICONE SKIRT
- STURDY AND DURABLE CONSTRUCTION
- OVAL SHAPED SILICONE STRAP
- OPTICAL LENSES AVAILABLE

MASK STRAP LIQUIDSKIN

Code: 415115 White

Code: **415116 Black**



- MASK STRAP FOR LIQUIDSKIN MASKS
- WIDTH: 14 MM/0.55 IN LENGTH: 580 MM/22.8 IN
- BI-SILICONE MATERIAL



MASK STRAP

Code: **415105 CLEAR**

Code: 415106 Black



- UNIVERSAL MASK STRAP
- WIDTH: 14 MM/0.55 IN LENGTH: 560 MM/22.0 IN
- SILICONE MATERIAL



STRAP COVER

Code: 412901

Code: 412902 She Dives



- ONE SIZE FITS ALL
- SOFT NEOPRENE MASK STRAP COVER
- HELPS TO KEEP THE MASK STRAP IN PLACE
- HIGH COMFORT
- TANGLE-FREE DIVE



COLOR VARIATIONS







ACCESSORIES

OPTICAL LENS

Code: 411182 / from -1,0 to -5,5



ANTIFOG

| RRP | |
|---------|--|
| € 11.50 | |

- GEL TO PREVENT MASK LENSES FROM FOGGING UP
- OPEN/CLOSE CAP WITH BRUSH
- MADE IN COMPLIANCE WITH LATEST REGULATIONS
- 60M



 $^{^{*}}$ Our optical lenses conform to norm EN 16805. They are not medical devices.

REBEL DRY

Code: 411487¢

| RRP | |
|---------|--|
| € 45.00 | |

- 100% DRY TOP
- SLIDING SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS
- MOUTHPIECE MOUNTED ON A RIGID SECTION WITH A LARGE INTERNAL VOLUME, ENSURES UNBEATABLE BREATHING CHARACTERISTICS



REBEL SPLASH

Code: 411488¢

RRP € 38.00

- SEMIDRY TOP WITH ANTI SPLASH
- SLIDING SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS
- MOUTHPIECE MOUNTED ON A RIGID SECTION WITH A LARGE INTERNAL VOLUME, ENSURES UNBEATABLE BREATHING CHARACTERISTICS




REBEL FLEX

Code: 411489¢

| RRP | |
|---------|--|
| € 34.00 | |
| | |

- SLIDING SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE FOR DIVING OR EXTENDED SNORKELING SESSIONS
- MOUTHPIECE MOUNTED ON A RIGID SECTION WITH A LARGE INTERNAL VOLUME, ENSURES UNBEATABLE BREATHING CHARACTERISTICS





COLOR VARIATIONS



ERGO DRY

Code: 411481¢

| RRP | |
|---------|--|
| € 47.00 | |

- 100% DRY TOP
- SLIDING SWIVEL SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE TO LONGER SNORKELING SESSIONS OR EXTENDED PERIODS ON THE SURFACE



ERGO SPLASH

Code: 411480¢

RRP € 43.00

- SEMIDRY TOP WITH ANTI-SPLASH
- SLIDING SWIVEL SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE TO LONGER SNORKELING SESSIONS OR EXTENDED PERIODS ON THE SURFACE



COLOR VARIATIONS



ERGO FLEX

Code: 411482\$

| RRP |
|---------|
| € 25.00 |

- SLIDING SWIVEL SNORKEL KEEPER
- CORRUGATED SILICONE HOSE AND MOUTHPIECE
- EXHAUST VALVE
- SUITABLE TO LONGER SNORKELING SESSIONS OR EXTENDED PERIODS ON THE SURFACE



COLOR VARIATIONS





SNORKEL @

Code: 411479

RRP € 21.00



- ERGONOMIC SHAPE
- ROLL UP, COMPACT DESIGN
- FITS IN A BCD POCKET OR CAN BE ATTACHED TO A BC
- ALL SILICONE DESIGN FOR FLEXIBILITY AND DURABILITY
- TUBE TOP DESIGN MADE TO PREVENT WATER ENTRY WHILE SNORKELING
- IDEAL FOR TRAVELLING



COLOR VARIATIONS



DK WH

PRO FLEX

Code: 411460


| RRP |
|---------|
| € 30.00 |

- BI-MATERIAL SOFT CONSTRUCTION
- CURVED, ERGONOMIC STRUCTURE
- NO AIRFLOW INTERRUPTIONS TO REDUCE NOISE AND VIBRATIONS
- SLIDING KEEPER
- SILICONE MOUTHPIECE FOR EXTENDED USE




PLUTO

Code: 411486\$



- 100% DRY TOP SNORKEL DEDICATED TO JUNIORS
- SLIDING SNORKEL KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE
- WHISTLE ON BOTTOM AS SAFETY DEVICE





TECHNICAL SPECIFICATIONS



















| Mask | Chroma Up | | n Ultra dskin | X-Vision Chrome Liquidskin | X-Vision | X-Vision Mid 2.0 | One Vision | | Comet | X-Wire | Pure Wire |
|----------------------------|---|---|------------------------|---|---|--|--|--------------------|--|-------------------------------|-------------------------------|
| Code | 411066 | 411052 Regular | 411052 Mirrored | 411065 | 411053 | 411067 | 411046 Regular | 411047 Sunrise | 411059 | 411068 | 411069 |
| Colors | ● BKYBK ● BLWCL ● WHKBK ● WHACL | CLBLWBLW CLBLWCBL CLGRKGRK CLPKWPKW CLRDKRDK CLWHKWHK CLYLKYLK CLYLKYLK | Ø GOGRKGRK Ø SIGRKGRK | © CLWHKWHK ● CLYLKYLK | ● BK7BK ● BLWCL ● LMKBK ● WHKBK ● YLWCL | Ø AQWCL Ø BKWBK Ø BLWCL Ø PKWCL | ● BK7BK ● RDKBK ● WBLCL ● WHKBK ● WSICL ● WYLCL | ● RDKBK ② WBLCL | Ø BLWBL Ø LMCL Ø PKWPK Ø YLCL | BLGCL GRRBK GRYBK GRYCL WHGBK | BLGCL GRRBK GRYBK GRYCL WHGBK |
| Liquidskin | | | • | | | | | | | | |
| Sunrise | | | | | | | | - | | | |
| Monolens | | | | | | | | | • | | |
| Bilens | - | | • | | • | | | | | • | |
| Tri-Comfort | | | | • | • | | | | | | |
| Optical lens (optional) | code 411193: from -1.0 to -5.5 and +1.5 to +3.0 | code 411194: from -1.0 to -6.5 and +1.5 to +3.0 | NO | code 411194: from -1.0 to -6.5 and +1.5 to +3.0 | code 411194: from -1.0 to -6.5 and +1.5 to +3.0 | code 411186 from +1.5 to +3.0 and code 411187 /-1,5/-2,5/ -3,5/-4,5/-5,5 | NO | | NO | NO | NO |
| RRP | € 99.00 | € 85.00 | € 89.00 | € 89.00 | € 64.00 | € 64.00 | € 68.00 | | € 39.00 | € 82.00 | € 82.00 |

























| Mask | Essence Liquidskin | Tropical | Juno | Jupiter | 13 | | Spyder | Sealhouette | X-Free | Tana | Edge | Pure Edge | Opera |
|----------------------------|----------------------------|-------------------------------|---------|--------------------------------------|-------------------|-------------------------------|-------------------|-------------|--|---|-------------------|--|----------------------------------|
| Code | 411031 | 411246 | 411056 | 411057 | 411040 Regular | 411042 Sunrise | 411074 | 411058 | 411060 | 411055 | 411070 | 411071 | 411019 |
| Colors | ● BKGR ● CLBL ○ CLWH | BKBK BLBL PKPK RDRD WHWH YLYL | © BLWH | ● BKWH ● BLBK ● RDWH ● WHBK | ● BRDBK | ● BBKBK ● BRDBK ● BWHCL | RDKBK WHBCL WHKBK | © BKWH | © BLWH ● LMBK ● PKWH ● WHBK ● YLBK | BLKCL BLWCL LEWWH PKWWH PWWWH RDKBK YLKCL | BWGCL GWBBK YWGCL | ● BKLBK ● BKWBK ● BKYBK ● WBLCL | ♥ RBLCL ♥ RYLCL ● TBKBK |
| Liquidskin | • | | | | | | | | | | | | |
| Sunrise | | | | | | • | | | | | | | |
| Monolens | • | • | • | • | - | | | | | | | • | |
| Bilens | | | | | | | • | • | • | • | • | | • |
| Tri-Comfort | | | | | • | | | | | | | | |
| Optical lens (optional) | N0 | N0 | N0 | N0 | NO |) | N0 | N0 | N0 | N0 | N0 | N0 | code 411182: from -1.0 to -5. |
| RRP | € 85.00 | € 35.00 | € 52.00 | € 52.00 | € 72. | .00 | € 65.00 | € 58.00 | € 54.00 | € 57.00 | € 75.00 | € 75.00 | € 42.00 |





















| | | • | | | 9 | 9 | | | 106 |
|-------------|--|--|--------------------------------------|--|--------------------------------|---------------|--------------|-------------|----------------------------------|
| Snorkel | Rebel Dry | Rebel Splash | Rebel Flex | Ergo Dry | Ergo Splash | Ergo Flex | Snorkel @ | Pro Flex | Pluto |
| Code | 411487 | 411488 | 411489 | 411481 | 411480 | 411482 | 411479 | 411460 | 411486 |
| Colors | ● BKBL ● BKLM ● BKRD ● BKWH ● WHBK ○ WHPK ○ WHPK | ● BKPK ● BKWH ● WHAQ ■ WHBK ■ WHRD | ● BKBL ● BKWH ④ WHLM ● WHYL | BK BLM BRD BRD BWH BYL CL JPK RBL RYL WH | ● BK ○ CL ● RBL ○ RYL | BK RBL RD RYL | ● BK ○ WH | ● BK | ● BL ● PK ② WHLM ② WHYL |
| Dry Top | • | | | | | | | | • |
| Purge Valve | • | • | - | | • | | | | • |
| RRP | € 45.00 | € 38.00 | € 34.00 | € 47.00 | € 43.00 | € 25.00 | € 21.00 | € 30.00 | € 23.00 |



EOS 32LRZ



EOS 20LRZ




Code: 415647

| RRP | |
|----------|--|
| € 399.00 | |

LED BATTERY CHARGE INDICATOR RECHARGEABLE BATTERY ZOMMABLE LIGHT BEAM

- XHP50 LED
- SINGLE LED WITH LENS
- MAGNETIC ADJUSTABLE FOCUS FROM NARROW TO WIDE LIGHT BEAM
- VISUAL BATTERY CHARGE INDICATOR
- 135 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGING CABLE
- VISUAL LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MULTIFUNCTIONAL MECHANICAL SWITCH
- AN "ELECTRONIC LOCK" SYSTEM PREVENTS THE TORCH FROM BEING ACCIDENTALLY SWITCHED ON - DOUBLE CLICK THE SWITCH TO TURN ON THE TORCH
- FOUR OPTIONS: ON, LOW, FLASH, OFF





TECHNICAL FEATURES

| Bulb | 1 | * XHP50 | LED Chi | p | |
|--------------------------|--------------|--------------|----------|-------------|--|
| Switch Mode | High | Lo | w | Flash/SOS | |
| Led lumens (25°) | 3200 | 930 | | 1 | |
| Burn time (min) | 135 | 20 | 55 | 145 | |
| Color Temperature | | 5700-7800 | | | |
| Light beam (1m distance) | Hot Spot (1 | 2°) Co | | orona (75°) | |
| (mm/in) | 300mm / 11 | .8in 135 | | 50mm / 53in | |
| Rechargeable Batteries | | 1 x ICR26800 | | | |
| Time to charge | 7h (5V1A | adapter) | - 14h (P | C 500mA) | |
| Total length | | 225mm | / 8.8in | | |
| Head diameter | | 62mm | / 2.4in | | |
| Body diameter | 34mm / 1.3in | | | | |
| Weight with batteries | 605g / 21oz | | | | |
| Max. operation depth | | 120m | / 393ft | | |


Code: 415646

| RRP | |
|----------|--|
| € 349.00 | |

LED BATTERY CHARGE INDICATOR RECHARGEABLE BATTERY ZOMMABLE LIGHT BEAM

- 3 KW CSLPM1.TG-LED
- MAGNETIC ADJUSTABLE FOCUS FROM NARROW TO WIDE LIGHT BEAM
- VISUAL BATTERY CHARGE INDICATOR
- 150 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGING CABLE
- VISUAL LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MULTIFUNCTIONAL MECHANICAL SWITCH
- AN "ELECTRONIC LOCK" SYSTEM PREVENTS THE TORCH FROM BEING ACCIDENTALLY SWITCHED ON - DOUBLE CLICK THE SWITCH TO TURN ON THE TORCH
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE
- TUBULAR HANDLE





| Bulb | 3 H | (W CSLP | M1.TG-L | ED | |
|--------------------------|-----------------|--------------|----------|---------------|--|
| Switch Mode | High | Lo | w | Flash/SOS | |
| Led lumens (25°) | 2300 | 670 | | 1 | |
| Burn time (min) | 100 | 21 | 10 | 200 | |
| Color Temperature | | 5700~7800 | | | |
| Light beam (1m distance) | Hot Spot (1 | 2°) Co | | orona (75°) | |
| (mm/in) | 230mm / 9.0in 1 | | 140 | 1400mm / 55in | |
| Rechargeable Batteries | | 1 x ICR26800 | | | |
| Time to charge | 7h (5V1A | adapter) | - 14h (P | C 500mA) | |
| Total length | | 221mm | / 8.7in | | |
| Head diameter | | 62mm | / 2.4in | | |
| Body diameter | 34mm / 1.3in | | | | |
| Weight with batteries | 594g / 20.7oz | | | | |
| Max. operation depth | | 120m | / 393ft | | |

We have decided it is time to see things more clearly!

The new line of EOS LRZ torches is a true, new offering in the landscape of torches; featuring characteristics that are unique to the market, at competitive prices.

Beyond the option of adjusting the beam of light to meet your needs and diving conditions; the new EOS LRZs now uses a mechanical, multifunction switch, with a battery charge indicator. It is extremely useful to always know the power level of your battery, especially during the dive!

Safe and user-friendly, the switch is waterproof and with a simple touch it commands the torch in four different ways: maximum power on the first press, about 40% power on the second press, a flashing strobe on the third and lastly 'off' on the fourth.

The battery can be charged anywhere using a USB cable connected to a computer or adapter. The new battery charger, boasts a power level indicator, intuitively showing when charging is complete.

Its ease of use is guaranteed by the tubular grip, making it possible to manage the torch with one hand. Included is an adjustable strap ensuring a more secure grip.

Durable and wear-resistant, EOS LRZ torches are made of anodized aluminum and have a new EOS Family Look.

Finally... EOS LRZ torches stand apart from the crowd due to the innovative temperature control system, allowing for use out of the water. All Eos versions are fitted with a padded, zippered case, made of exceptionally durable and long-lasting material for increased protection. No disposable packaging as part of our green initiatives.



"Electronic" Switch Lock System prevents from accidental switch-on

Multifunction Switch with different options of use: High 100%, Low 40% and FLASH.



Visual Battery Indicator: have always under control the charge of the battery



Built-in Rechargeable USB System

LED charge indicator: helps to easily understand when the battery is charged



EOS 15LRZ



EOS 10LRZ

NEW


Code: 415645



LED BATTERY CHARGE INDICATOR RECHARGEABLE BATTERY ZOMMABLE LIGHT BEAM

- 3 X 1580 LUMEN XP-G2 CREE LEDS
- MAGNETIC ADJUSTABLE FOCUS FROM NARROW TO WIDE LIGHT BEAM
- VISUAL BATTERY CHARGE INDICATOR
- 125 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGING CABLE
- VISUAL LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MULTIFUNCTIONAL MECHANICAL SWITCH
- AN "ELECTRONIC LOCK" SYSTEM PREVENTS THE TORCH FROM BEING ACCIDENTALLY SWITCHED ON DOUBLE CLICK THE SWITCH TO TURN ON THE TORCH
- FOUR OPTIONS: ON, LOW, FLASH, OFF
- ONE-HAND USE





TECHNICAL FEATURES

| Bulb | 3 Cree XP-G2 LED Chip | | | | |
|--------------------------|-----------------------|-----------|---------------|-----------|--|
| Switch Mode | High | Lo | w | Flash/S0S | |
| Led lumens (25°) | 1580 | 500 | | / | |
| Burn time (min) | 125 | 18 | 30 | 175 | |
| Color Temperature | | 5800-7300 | | | |
| Light beam (1m distance) | Hot Spot (1 | 2°] | rona (75°) | | |
| (mm/in) | 230mm / 9.0in | | 1550mm / 61in | | |
| Rechargeable Batteries | 1 x ICR26650 | | | | |
| Time to charge | 6 h (5V1A | adapter) | - 12 h (P | 'C 500mA) | |
| Total length | | 204mm | / 8.0in | | |
| Head diameter | 62mm / 2.4in | | | | |
| Body diameter | 34mm / 1.3in | | | | |
| Weight with batteries | 556.8g / 19.5oz | | | | |
| Max. operation depth | | 120m | / 393ft | | |


Code: 415644

RRP € 269.00

LED BATTERY CHARGE INDICATOR
RECHARGEABLE BATTERY
ZOMMABLE LIGHT BEAM

- 1100 LUMEN XML-2 CREE LED
- SINGLE LED WITH LENS
- MAGNETIC ADJUSTABLE FOCUS FROM NARROW TO WIDE LIGHT BEAM
- VISUAL BATTERY CHARGE INDICATOR
- 150 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGING CABLE
- VISUAL LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MULTIFUNCTIONAL MECHANICAL SWITCH
- AN "ELECTRONIC LOCK" SYSTEM PREVENTS THE TORCH FROM BEING ACCIDENTALLY SWITCHED ON - DOUBLE CLICK THE SWITCH TO TURN ON THE TORCH
- FOUR OPTIONS: ON, LOW, FLASH, OFF





| Bulb | 1*XML-2 Cool white LED Chip | | | | |
|--------------------------|-----------------------------|--------------|---------------|-------------|--|
| Switch Mode | High | Lo | ow | Flash/S0S | |
| Led lumens (25°) | 1100 | 360 | | 1 | |
| Burn time (min) | 150 | 2 | 10 | 195 | |
| Color Temperature | | 5800-7300 | | | |
| Light beam (1m distance) | Hot Spot (1 | 2°] | C | orona (75°) | |
| (mm/in) | 220mm / 8.6in | | 1550mm / 61in | | |
| Rechargeable Batteries | | 1 x ICR26650 | | | |
| Time to charge | 6 h (5V1A | adapter) | - 12 h (F | °C 500mA) | |
| Total length | | 202mm | n / 7.9in | | |
| Head diameter | 57mm / 2.2in | | | | |
| Body diameter | 34mm / 1.3in | | | | |
| Weight with batteries | 543.8g / 19oz | | | | |
| Max. operation depth | | 120m | / 393ft | | |

EOS 5LRZ



EOS STROBE


Code: 415640



LED BATTERY CHARGE INDICATOR RECHARGEABLE BATTERY ZOMMABLE LIGHT BEAM

- 520 LUMEN XP-G2 CREE LED
- SINGLE LED
- MAGNETIC ADJUSTABLE FOCUS FROM NARROW TO WIDE LIGHT BEAM
- VISUAL BATTERY CHARGE INDICATOR
- 135 MINUTES OF BURN TIME (MAX POWER)
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGING CABLE
- VISUAL LED CHARGE INDICATOR
- WIDE LIGHT BEAM
- MULTIFUNCTIONAL MECHANICAL SWITCH
- AN "ELECTRONIC LOCK" SYSTEM PREVENTS THE TORCH FROM BEING ACCIDENTALLY SWITCHED ON - DOUBLE CLICK THE SWITCH TO TURN ON THE TORCH
- FOUR OPTIONS: ON, LOW, FLASH, OFF





Code: 415693

| RRP | |
|----------|--|
| € 135.00 | |

- 450 LUMENS
- 360° HIGH VISIBILITY
- 15/20 HOURS OF BURN TIME
- IN-HOUSE RECHARGEABLE BATTERY
- USB RECHARGEABLE CABLE
- LED CHARGE INDICATOR
- MAGNETIC, ROTATIONAL SWITCH
- TWO OPERATING MODES: ON, STROBE
- ANODIZED ALUMINUM HOUSING
- ADJUSTABLE STRAP
- PADDED CASE WITH ZIP



| I ECHNICAL I EATORES | | | | | |
|--------------------------|-------------|-----------------------|-------------|---------------|--|
| Bulb | 1 | 1 Cree XP-G2 LED Chip | | | |
| Switch Mode | High | Lo | ow | Flash/SOS | |
| Led lumens (25°) | 520 | 1 | 60 | / | |
| Burn time (min) | 135 | 3' | 75 | 390 | |
| Color Temperature | | 5800-7300 | | | |
| Light beam (1m distance) | Hot Spot (| 2°) Co | | Corona (75°) | |
| (mm/in) | 220mm / 8 | .6in 155 | | 1550mm / 61in | |
| Rechargeable Batteries | | 1 x ICF | R18650 | | |
| Time to charge | 4 h 30' (5V | 1A adapte | er) - 6 h (| PC 500mA) | |
| Total length | | 182mm | / 7.2in | | |
| Head diameter | | 43mm | / 1.7in | | |
| Body diameter | | 26mm / 1.0in | | | |
| Weight with batteries | | 300g / 10.5oz | | | |
| Max. operation depth | | 120m | / 393ft | | |

| 1 Cree XPG | 2 LED Chip | |
|-------------------|--|--|
| High | Flash/SOS | |
| 450 | / | |
| 300 | 1500 | |
| 5800- | 7300 | |
| Diffused light | | |
| 120 | | |
| 1 x ICR | 26650 | |
| 6h (5V1A adapter) | - 12h (PC 500mA) | |
| 170mm | / 6.6in | |
| 39mm | / 1.6in | |
| 34mm / 1.4in | | |
| 245g / 8.6oz | | |
| 100m | / 328ft | |
| | 450 300 5800- Diffuse 12 1 x ICR 6h [5V1A adapter] 170mm 39mm 34mm | |


EOS 10LRW



EOS 10LR



Code: 415642



LED BATTERY CHARGE INDICATOR.
RECHARGEABLE BATTERY
WIDE LIGHT BEAM

- 1000 LUMEN CREE LED
- WIDE LIGHT BEAM
- EXCELLENT FOR VIDEO AND PHOTOGRAPHY
- VISUAL BATTERY CHARGE INDICATOR
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGING CABLE
- VISUAL LED CHARGE INDICATOR
- MULTIFUNCTIONAL MECHANICAL SWITCH
- AN "ELECTRONIC LOCK" SYSTEM PREVENTS THE TORCH FROM BEING ACCIDENTALLY SWITCHED ON - DOUBLE CLICK THE SWITCH TO TURN ON THE TORCH
- FOUR OPTIONS: ON, LOW, SOS, OFF
- VERY COMPACT AND LIGHTWEIGHT
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP

Code: 415641

RRP € 149.00

LED BATTERY CHARGE INDICATOR.
RECHARGEABLE BATTERY

- 1000 LUMEN CREE LED
- POWERFUL LIGHT BEAM
- PERFECT AS BACK-UP
- VISUAL BATTERY CHARGE INDICATOR
- IN-HOUSE RECHARGEABLE BATTERY
- USB CHARGING CABLE
- VISUAL LED CHARGE INDICATOR
- MULTIFUNCTIONAL MECHANICAL SWITCH
- AN "ELECTRONIC LOCK" SYSTEM PREVENTS THE TORCH FROM BEING ACCIDENTALLY SWITCHED ON - DOUBLE CLICK THE SWITCH TO TURN ON THE TORCH
- FOUR OPTIONS: ON, LOW, SOS, OFF
- HANDY AND COMPACT
- ADJUSTABLE WRIST STRAP
- PADDED CASE WITH ZIP





TECHNICAL FEATURES

| I ECHNICAL I EATONES | | | | | |
|--------------------------|------|------------------|-----------|--|--|
| Bulb | | XM-L2 | | | |
| Switch Mode | High | Low | Flash/S0S | | |
| Led lumens (25°) | 1000 | 500 | 1000 | | |
| Burn time (min) | 90 | 150 | 240 | | |
| Color Temperature | | 5800 - 7300 | | | |
| Light beam (1m distance) | | Wide Spot (120°) | | | |
| (mm/in) | | 2500 / 98.4 | | | |
| Rechargeable Batteries | | 1x ICR18650 | | | |
| Time to charge | | 300min | | | |
| Total length | | 148.1mm / 5.8in | | | |
| Head diameter | | 28mm / 1.1in | | | |
| Body diameter | | 26mm / 1.0in | | | |
| Weight with batteries | | 178g / 6.3oz | | | |
| Max. operation depth | | 100m / 328ft | | | |

| Bulb | SST40-LED | | |
|--------------------------|--------------------|--|------|
| Switch Mode | High Low Flash/SOS | | |
| Led lumens (25°) | 1000 500 1000 | | 1000 |
| Burn time (min) | 90 150 240 | | |
| Color Temperature | 5800 - 7300 | | |
| Light beam (1m distance) | Hot Spot (12°) | | |
| (mm/in) | 220 / 8.6 | | |
| Rechargeable Batteries | 1x ICR18650 | | |
| Time to charge | 300min | | |
| Total length | 158.7mm / 6.2in | | |
| Head diameter | 28mm / 1.1in | | |
| Body diameter | 26mm / 1in | | |
| Weight with batteries | 188.5g / 6.6oz | | |
| Max. operation depth | 100m / 328ft | | |

EOS 10LRW - VIDEO SET

Code: 415643

| RRP | |
|----------|--|
| € 389.00 | |
| | |

- COMPLETE SET FOR VIDEO MAKING AND PHOTOGRAPHY
- COMPACT AND LIGHTWEIGHT
- 2 EOS 10LRW TORCHES
- USB CHARGING CABLES
- ALUMINUM TRAY FOR ATTACHING A VIDEO CAMERA
- FLEXIBLE ARMS WITH CONNECTORS FOR THE EOS 10RW
- DEDICATED PADDED CASE WITH ZIP
- CAMERA NOT INCLUDED

TORCH ADAPTER

Code: 415179¢

| RRP | |
|---------|--|
| € 42.00 | |

- TURN THE TORCH INTO A VIDEO LIGHT
- DESIGNED FOR FLEXIBLE ARM
- A QUICK, EASY AND RELIABLE SOLUTION
- 3 SIZES (S/21 MM M/27MM L/34 MM)
- STAINLESS STEEL WITH RUBBER PROTECTION





SOFT GOODMAN HANDLE

Code: 415180

| RRP | |
|---------|--|
| € 59.00 | |

- ADJUSTABLE HAND STRAP TO BE USED EVEN WITH THICK GLOVES
- SAFETY WRIST STRAP FOR A PERFECT FIT
- DOUBLE ADJUSTABLE VELCRO® BRAND FASTENERS
- CAN BE USED WITH ALL EOS LIGHTS
- RELIABLE AND STURDY MATERIAL
- ADDITIONAL D-RING TO SECURE THE TORCH

MARKER BEAM

| RRP | |
|---------|--|
| € 28.00 | |

- FLASHING LIGHT STICK
- SAFETY LEASH WITH STOP
- LR 44 BATTERIES





CRUISE BACKPACK PRO

Code: 415464

| RRP |
|----------|
| € 249.00 |



- TELESCOPING HANDLE
- LARGE STURDY WHEELS
- EXTERNAL FIN POCKETS WITH DRAINAGE SYSTEM
- ADJUSTABLE EXTERNAL COMPRESSION STRAPS
- BICOLOR, ULTRALIGHT BUCKLES
- AIR MESH HANDLE
- PADDED SHOULDER STRAPS
- INTEGRATED FRONT POCKETS WITH ZIP
- SIDE HANDLES
- A.T.O. AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

| Dimensions (LxWxH) | Unit Net Weight | Volume | |
|-------------------------------------|-----------------|----------------|--|
| 47 x 32 x 81cm / 18.5 x 12.5 x 32in | 5kg / 11lb | 128l / 7811in³ | |

CRUISE BACKPACK

Code: **415465**

| RRP | |
|----------|--|
| € 239.00 | |



- TELESCOPING HANDLE
- LARGE STURDY WHEELS
- EXTERNAL FIN POCKETS WITH DRAINAGE SYSTEM
- ADJUSTABLE EXTERNAL COMPRESSION STRAPS
- BICOLOR, ULTRALIGHT BUCKLES
- AIR MESH HANDI E
- PADDED SHOULDER STRAPS
- INTEGRATED FRONT POCKETS WITH ZIP
- SIDE HANDLES
- A.T.O. AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

| Dimensions (LxWxH) | Unit Net Weight | Volume | |
|-----------------------------------|-----------------|----------------------------|--|
| 40 x 31 x 80cm / 16 x 12 x 31.5in | 4.4kg / 9.7lb | 100l / 6071in ³ | |

CRUISE BACKPACK ROLLER

Code: 415466

| RRP | |
|-----|----------|
| | € 189.00 |



- EASY TO FOLD AND STOW
- LARGE STURDY WHEELS
- EXTERNAL FIN POCKETS WITH DRAINAGE SYSTEM
- ADJUSTABLE EXTERNAL COMPRESSION STRAPS
- BICOLOR, ULTRALIGHT BUCKLES
- AIR MESH HANDLE
- PADDED SHOULDER STRAPS
- INTEGRATED FRONT POCKETS
- LIGHTWEIGHT
- A.T.O. AIR TRAVEL OPTIMIZED



CRUISE BUDDY

Code: 415467

| RRP |
|----------|
| € 165.00 |



- TELESCOPING HANDLE
- WIDE WHEEL BASE FOR STABILITY
- ADJUSTABLE EXTERNAL COMPRESSION STRAPS
- TWO AIR MESH HANDLES
- INTEGRATED FRONT POCKETS WITH ZIPPERS
- ADJUSTABLE INTERNAL TIE-DOWN STRAPS
- BICOLOR, ULTRALIGHT BUCKLES
- BUSINESS CARD WINDOWS
- LIGHTWEIGHT
- A.T.O. AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

| Dimensions (LxWxH) | Unit Net Weight | Volume | |
|-------------------------------------|-----------------|----------------|--|
| 47 × 32 × 81cm / 18.5 x 12.5 x 32in | 3kg / 6.6lb | 128l / 7811in³ | |

| Dimensions (LxWxH) | Unit Net Weight | Volume |
|-------------------------------------|-----------------|---------------------------|
| 43 x 27 x 75cm / 17 x 10.5 x 29.5in | 3.5kg / 7.7lb | 87l / 5309in ³ |

CRUISE CAPTAIN

Code: 415472

RRP € 149.00



- TELESCOPING HANDLE
- WIDE WHEEL PLACEMENT
- EXPANDABLE POCKET WITH ZIPPER
- INTEGRATED FRONT POCKET
- WIDE INTERNAL MESH POCKET
- COMPRESSION STRAPS WITH BICOLOR, ULTRALIGHT BUCKLES
- TOP AND LATERAL SIDE AIR MESH HANDLES
- A.T.O. AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

| Dimensions (LxWxH) | Unit Net Weight | Volume |
|----------------------------------|-----------------|---------------|
| 36 x 22 x 55cm / 14 x 8.5 x 22in | 2.8kg / 6.2lb | 42l / 2563in³ |

CRUISE BACKPACK MESH DELUXE

Code: 415476

| RRP | |
|---------|--|
| € 82.00 | |
| | |

- STURDY PVC MESH NET
- ADJUSTABLE SHOULDER AND STERNUM STRAP
- LATERAL ZIP AND STURDY HANDLE
- BOTTOM PROTECTION
- INTERNAL POCKET
- WIDE EXTERNAL POCKET
- BOTTOM EXTENSION WITH DRAINAGE HOLE
- DRAWSTRING CLOSURE



TECHNICAL FEATURES

| Dimensions (LxWxH) | Unit Net Weight | Volume |
|-----------------------------------|-----------------|------------------|
| 41 x 41 x 75cm / 16 x 16 x 29.5in | 1.2kg / 2.6lb | 123.5l / 7536in³ |

CRUISE BACKPACK MESH ELITE

Code: **415477**

| RRP | |
|---------|---|
| **** | _ |
| € 65.00 | |
| - 50.00 | |

- CAN BE FOLDED INTO A SMALL BAG WITH HANDLE
- LIGHTWEIGHT
- INTEGRATED SOFT HANDLE
- BOTTOM PROTECTION
- INTERNAL POCKET
- WIDE EXTERNAL POCKET
- BOTTOM EXTENSION WITH DRAINAGE HOLE
- ADJUSTABLE SHOULDER STRAPS



TECHNICAL FEATURES

| Dimensions (LxWxH) | Unit Net Weight | Volume |
|-------------------------------------|-----------------|----------------------------|
| 39 x 39 x 74cm / 15.5 x 15.5 x 29in | 0.5kg / 1.1lb | 114l / 6956in ³ |

CRUISE X-STRAP

Code: 415469

| RRP | |
|----------|--|
| € 109.00 | |



- EASY TO FOLD
- TWO LARGE INTEGRATED POCKETS
- BICOLOR, ULTRALIGHT BUCKLES
- NEOPRENE HANDLES
- ADJUSTABLE, PADDED AND REMOVABLE SHOULDER STRAPS
- AUTO-BLOCKING ZIP
- EXTREMELY LIGHTWEIGHT



| Dimensions (LxWxH) | Unit Net Weight | Volume |
|---------------------------------|-----------------|---------------|
| 76 x 31 x 33cm / 30 x 12 x 13in | 1.2kg / 2.6lb | 76l / 4637in³ |

CRUISE CLASSIC

Code: 415473

| RRP |
|---------|
| € 89.00 |



- HANDLE AND SHOULDER STRAPS
- EXTERNAL FIN POCKET WITH BUCKLE
- ZIP POCKET FOR PERSONAL BELONGINGS
- STURDY AND LIGHTWEIGHT
- REINFORCED BOTTOM



CRUISE POOL

Code: **415468**

| RRP | |
|---------|--|
| € 45.00 | |
| | |



- EXTREMELY LIGHTWEIGHT
- EXTERNAL ZIP POCKET
- REINFORCED BOTTOM
- WIDE, LONG STRAP



TECHNICAL FEATURES

| Dimensions (LxWxH) | Unit Net Weight | Volume |
|-----------------------------------|-----------------|---------------|
| 76 x 29 x 36cm / 30 x 11.5 x 14in | 2kg / 4.4lb | 79l / 4821in³ |

TECHNICAL FEATURES

| Dimensions (LxWxH) | Unit Net Weight | Volume |
|---------------------------------|-----------------|---------------|
| 69 x 26 x 29cm / 27 x 10 x 11in | 0.7kg / 1.5lb | 50l / 3057in³ |

CRUISE JOURNEY

Code: **415470**

| 00 |
|----|
| |

- STYLISH DESIGN
- A CONCEPT FOR DAILY USE, THE OFFICE AND LEISURE
- ADJUSTABLE PADDED SHOULDER STRAPS
- DEDICATED LAPTOP POCKET WITH ZIP
- MULTIUSE ZIPPERED POCKETS
- EXPANDABLE SIDE POCKET
- BICOLOR, ULTRALIGHT BUCKLES
- SHOE COMPARTMENT
- WIDE STRAP TO ALLOW FOR ATTACHMENT TO A TELESCOPIC HANDLE
- CARRYING HANDLE
- ULTRALIGHT MATERIAL
- A.T.O. AIR TRAVEL OPTIMIZED



TECHNICAL FEATURES

| Dimensions (LxWxH) | Unit Net Weight | Volume | |
|----------------------------------|-----------------|---------------|--|
| 31 x 20 x 56cm / 12.2 x 8 x 22in | 1.2kg / 2.6lb | 35l / 2135in³ | |

CRUISE BEACH

Code: **415506**

| RRP | |
|---------|--|
| € 34.00 | |

- ADJUSTABLE SHOULDER STRAP
- CARRY HANDLE
- TWO OUTER POCKETS WITH ZIP CLOSURE
- MESH AREAS FOR BETTER AIR CIRCULATION
- LARGE OPENING FOR EASY ACCESS
- EXTREMELY LIGHT
- IDEAL FOR SNORKELING



| Dimensions (LxWxH) | Unit Net Weight | Volume | |
|--------------------------------------|-----------------|---------------|--|
| 73 x 27 x 17cm / 28.7 x 10.6 x 6.7in | 0.43kg / 0.95lb | 31l / 1891in³ | |

CRUISE DRY ROLLER



Code: **415485**

| RRP |
|----------|
| € 159.00 |



- WATERPROOF DUFFLE BAG WITH WHEELS FOR EASY TRANSPORTATION
- FOLDING CLOSURE SYSTEM
- ERGONOMIC SHOULDER STRAPS FOR CARRYING AS A BACKPACK
- LARGE EXTERNAL WATERPROOF POCKET
- INTERNAL WATERPROOF POCKET TO SAFELY STORE SMALL ITEMS



TECHNICAL FEATURES

| Dimensions (LxWxH) | | Unit Net Weight | Volume |
|--------------------|-------------------------------|-----------------|----------------------------|
| 100x3 | 3x65 cm / 39.4 x 13 x 25.6 in | 2.3 kg / 5lb | 140L / 8543in ³ |

CRUISE DRY ATTACK TITAN

Code: 415524

| R | RP |
|------|-------|
| € 11 | 15.00 |

- HEAT SEALED BAG WITHOUT STITCHING
- 500D TARPAULIN, STURDY AND LIGHTWEIGHT
- FOLDABLE WITH A LARGE INTERNAL VOLUME
- ADJUSTABLE HANDLES
- SIDE DRAIN VALVE



TECHNICAL FEATURES

| Dimensions (LxWxH) | Unit Net Weight | Volume | |
|---------------------------------------|-----------------|----------------|--|
| 90 x 46 x 35cm / 35.4 x 18.1 x 13.7in | 1.7kg /3.7lb | 144L / 8787in³ | |

CRUISE DRY D55

Code: 415451

| RRP | | |
|---------|--|--|
| € 98.00 | | |

- DRY 55L DUFFLE BAG
- DOUBLE CLOSURE SYSTEM
- LARGE INTERNAL VOLUME
- HAND STRAP & ADJUSTABLE SHOULDER STRAP
- STURDY 500D TARPAULIN
- IDEAL FOR WATERSPORTS AND OUTDOOR ACTIVITIES
- SVHC FREE MATERIAL

Code: **415450**

CRUISE DRY MBP15

RRP € 130.00

- MODULAR 15L BACKPACK
- ROLL NECK & BUCKLE CLOSURE SYSTEM
- ADJUSTABLE, PRE-SHAPED SHOULDER STRAPS
- PADDED BACKPACK
- ADJUSTABLE CHEST AND WAIST STRAPS
- REMOVABLE LAPTOP AND GADGET SLEEVE
- REMOVABLE MESH POCKET
- STURDY 500D TARPAULIN
- IDEAL FOR WATERSPORTS AND OUTDOOR ACTIVITIES
- SVHC FREE MATERIAL



TECHNICAL FEATURES

| Dimensions (LxWxH) | Unit Net Weight | Volume |
|-------------------------------------|-----------------|---------------|
| 60 x 30 x 55cm / 23.5 x 12 x 21.5in | 0.9kg / 2lb | 55l / 3356in³ |

| Dimensions (LxWxH) | Unit Net Weight | Volume | |
|----------------------------------|-----------------|--------------|--|
| 40 x 12 x 65cm / 16 x 5 x 25.5in | 1.2kg / 2.6lb | 15l / 915in³ | |

CRUISE DRY T

T35 Code: **415452** RRP € 32.00

T25 Code: **415453**

RRP € 27.00

€ 20.00

€ 18.00

T10 Code: 415454

Code: 415455

■ DRY BAG TUBULAR AVAILABLE IN FOUR SIZES AND COLORS

- COLOR & SIZE SYSTEM
- ADJUSTABLE SHOULDER STRAP
- QUICK CLOSURE SYSTEM
- STURDY 500D TARPAULIN
- IDEAL FOR WATERSPORTS AND OUTDOOR ACTIVITIES
- SVHC FREE MATERIAL



CRUISE DRY BP75 ULTRALIGHT

Code: 415460

| | RRP | |
|--|---------|--|
| | | |
| | € 62.00 | |
| | 0 02.00 | |

- ROLLING CLOSURE SYSTEM
- ADJUSTABLE, PADDED SHOULDER STRAPS
- ADJUSTABLE WAIST STRAPS
- STURDY, LIGHTWEIGHT 210D POLYESTER
- FRONT POCKET WITH WATERPROOF ZIPPER
- IDEAL FOR WATER SPORTS AND OUTDOOR ACTIVITIES
- SVHC FREE MATERIALS



TECHNICAL FEATURES

| Dimensions (LxWxH) | Unit Net Weight | Volume |
|--|-----------------|---------------|
| 41 x 22.5 x 83cm / 16.1 x 8.8 x 32.6in | 0.40kg / 0.89lb | 75l / 4577in³ |

CRUISE DRY BP18 - LIGHT

Code: 415480

| RRP | |
|---------|--|
| | |
| € 99.00 | |

- IDEAL FOR WATERSPORTS AND OUTDOOR ACTIVITIES
- STYLISH DESIGN, AVAILABLE IN TWO COLORS
- AIR CROSSOVER SYSTEM: BETTER AIR CIRCULATION IN THE BACK AREA
- ROLLING CLOSURE SYSTEM
- STURDY AND LIGHTWEIGHT
- FRONT POCKET WITH DRY ZIP
- ADJUSTABLE, PRE-SHAPED, COLORED SHOULDER STRAPS
- ADJUSTABLE CHEST STRAPS



| Dimensions (LxWxH) | Unit Net Weight | Volume |
|----------------------------|-----------------|---------------|
| 23cm x 60cm / 9in x 23.6in | 0.40kg / 0.89lb | 18l / 1098in³ |

CRUISE DRY ULTRALIGHT

T25 - ULTRALIGHT Code: 415461

T10 - ULTRALIGHT

Code: **415462**

| RRP | |
|---------|--|
| € 19.50 | |

€ 25.00

T5 - ULTRALIGHT

Code: **415463**

| RRP | |
|---------|--|
| € 15.50 | |

- REINFORCED, LIGHTWEIGHT POLYESTER
- QUICK CLOSURE SYSTEM
 - HEAT-SEALED STITCHING
- FULLY WATERPROOF
- EXCELLENT FOR WATER SPORTS
- IDEAL FOR OUTDOOR ACTIVITIES
- AVAILABLE IN THREE DIFFERENT SIZES
- SVHC FREE MATERIALS







CRUISE CARPET

Code: 415478

| RRP | |
|---------|--|
| € 62.00 | |

- DOUBLE USE BAG
- DRY CARPET FOR DONNING AND DOFFING DIVE GEAR
- QUICK AND EASY TO FOLD
- DRAWSTRING CLOSURE
- EXTREMELY LIGHTWEIGHT



CRUISE REG

Code: **415471**

| RRP |
|---------|
| € 25.00 |

- ADJUSTABLE SHOULDER STRAP
- INTERNAL ZIPPERED MESH POCKET
- VELCRO® BRAND FASTENERS TO ATTACH REGULATORS
- BUSINESS CARD POCKET
- COLORED, MICRO-INJECTED ZIPPER PULLERS W/MARES LOGO



TECHNICAL FEATURES

| Dimensions (D*) | Unit Net Weight | Volume |
|-----------------|-----------------|---------------|
| 140cm / 55in | 0.8kg / 1.7lb | 75l / 4577in³ |

| Dimensions (LxWxH) | Unit Net Weight | Volume |
|--------------------------|-------------------|--------------------|
| 26×10×36 cm / 10"×4"×14" | 0,25 kg / 0.55 lb | 9.4 l / 573 cu.in. |

CRUISE MESH

Code: **415576**

| RRP | |
|--------|----|
| € 57.0 | 10 |

- FULL MESH
- TO STORE SCUBA DIVING OR FREE DIVING EQUIPMENT
- CAN BE FOLDED INTO A ROUND BAG WITH HANDLE



CRUISE DIVER

Code: **415475**

| F | RP |
|----|-------|
| €: | 35.00 |

- ADJUSTABLE SHOULDER STRAP
- DEDICATED POCKET FOR COMPUTER AND INTERFACE
- MOBILE PHONE POCKET
- MANY PLACES FOR ELECTRONIC DEVICES
- KEY HOLDER
- CARD HOLDER



MESH BAG

Code: **415515**



- PRACTICAL AND COMPACT MESH SACK
- EASY TO CARRY AN
- IDEAL FOR SNORK



CRUISE PEARL

| RRP | |
|---------|--|
| € 15.00 | |
| | |

- VELCRO® BRAND CLOSURE
- TO STORE AND PROTECT YOUR MASK
- CAN BE ATTACHED TO BELT
- DEDICATED ANTIFOG POCKET





















| Bag | Cruise Backpack Pro | Cruise Backpack | Cruise Backpack Roller | Cruise Buddy | Cruise Captain | Cruise Backpack Mesh Deluxe | Cruise Backpack Mesh Elite | Cruise X-Strap |
|-----------------------------|------------------------|--------------------|---------------------------|------------------------|-------------------|--------------------------------|-------------------------------|--------------------------|
| Code | 415464 | 415465 | 415466 | 415467 | 415472 | 415476 | 415477 | 415469 |
| Dimensions (LxWxH) | 47 x 32 x 81cm | 40 x 31 x 80cm | 47 × 32 × 81cm | 43 x 27 x 75cm | 36 x 22 x 55cm | 41 x 41 x 75cm | 39 x 39 x 74cm | 76 x 31 x 33cm |
| Unit Net Weight | 5kg | 4.4kg | 3kg | 3.5kg | 2.8kg | 1.2kg | 0.5kg | 1.2kg |
| Volume | 1281 | 1001 | 1281 | 871 | 42l | 123.5l | 114l | 76l |
| A.T.O. Air Travel Optimized | • | • | • | • | • | | | • |
| Heavy Duty Wheels | • | • | - | • | • | | | |
| Backpack System | • | • | • | | | • | • | • |
| Foldable System | | | • | | | | • | |
| RRP | € 249.00 | € 239.00 | € 189.00 | € 165.00 | € 149.00 | € 82.00 | € 65.00 | € 109.00 |















| Bag | Cruise Classic | Cruise Pool | Cruise Journey | Cruise Beach | Cruise Carpet | Cruise Reg | Cruise Mesh |
|-----------------------------|--------------------------|-----------------------|--------------------------|------------------------|-------------------------|----------------------|-----------------------|
| Code | 415473 | 415468 | 415470 | 415506 | 415478 | 415471 | 415576 |
| Dimensions (LxWxH) | 76 x 29 x 36cm | 69 x 26 x 29cm | 31 x 20 x 56cm | 73 x 27 x 17cm | 140cm | 26 x 10 x 36cm | 95.3 x 38.1 x 38.1cm |
| Unit Net Weight | 2kg | 0.7kg | 1.2kg | 0.43kg | 0.8kg | 0.25kg | 0.67kg |
| Volume | 791 | 501 | 351 | 311 | 751 | 9.41 | 108.51 |
| A.T.O. Air Travel Optimized | • | • | | | | | |
| Backpack System | | | • | | | | |
| Foldable System | | | | | • | | • |
| RRP | € 89.00 | € 45.00 | € 145.00 | € 34.00 | € 62.00 | € 25.00 | € 57.00 |













| Dry Bag | Cruise Dry Attack Titan | Cruise Dry Roller | Cruise Dry D55 | Cruise Dry MBP15 | BP18 Light | BP75 Ultralight |
|-----------------|----------------------------|-----------------------------|--------------------------|-----------------------|--|---------------------------|
| Code | 415524 | 415485 | 415451 | 415450 | 415480 | 415460 |
| Density | 500 D Polyurethane | 500 D Polyurethane | 500 D Polyurethane | 500 D Polyurethane | Body: 210 D Polyurethane, Bottom: 420 D Polyurethane | 210 D Polyurethane |
| Dimension (DxH) | 90 x 46 x 35cm | 100x33x65 cm | 60 x 30 x 55cm | 40 x 12 x 65cm | 23cm x 60cm | 41 x 22.5 x 83cm |
| Unit Net Weight | 1.7kg | 2.3 kg | 0.9kg | 1.2kg | 0.40kg | 0.40kg |
| Volume | 144L | 140L | 55L | 15L | 181 | 751 |
| RRP | € 115.00 | € 159.00 | € 98.00 | € 130.00 | € 99.00 | € 99.00 |















| Dry Bag | Т5 | T10 | T25 | Т35 | T5 Ultralight | T10 Ultralight | T25 Ultralight |
|-----------------|-----------------------|-----------------------|-----------------------|-----------------------|-------------------------|--------------------------|--------------------------|
| Code | 415455 | 415454 | 415453 | 415452 | 415463 | 415462 | 415461 |
| Density | 500 D Polyurethane | 500 D Polyurethane | 500 D Polyurethane | 500 D Polyurethane | 75 D Polyester | 75 D Polyester | 210 D Polyester |
| Dimension (DxH) | 16.5cm x 29cm | 19.5cm x 33.5cm | 25.5cm x 56.5cm | 25.5cm x 69cm | 15cm x 48cm | 20cm x 35cm | 24cm x 57.5cm |
| Unit Net Weight | 0.14kg | 0.17kg | 0.35kg | 0.40kg | 0.05kg | 0.06kg | 0.11kg |
| Volume | 51 | 101 | 251 | 351 | 51 | 101 | 251 |
| RRP | € 18.00 | € 20.00 | € 27.00 | € 32.00 | € 15.50 | € 19.50 | € 25.00 |

FORCE PLUS

Code: 415626

| RRP | |
|---------|--|
| € 82.00 | |

- SOFT OVERMOLDED ERGONOMIC HANDLE
- FITS ON MARES BCDS, BAGS AND HOSES
- EASY RELEASE SYSTEM, EVEN WITH GLOVES



TECHNICAL FEATURES

| Blade | Stainless Steel - PVD Coated |
|--------------|------------------------------|
| Blade length | 100mm / 3.9in |

FORCE NANO PLUS

Code: 415627

| RRP | |
|---------|--|
| € 72.00 | |

- SOFT OVERMOLDED ERGONOMIC HANDLE
- FITS ON MARES BCDS, BAGS AND HOSES
- EASY RELEASE SYSTEM, EVEN WITH GLOVES



TECHNICAL FEATURES

| Blade | Stainless Steel - PVD Coated |
|--------------|------------------------------|
| Blade length | 65mm / 2.6in |

STANDARD MARKER

Code: 415709

| RRP | |
|---------|--|
| € 29.00 | |

- HIGHLY VISIBLE EGG SHAPE
- ONE PIECE CONSTRUCTION WITH INTEGRATED FLAG
- TWO-CHAMBER CONSTRUCTION FOR SAFE
 AND AN UPRIGHT POSITION
- 20 M ROPE
- VARIOUS HOOKS



TORPEDO

Code: 415721

| RRP | |
|---------|--|
| € 28.00 | |

- LOW-DRAG TOPEDO SHAPE FOR EASY TOWING
- HIGH VISIBLITY ORANGE COLOR
- TWO-CHAMBER CONSTRUCTION FOR SAFETY AND AN UPRIGHT POSITION
- 20M ROPE
- SIX UNIVERSAL ADJUSTMENT CONNECTORS



COMPACT REEL

| RRP | |
|---------|--|
| € 39.00 | |

- FOLDABLE HANDLES
- DOUBLE ENDED CARABINER
- 30M / 100 FT LINE



DIVER MARKER BUOY/ALL IN ONE

Code: **415753**

RRP € 75.00

- 180CM HEIGHT
- 5CM / 2" SOLAS REFLECTIVE TAPE
- EXTREMELY LIGHTWEIGHT
- "DIVER BELOW" REFLECTIVE WRITING
- INTEGRATED MESH POCKET FOR SPOOL
- 20M / 66FT SPOOL INCLUDED
- STAINLESS STEEL D-RING
- DOUBLE ENDER STAINLESS STEEL CARABINER
- ORAL INFLATE CONNECTOR FOR LP BCD HOSE
- OVER PRESSURE RELEASE VALVE
- VELCRO® BRAND CLOSURE



DIVER'S ALERT MARKER

Code: 415743

RRP € 88.00

- 180CM TALL AND 15CM WIDE FOR HIGH VISIBILITY
- SOLAR REFLECTIVE TAPE
- AUTOMATIC SEAL SYSTEM
- ORAL INFLATION CONNECTOR FOR LP BCD HOSE
- PRESSURE RELEASE VALVE
- DEDICATED POCKET FOR LIGHT
- STAINLESS STEEL DRING



COMPACT

Code: 415742¢

| RRP | |
|---------|--|
| € 49.00 | |

- ORANGE DIVER MARKER BUOY
- 10M LINE
- 300G -2/3 LB SHAPED LEAD WEIGHT
- NYLON SACK WITH CARABINER



STANDARD INFLATABLE

| RRP |
|---------|
| € 30.00 |

- HIGH VISIBLILTY ORANGE COLOR
- FOLDING BAG WITH HOOK
- 20M ROPE AND VARIOUS HOOKS
- INTEGRATED WEIGHTS FOR PROPER SURFACE FLOTATION
- FITS IN BCD POCKET



UNIVERSAL HANGER

Code: 415177

| RRP | |
|---------|--|
| € 17.00 | |

- HOLDS UP TO 15 DIFFERENT ITEMS
- UNIQUE MARES DESIGN
- STURDY AND ROBUST
- EQUIPMENT PERFECTLY ORGANIZED



DRYSUIT HANGER

Code: 415713



- PERFECT FOR DRY SUITS WITH BOOTS
- BETTER VENTILATION BECAUSE THE DRY SUIT IS UPSIDE DOWN
- STURDY AND SIMPLE TO USE



WEIGHT BELT

Code: 415122

| RRP | |
|---------|--|
| € 16.50 | |

■ QUICK RELEASE PLASTIC BUCKLE



STAINLESS STEEL BELT

Code: 415123

| RRP | | | | |
|---------|--|--|--|--|
| € 25.00 | | | | |

■ QUICK RELEASE STAINLESS STEEL BUCKLE



LIQUID PATCH

Code: 415181 BK / GR



- IDEAL FOR REPAIRING HOLES AND SMALL CUTS
- CAN BE USED ON NEOPRENE, BC VESTS, DRY SUITS AND MORE
- AVAILABLE IN BLACK AND GREY
- EASY TO USE, JUST THREE STEPS
- FLEXIBLE AND ELASTIC
- 20G



SILICONE GREASE

Code: 415102



- IDEAL FOR MAINTENANCE AND TO LUBRICATE O-RINGS
- MADE IN COMPLIANCE WITH LATEST REGULATIONS
- 20 ML



SCUBA CLEAN

Code: 415905 Desk Exhibitor (12pcs)



- MARES SANITIZER FOR ALL SCUBA GEAR
- TRIPLE ACTION: FUNGICIDE, BACTERICIDE AND VIRUCIDE
- OFFERS TOTAL DISINFECTION, CLEANLINESS AND SANITIZIATION
- COMPATIBLE WITH PLASTIC, NYLON, NEOPRENE AND METAL
- 125ML



SHELL REGULATOR

Code: 415866

| RRP | |
|---------|--|
| € 33.00 | |

- PERFECT SIZE FOR STORING REGULATORS
- DEDICATED HANDLE FOR EASY CARRYING
- SHOCKPROOF CASE
- STURDY ZIPPER
- MARES MICRO-INJECTED LABEL
- SILVER PIPING



DIVING BOX

Code: 415516 (4 pcs)

RRP € 149.00

- TO STORE, PROTECT AND CARRY DIVING EQUIPMENT
- SIZES: 82X42X38CM
- 130L CAPACITY
- REMOVABLE HANDLE
- RELIABLE WHEELS
- STURDY MATERIAL



SHELL OVAL

Code: 415864

| RRP | |
|---------|---|
| € 16.50 | Ī |

- SHOCKPROOF CASE
- STURDY ZIPPER
- MARES MICRO-INJECTED LABEL
- SILVER PIPING
- PERFECT FOR TORCHES, MASKS AN



AIR NOZZLE

Code: **415724**

| | Ξ |
|---------|---|
| RRP | |
| € 30.00 | |

- EASY TO USE
- QUICK CONNECTION AND DISCONNECTION
 FROM LP INFLATOR HOSE
- USE AIR TO CLEAN AND DRY
- NOT ONLY FOR SCUBA EQUIPMENT



SHELL ROUND

Code: **415865**

| RRP | | | |
|---------|--|--|--|
| € 14.50 | | | |

- SHOCKPROOF CASE
- STURDY ZIPPER
- MARES MICRO-INJECTED LABEL
- SILVER PIPING
- IDEAL FOR DIVE COMPUTERS



PERSONAL DRY BOX

Code: 415727

| RRP |
|---------|
| € 13.50 |
| |

- LANYARD FOR TRANSPORTATION
- DRY SEAL FOR WATERTIGHT CLOSURE
- SLEEK DESIGN
- SMALL AND DURABLE



MAGNETIC SHAKER

Code: 415172

| RRP |
|---------|
| € 43.00 |

- SPECIAL MAGNETIC SYSTEM
- TO PREVENT UNWANTED AND IRRITATING NOISE
- LIGHTWEIGHT AND EASY TO STORE
- EASY TO USE WITH JUST A SIMPLE DOWNWARD MOVEMENT



UNDERWATER SLATE

| RRP |
|---------|
| € 13.90 |

- BRIGHT WHITE WRITING SLATE
- COMPACT SIZE: 12 X 15CM
- HOOK SYSTEM TO ATTACH TO YOUR BCD
- QUICK RELEASE BUCKLE
- STANDARD REPLACEABLE PENCIL WITH SILICONE TUBE



TANKS

Code: 415185 10l Single Valve

Code: 415186 12l Single Valve

Code: 415187 15l Double Valve

- SINGLE PIECE CONSTRUCTION IN STEEL ALLOY
- 3 SIZES : 10L, 12L AND 15L
- MEETS REQUIREMENTS OF DIRECTIVE 2014/68EU
- INT/DIN VALVE CONNECTION
- RUBBER BOOT
- OPTIONAL SECOND CONNECTION FOR 10L AND 12L SINGLE VALVE



| Code | 415185 | 415186 | 415187 |
|------------------------|--|-----------------|---------------|
| Volume | 10 liters | 12 liters | 15 liters |
| Valve | Single | | Double |
| Weight | 13.5kg / 29.6lb | 16.5kg / 36.5lb | 20kg / 44.1lb |
| Height | 67cm / 26.4in | 61cm / 24.0in | 71cm / 28in |
| Diameter | 18cm / 7.0in | 22cm / 8.6in | |
| Operating pressures | 232 bar | | |
| Material | Heat-treated steel | | |
| Internal coating | Phosphate coating and anti-corrosion treatment | | |
| Black external coating | Soft touch polyurethane coating | | |

TANK NETS - 10L

Code: 415749 10l YL

RRP € 16.50

Code: **415731 12l BL**

Code: 415730 15l BK

RRP € 16.00

- HIGH QUALITY NYLON
- VARIOUS COLORS & SIZES
- 10L/YELLOW, 12L/BLUE AND 15L/BLACK



VALVE 2ND CONNECTION

Code: 45200439 - Left

- INT/DIN VALVE CONNECTION
- OPTIONAL FOR 10 AND 12 LITER TANK VALVES



DIVER TOOL KIT

Code: **415726**



- IDEAL FOR TROUBLE-SHOOTING ON DIVING EQUIPMENT
- 20 TOOLS INCLUDING SPANNERS, SCREWDRIVERS, PLIERS, ALLEN KEYS AND MORE
- HANDY SIZE ZIPPERED CASE
- EASY STORAGE



MULTI TOOLS

Code: 415701 Multi Tools Pro

Code: 415703 Multi Tools Tech

RRP € 39.00

- TW0 VERSIONS FOR ALL NEEDS
- TECH: VARIOUS SPANNERS AND SCREWDRIVERS
- PRO: VARIOUS SPANNERS AND ALLEN WRENCHES
- HIGH QUALITY STAINLESS STEEL WITH NICKEL COATING
- EASY TO USE
- EXCLUSIVE MARES DESIGN
- OVERMOLDED HANDLE WITH MARES LOGO





ROVER 15X

Code: 416254 INT / DIN 300

RRP € 299.00



2ND STAGE

- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE

1ST STAGE

- DFC PORT
- PRE-ORIENTED PORTS
- COMPACT SIZE
- SANDBLASTED FINISH

ROVER 2S

Code: 416255 INT / DIN 300

RRP € 189.00



2ND STAGE

- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE

1ST STAGE*

- LIGHTWEIGHT, STURDY AND COMPACT
- PISTON CONTROL
- DEDICATED PLACE FOR RFID CHIP





TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar | |
|-------------------------------|-----------------------|---------------|--------------------------|--|
| tage | Weight | 772g | 598g | |
| 1st Stage | High pressure ports | 2 HP 7/ | 2 HP 7/16" UNF | |
| - | Low pressure ports | 4 LP 3 | 4 LP 3/8" UNF | |
| ae | Weight | 1' | 190g | |
| 2nd Stage | Material / Technology | Ultralight Te | Ultralight Technopolymer | |
| 2nc | LP Hose Type/Length | Rubber h | Rubber hose / 80cm | |
| Total weight (including hose) | | 1107g | 933g | |

ACCESSORIES

| 15X | 416237 | Page 25 |
|---------------|--------|----------|
| Octopus Rover | 416557 | Page 139 |
| DIN Connector | 416809 | Page 29 |

TECHNICAL FEATURES

| | Туре | INT | DIN 300 bar |
|-------------------------------|-----------------------|--------------------------|-------------|
| 1st Stage | Weight | 608g | 432g |
| | High pressure ports | 1 HP 7/16" UNF | |
| | Low pressure ports | 4 LP 3/8" UNF | |
| ge | Weight | 190g | |
| 2nd Stage | Material / Technology | Ultralight Technopolymer | |
| - Š | LP Hose Type/Length | Rubber hose / 80cm | |
| Total weight (including hose) | | 977g | 978g |

ACCESSORIES

| 2S | 416232 | Page 25 |
|---------------|--------|----------|
| Octopus Rover | 416557 | Page 139 |
| DIN Connector | 416809 | Page 29 |

^{*} Picture not to scale

OCTOPUS ROVER

Code: **416557**

| RRP |
|---------|
| € 89.00 |



- EASY-TO-USE PURGE BUTTON WITH DYNAMIC HINGE DESIGN
- VAD SYSTEM WITH FLUID DYNAMIC DEFLECTOR
- MID-SIZE
- OVERSIZED PURGE BUTTON
- RUBBER HOSE



| GE | Weight | 190g |
|-------------------------------|-----------------------|--------------------------|
| STA | Material / Technology | Ultralight Technopolymer |
| 2ND | LP Hose Type /Length | Rubber hose/ 100cm |
| Total weight (including hose) | | 365g |



PUCK PRO+

Code: **414135**

| RRP |
|----------|
| € 249.00 |

- SLIM DESIGN FOR A PERFECT FIT
- INTUITIVE USER INTERFACE WITH ONE-BUTTON SIMPLICITY
- LOGBOOK CAPACITY 35 HOURS OF DIVE PROFILE AT 5-SECOND SAMPLING RATE
- UPGRADEABLE FIRMWARE
- BOTTOM TIMER MODE WITH RESETTABLE AVERAGE DEPTH AND STOPWATCH
- USER-REPLACEABLE BATTERY
- DOES NOT INCLUDE INTERFACE AND SOFTWARE FOR DOWNLOADING TO PC



EXPLORER



Code: 417229

| RRP | |
|----------|--|
| € 255.00 | |

- KID/JUNIOR BCD WITH A DEDICATED BACKPACK
- 2 COMFORTABLE POCKETS WITH VELCRO® BRAND CLOSURE
- SPECIALLY DESIGNED OCTOPUS AND PRESSURE GAUGE POCKETS
- OPTIONAL TRIM WEIGHTS TO BE PLACED ON TANK STRAP
- TANK BAND: DEDICATED ADAPTABLE SHORTER TANK BAND TO FIT SMALLER TANKS
- 1 SIZE FITS ALL, FROM 8 12 YEARS, THANKS TO A DEDICATED ADJUSTMENT SYSTEM



TECHNICAL FEATURES

| Battery | Туре | CR2450 |
|---------|----------|---------------------|
| Battery | Duration | 200-300 dives |
| Nitrox | | EAN from 21% to 99% |

ACCESSORIES

| Dive Link 2 USB | 414316 | Page 41 |
|-----------------|--------|---------|
| Bluelink Pro | 414317 | Page 40 |

TECHNICAL FEATURES

| Explorer | 3XS |
|----------|----------------|
| Weight | 1.8kg |
| Buoyancy | 70N [7.8kg] |

ACCESSORIES

| Trim Weight | 417964 | Page 55 |
|------------------------|--------|----------|
| Weight Pocket Explorer | 417965 | Page 140 |

MISSION 1

Code: 414417

| RRP |
|----------|
| |
| € 109.00 |
| |

- BRASS CASE
- TECHNOPOLYMER WINDOW
- PHOSPHORESCENT DIAL FACE
- PROTECTIVE RUBBER CONSOLE
- MULTIPLE ATTACHMENT POINTS



WEIGHT POCKET EXPLORER

Code: 417965 - PAIR

| RRP | |
|---------|--|
| € 39.00 | |

- EXPANDS THE CAPABILITY OF THE SCUBA RANGER BC
- RELEASEABLE WEIGHT POCKETS FIT INTO CARGO POCKETS FOR EASY ACCESS
- CAPACITY 1 KG / 2LBS



MARES / EXPLORER JUNIOR LINE



Scuba Ranger Suits

Explorer BCD

SCUBA RANGER

Code: 412373 Jacket ◊

| | _ |
|----------|---|
| RRP | |
| € 129.00 | |
| | |

Code: 412374 Long John ◊

| RRP | |
|----------|--|
| € 109.00 | |

- DEDICATED KID'S TWIN SUIT: LONG-SLEEVED, HOODED JACKET AND LONG JOHN (SOLD SEPARATELY)
- JACKET AND LONG JOHN CAN BE WORN TOGETHER OR SEPARATELY ACCORDING TO
- DEDICATED DESIGN AND COLOR FOR KIDS: SHOULDERS AND ZIPPERS IN LIME
- VARIED THICKNESSES STRATEGICALLY PLACED IN DIFFERENT AREAS OF THE BODY FOR COMFORT AND FREEDOM OF MOVEMENT
- EASY DONNING AND DOFFING



TECHNICAL FEATURES

| Thickness | 5mm | | | | | | | |
|-------------|----------|-----|-----|-----|--|--|--|--|
| Fabric Type | Neoprene | | | | | | | |
| Sizes | -3 | -2 | -1 | 0 | | | | |
| Ages* | 8Y | 10Y | 12Y | 14Y | | | | |

CLASSIC NG

Code: 412634

| RRP | |
|---------|--|
| € 65.00 | |

- EASY DONNING AND DOFFING
- LIGHTWEIGHT IDEAL FOR TRAVELLING
- ANTI-SLIP SOLE



| Thickness | 5 mm | | | | | | | | | | |
|-----------|------|---|---|---|---|---|---|----|----|----|----|
| Sizes | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 |

^{*} Ages indicated in the table are purely for reference ◊ Please note that some sizes are only available while stocks last

RASH GUARD JUNIOR

LONG SLEEVECode: **412500 Boy**Code: **412501 Girl**

| RRP | |
|---------|--|
| € 42.00 | |

| SHO |)R | ٢S | Ŀ | ΕV | Ξ |
|-----|----|----|---|----|---|
| | | | | _ | |

Code: **412506 Boy** Code: **412507 Girl**

| RRP | |
|---------|--|
| € 33.00 | |

- LIGHTWEIGHT AND COOL MATERIAL
- UPF+50 PROTECTION
- QUICK DRYING
- ULTRA COMFORTABLE FLAT SEAMS
- DEDICATED CUT FOR CHILDREN



TECHNICAL FEATURES

| Thickness | | | - | | |
|-------------|---------------------|------|-------|-------|-------|
| Fabric Type | Polyester / Spandex | | | | |
| Sizes | XS | S | М | L | XL |
| Ages* | 8/9 | 9/10 | 10/11 | 11/12 | 12/13 |





COMET

Code: **411059**

| RRP | |
|---------|--|
| € 39.00 | |

- MONOLENS MASK FOR CHILDREN
- SILICONE SKIRT
- AMPLE FIELD OF VISION
- LIGHTWEIGHT
- STRAP WITH QUICK-RELEASE BUCKLES



COLOR VARIATIONS









IWRI

PKWPK

PLUTO

Code: **411486**

| RRP |
|---------|
| KKI |
| € 23.00 |
| € 23.00 |

- 100% DRY TOP SNORKEL DEDICATED TO JUNIC
- SLIDING SNORKEL KEEPER
- SILICONE MOUTHPIECE
- EXHAUST VALVE
- WHISTLE ON BOTTOM AS SAFETY DEVICE



PLANA AVANTI X3


Code: 410001¢

| RRP | |
|---------|--|
| € 79.00 | |

- ABS PLUS BUCKLE FOR ONE HAND ADJUSTMENT
- 3 CHANNELS FOR MAXIMUM THRUST
- STABILIZING TRIM TABS
- MID-SIZE BLADE WITH DURABLE CONSTRUCTION



COLOR VARIATIONS





| Sizes | XS |
|-------|-----------------|
| Blade | 33 cm / 13.0 in |



PROMO MATERIAL

BASEBALL CAP

Code: **449025**

- 100% COTTON
- EMBROIDERED MARES LOGO





HAT PURE PASSION


Code: 449242

- MICROFLEECE HAT
- 100% POLYESTER
- EMBROIDERED PURE PASSION LOGO



NECKWARMER

- MICROFIBER ORIGINAL BUFF
- PRINTED ALL LOGOS (MARES, XR, PP, DC)







POP PURE WIRE

Code: 449671

- CARDBOARD DISPLAY
- SIZE: APPROX 44 X 35 X 41 cm



MASK DISPLAY FOR SLATWALLS

Code: 449668

- ACRYLIC DISPLAY
- SIZE: APPROX. 12X13 cm



SNORKEL DISPLAY FOR SLATWALLS

Code: **449669**



TENT

Code: 449932

- ALUMINIUM TENT WITH TOP
- SIZE: APPROX 3X3 m



SIDE PANELS FOR TENT

Code: 449942


■ 2 PCS



TOP FOR TENT

Code: **449941**

■ SPARE PART



BANNER PVC

Code: **449919**

Code: 449918

- SIZE: 150X50 cm
- SIZE: 3X1 m
- 100% PVC

PEN FLAG


Code: **449910**

Code: 449911

- SIZE: 40X180 cm INDOOR (WITH BASE)
- SIZE: 40X300 cm OUTDOOR (WITHOUT BASE)
- 100% NYLON







FLAG

- SIZE: 140X90 cm
- 100% NYLON



DISPLAY BLACK TANK 12L

Code: **449660**

- DIAMETER: 170 mm CIRCUMFERENCE: 542 mm HEIGHT: 645 mm
- TANK NECK THREAD: M25X2 EN144-1 NO VALVE SUPPLIED
- WEIGHT: 1.8 Kg
- BLACK



PEN FLAG

Code: **449945**

- SIZE: 40X180 cm INDOOR (WITH BASE)
- 100% NYLON



FLAG

Code: 449946

■ SIZE: 140X90 cm

STICKER

- SIZE: 20X5 cm
- 1 PACK = 50 PCS





PEN FLAG

Code: **449221**

- SIZE: 40X180 cm INDOOR (WITH BASE)
- 100% NYLON



- SIZE: 4,5X16 cm
- 1 PACK = 50 PCS







GRID DISPLAY

Code: 449683

- DIMENSIONS 100x200x35 cm
- MOVABLE WITH 4 WHEELS
- DISPLAY SPACE ON BOTH SIDES

HOOKS FOR GRID DISPLAY

Code: 449685

■ METAL HOOKS



SSI EDUCATIONAL PROGRAM

- THE QR CODE ON AQUAZONE PACKAGING SENDS THE USER TO A FREE SSI TRAINING VIDEO WHICH COVERS THE BASICS OF SNORKELING GEAR AND SOME USEFUL SAFETY TIPS
- AFTER COMPLETING THE REGISTRATION, CUSTOMERS CAN:
 - TAKE PART IN A PRACTICAL SSI SNORKELING MODULE AT THEIR NEAREST SSI TRAINING CENTER
 - CONTINUE THEIR DIVING EDUCATION WITH FURTHER SSI PROGRAMS AND CERTIFICATIONS



BANNER PVC

Code: **449922**

Code: 449921

- SIZE: 150X50 cm
- SIZE: 3X1 m
- 100% PVC



449921



PEN FLAG

Code: **449923**

Code: 449924

- SIZE: 40X180 cm INDOOR (WITH BASE)
- SIZE: 40X300 cm OUTDOOR (WITHOUT BASE)

■ 100% NYLON



FLAG

Code: 449920

- SIZE: 140X90 cm
- 100% NYLON

BOAT FLAG

- SIZE: 60X50 cm
- 100% NYLON









SEMINARS 2022



THE MARES LAB SERVICE TECHNICIAN TRAINING PROGRAM

Mares Service Technician Training Courses are available throughout the world and are designed and developed based on proven effective instructional system design principals. They are the dive industry's first and only competency based service technician training courses offered worldwide that are produced and conducted by a major dive equipment manufacturer. This means you'll receive the same high quality and educationally valid training regardless of where in the world you participate in a Mares Service Technician Training Course.



BASIC SERVICE TECHNICIAN DIGITAL LEARNING COURSE

This highly interactive online digital learning course is delivered to the learner using the latest Educational Management System (EMS) technology. The EMS platform technology along with extensive use of video and graphic content enhances learning and retention of information and produces a highly enjoyable educational experience. The course is open to anyone, and can be accessed by contacting the local Mares Subsidiary or Distributor. Take this course as the first step to becoming a fully qualified Mares Service Technician, or if you simply want to learn the basics of regulator design and service and/or repair. This course is a prerequisite requirement for most Mares Lab Skill Based Training Courses. Completion of this course does not qualify you to service or repair Mares equipment.



The course goals are to:

- 1. Establish your basic knowledge level relating to regulator service and repair procedures.
- $2.\ Provide\ you\ with\ basic\ information\ about\ regulator\ design\ and\ function.$
- 3. Provide you with Mares specific information relating to service and repair procedures, manufacturing processes and product information.
- 4. Help prepare you for success in one or more Mares Lab Skill Based Training Courses.

Prerequisite Requirements:

Course is open to anyone.

MARES LAB SKILL BASED TRAINING COURSES

- MARES SERVICE TECHNICIAN
- MARES DIVING CENTER SERVICE TECHNICIAN
- MARES SPECIALTY SERVICE TECHNICIAN



After successfully completing the Basic Service Technician Digital Learning Course, you are now ready to progress to the skill based training phase of becoming a qualified Mares Service Technician. These courses are conducted by qualified Mares Lab Instructors and consist of comprehensive hands-on training exercises. During these courses you will have the opportunity to perform multiple service procedures on a wide variety of Mares products, including multiple complete regulator service overhauls on various Mares regulators. You'll also gain valuable experience in using the Mares Service Manual and Spare Parts Catalog during routine and special service procedures. Skill based training courses are designed to:

- 1. Provide comprehensive, real world, hands-on training about how to service and repair Mares products.
- 2. Enhance the knowledge gained from the Basic Service Technician Digital Learning Course.
- 3. Develop skills and abilities to the level required to successfully perform service and repair procedures on Mares products.
- 4. Prepare you for a successful full or part-time career as a Mares Service Technician.

SEMINARS 2022



• MARES SERVICE TECHNICIAN

This is by far the most popular of the skill based training courses. The all new and redesigned Mares Service Technician Training Course is a comprehensive 2 day training program that trains and qualifies individuals to service and repair Mares products. Topics include disassembly, reassembly and adjustment of in-line Mares regulators, service and repair procedures, troubleshooting, dive computers, Mares warranty, service guidelines and more. More than 12 hours of course time is dedicated to hands-on, skill based training on how to properly disassemble, reassemble and adjust Mares regulators and BC inflator mechanisms. Successful completion of this course qualifies you to service and/or repair ALL Mares products.

Prerequisite Requirements:

Completion of the Basic Service Technician Digital Learning Course. Be currently affiliated with an Authorized Mares Dealer. Be approved by the affiliated Mares Dealer to attend the course.

• MARES DIVING CENTER SERVICE TECHNICIAN

This course is designed for technicians who plan to work in a Mares Diving Center, such as a resort or diver training facility, that has limited or no retail sale of Mares equipment. Course duration is 1 day and provides skill based training related to the Mares Diving Center product line. Take this course if you plan to work in a Mares Diving Center and are interested in being able to service and repair your affiliated Mares Diving Center owned Mares products. Successful completion of the Diving Center Service Technician Course qualifies you to service and repair ONLY your affiliated Diving Center OWNED equipment used in rental and/or training programs.

Prerequisite Requirements:

Completion of the Basic Service Technician Digital Learning Course. Be affiliated with an Authorized Mares Diving Center. Be approved by the affiliated Mares Diving Center to attend the course.

• MARES SPECIALTY SERVICE TECHNICIAN

These courses are designed to train technicians to service and repair specific Mares products. Specialty Service Technician Training Course duration is approximately 1 day, depending on the course requirements and the number of products included in the course. Successful completion of this course qualifies you to service and/or repair ONLY the specific Mares products for which you were trained. These products will be listed on your qualification certificate. Contact your local Mares Subsidiary or Distributor for additional information on Specialty Service Technician Training Courses available in your area.

Prerequisite Requirements:

This varies according to the specific Specialty Service Technician Training Course requirements.

Authorization by a current Mares Dive Center or Mares Dealer.

• MARES SERVICE TECHNICIAN UPDATE

In order to maintain your Mares Service Technician qualification, you must attend the Annual Service Technician Online Renewal within one (1) year* of completing a Service Technician Training Course. Annual Service Technician Online Renewals are available online and are conducted regularly every year from October 15th to December 15th.

 $\boldsymbol{\ast}$ Within one (1) year is defined as before December 31st of the year in which the one year limit is reached.

Prerequisite Requirements:

Currently qualified as a Mares Lab Service Technician.

Qualification date is within theone (1) year update requirement.

THE MARES LAB TRAINING CYCLE®

The Mares Lab Training Cycle is a process that has proven effective in producing what we call "best in class results". This means that as a qualified Mares Service Technician, you can be confident that you've successfully completed the dive industry's most comprehensive dive equipment service and repair training program available through a dive equipment manufacturer. You can also be proud of the fact that you earned your qualification by demonstrating a "best in class" level of dive equipment service technician skills and abilities. Here's how the Mares Lab Training Cycle works:

Your Knowledge Development

Your basic dive equipment service and repair knowledge is established during your digital learning course and further enhanced during your skill based training course.

Your Skill Development

Your service and repair skills are enhanced during your skill based training course through a series of hands-on training exercises. Over 90% of the contact hours in these courses are dedicated to skill development.




Your Abilities Confirmed

Your knowledge and skill levels achieved through the Mares Lab training process are objectively evaluated and must meet the minimum core competency requirements in order to be qualified as a Mares Service Technician.

Your Abilities Improved

Your abilities improve over time by gaining additional knowledge and increasing skill levels. This is achieved through experience as a Mare Service Technician, by regular contact and communication with Mares Technical Assistance staff, by receiving periodic product updates and Service Bulletins and by participating in Service Technician Update Seminars.



Product specifications and characteristics listed in this catalogue may be subject to changes by Mares without notice.

ISO 9001:2015 certified

The trademark **mares** is a registered trademark.

THOTO CREDITS: Alberto Balbi - Adv Consulting - Bob Bobisavljevic - Marco Daturi - Massimiliano Eleota - Alex Dawson - Janez Kranjc - Ivana Orlovic Kranjc - Gerald Nowak - Virginia Salzedo - Boaz Samorai - Tom St George - Dejan Subotic - Borislav Turkalj - Fulvio Valgoglio - Predrag Vuckovic - Axel Weiss





Mares S.p.A. Salita Bonsen 4 P.O. Box 142 16035 Rapallo (Genova) · ITALY Tel. +39 0185 2011 / fax +39 0185 201470 www.mares.com